

Alendronate Solid Formulation

Version 7.1 Revision Date: 26.09.2023 SDS Number: 22304-00021 Date of last issue: 20.03.2023
Date of first issue: 15.10.2014

Section 1: Identification

Product name : Alendronate Solid Formulation

Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33rd floor
Jersey City, New Jersey, U.S.A 07302

Telephone : +1-551-430-6000

Emergency telephone number : +1-215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

Section 2: Hazard identification**GHS Classification**

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure : Category 3

Specific target organ toxicity - repeated exposure : Category 2 (Bone, Stomach, Kidney)

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Alendronate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
7.1	26.09.2023	22304-00021	Date of first issue: 15.10.2014

H361d Suspected of damaging the unborn child.
H373 May cause damage to organs (Bone, Stomach, Kidney) through prolonged or repeated exposure.

Precautionary statements

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing dust.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

May form explosive dust-air mixture during processing, handling or other means.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 30 -< 50
Alendronate	121268-17-5	>= 20 -< 30

Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

Alendronate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
7.1	26.09.2023	22304-00021	Date of first issue: 15.10.2014

When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Causes skin irritation.
Causes serious eye damage.
May cause respiratory irritation.
Suspected of damaging the unborn child.
May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Phosphorus compounds
Metal oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Alendronate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
7.1	26.09.2023	22304-00021	Date of first issue: 15.10.2014

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air. Add excess liquid to allow the material to enter into solution. Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing. Do not breathe dust. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease,

Alendronate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
7.1	26.09.2023	22304-00021	Date of first issue: 15.10.2014

- should consult their physician regarding working with respiratory irritants or sensitisers.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage** : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
- Materials to avoid** : Do not store with the following product types:
Strong oxidizing agents

Section 8: Exposure controls/personal protection
Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	WES-TWA	10 mg/m ³	NZ OEL
		TWA	10 mg/m ³	ACGIH
Alendronate	121268-17-5	TWA	20 µg/m ³ (OEB 3)	Internal
		Wipe limit	200 µg/100 cm ²	Internal

- Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

- Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Alendronate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
7.1	26.09.2023	22304-00021	Date of first issue: 15.10.2014

Filter type	:	Particulates type
Hand protection		
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Section 9: Physical and chemical properties

Appearance	:	powder
Colour	:	white
Odour	:	odourless
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available

Alendronate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
7.1	26.09.2023	22304-00021	Date of first issue: 15.10.2014

Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	1 g/cm ³
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	No data available

Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg
---------------------	---	--

Alendronate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
7.1	26.09.2023	22304-00021	Date of first issue: 15.10.2014

Method: Calculation method

Components:**Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Alendronate:

Acute oral toxicity : LD50 (Rat): 552 - 626 mg/kg
LD50 (Mouse): 966 - 1,280 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Causes skin irritation.

Components:**Alendronate:**

Species : Rabbit

Remarks : Severe skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:**Alendronate:**

Species : Rabbit

Result : Severe irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Alendronate Solid Formulation

Version 7.1 Revision Date: 26.09.2023 SDS Number: 22304-00021 Date of last issue: 20.03.2023
Date of first issue: 15.10.2014

Components:**Alendronate:**

Remarks : No data available

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Alendronate:

Genotoxicity in vitro : Test Type: Alkaline elution assay
Test system: rat hepatocytes
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: equivocal

Genotoxicity in vivo : Test Type: Chromosomal aberration
Species: Mouse
Result: negative

Carcinogenicity

Not classified based on available information.

Alendronate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
7.1	26.09.2023	22304-00021	Date of first issue: 15.10.2014

Components:**Cellulose:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	72 weeks
Result	:	negative

Alendronate:

Species	:	Rat, male
Application Route	:	Oral
Exposure time	:	2 Years
	:	1 mg/kg body weight
	:	3.75 mg/kg body weight
Target Organs	:	Thyroid
Remarks	:	The mechanism or mode of action may not be relevant in humans.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:**Cellulose:**

Effects on fertility	:	Test Type: One-generation reproduction toxicity study
		Species: Rat
		Application Route: Ingestion
		Result: negative

Effects on foetal development	:	Test Type: Fertility/early embryonic development
		Species: Rat
		Application Route: Ingestion
		Result: negative

Alendronate:

Effects on fertility	:	Test Type: Fertility
		Species: Rat, male and female
		Application Route: Oral
		Fertility: NOAEL: 5 mg/kg body weight
		Result: Animal testing did not show any effects on fertility.

Effects on foetal development	:	Test Type: Development
		Species: Rat, female
		Application Route: Oral
		Developmental Toxicity: LOAEL: 1 - 15 mg/kg body weight
		Symptoms: Reduced number of viable fetuses, Reduced body weight, Skeletal malformations
		Result: Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Development

Alendronate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
7.1	26.09.2023	22304-00021	Date of first issue: 15.10.2014

Species: Rabbit, female
 Application Route: Oral
 Developmental Toxicity: NOAEL: 40 mg/kg body weight
 Result: No adverse effects

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

May cause respiratory irritation.

Components:**Alendronate:**

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs (Bone, Stomach, Kidney) through prolonged or repeated exposure.

Components:**Alendronate:**

Target Organs : Bone, Stomach, Kidney
 Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Cellulose:**

Species : Rat
 NOAEL : $\geq 9,000$ mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days

Alendronate:

Species : Rat
 NOAEL : 2.5 mg/kg
 LOAEL : > 2.5 mg/kg
 Application Route : Intravenous
 Exposure time : 53 Weeks
 Target Organs : Stomach

Species : Dog
 LOAEL : 0.01 mg/kg
 Application Route : Intravenous
 Exposure time : 3 yr
 Target Organs : Stomach, Bone, Kidney

Species : Dog

Alendronate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
7.1	26.09.2023	22304-00021	Date of first issue: 15.10.2014

NOAEL	:	2 mg/kg
LOAEL	:	4 mg/kg
Application Route	:	Oral
Exposure time	:	53 Weeks
Target Organs	:	Kidney

Aspiration toxicity

Not classified based on available information.

Components:**Alendronate:**

Not applicable

Experience with human exposure**Components:****Alendronate:**

Inhalation	:	Symptoms: respiratory tract irritation
Skin contact	:	Symptoms: Severe irritation, skin blistering
Eye contact	:	Symptoms: Severe irritation
Ingestion	:	Symptoms: Gastrointestinal disturbance, musculoskeletal pain

Section 12: Ecological information**Ecotoxicity****Components:****Cellulose:**

Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
------------------	---	--

Alendronate:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 27 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
		LC50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l Exposure time: 96 h Method: FDA 4.11

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 170 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
---	---	---

Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 mg/l Exposure time: 72 h
----------------------------------	---	---

Alendronate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
7.1	26.09.2023	22304-00021	Date of first issue: 15.10.2014

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 4 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 1.1 mg/l
 Exposure time: 32 d
 Method: OECD Test Guideline 210

LOEC (Pimephales promelas (fathead minnow)): 1.9 mg/l
 Exposure time: 32 d
 Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 4.7 mg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211

Persistence and degradability**Components:****Cellulose:**

Biodegradability : Result: Readily biodegradable.

Alendronate:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 70.3 %
 Exposure time: 7 d

Stability in water : Degradation half life (DT50): 375 d
 Method: OECD Test Guideline 111

Bioaccumulative potential**Components:****Alendronate:**

Partition coefficient: n-octanol/water : log Pow: -1.73

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.

Alendronate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
7.1	26.09.2023	22304-00021	Date of first issue: 15.10.2014

Contaminated packaging : Dispose of in accordance with local regulations.
 : Empty containers should be taken to an approved waste handling site for recycling or disposal.
 : If not otherwise specified: Dispose of as unused product.

Section 14: Transport information**International Regulations****UNRTDG**

UN number : Not applicable
 Proper shipping name : Not applicable
 Class : Not applicable
 Subsidiary risk : Not applicable
 Packing group : Not applicable
 Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
 Proper shipping name : Not applicable
 Class : Not applicable
 Subsidiary risk : Not applicable
 Packing group : Not applicable
 Labels : Not applicable
 Packing instruction (cargo aircraft) : Not applicable
 Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
 Proper shipping name : Not applicable
 Class : Not applicable
 Subsidiary risk : Not applicable
 Packing group : Not applicable
 Labels : Not applicable
 EmS Code : Not applicable
 Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**NZS 5433**

UN number : Not applicable
 Proper shipping name : Not applicable
 Class : Not applicable
 Subsidiary risk : Not applicable
 Packing group : Not applicable
 Labels : Not applicable
 Hazchem Code : Not applicable

Alendronate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
7.1	26.09.2023	22304-00021	Date of first issue: 15.10.2014

Special precautions for user

Not applicable

Section 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR100425 Pharmaceutical Active Ingredients Group Standard

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 26.09.2023

Further informationSources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA

Alendronate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
7.1	26.09.2023	22304-00021	Date of first issue: 15.10.2014

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN