

SAFETY DATA SHEET



Betamethasone (0.05%) Cream Formulation



Version 4.2 Revision Date: 30.09.2023 SDS Number: 1682158-00014 Date of last issue: 04.04.2023
Date of first issue: 17.05.2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Betamethasone (0.05%) Cream Formulation

Manufacturer or supplier's details

Company : Organon & Co.

Address : Rua Treze de Maio, 1161
Campinas, São Paulo, Brazil 13106-054

Telephone : +55 (19) 3758-2000

Emergency telephone : +55 (11) 3173-4931

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION



GHS Classification in accordance with ABNT NBR 14725 Standard

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 1 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland)

Long-term (chronic) aquatic hazard : Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :  

Signal Word : Danger

Hazard Statements : H360D May damage the unborn child.
H372 Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P264 Wash skin thoroughly after handling.

SAFETY DATA SHEET



Betamethasone (0.05%) Cream Formulation



Version 4.2 Revision Date: 30.09.2023 SDS Number: 1682158-00014 Date of last issue: 04.04.2023
Date of first issue: 17.05.2017

P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Petrolatum	8009-03-8		>= 20 -<= 30
Decamethylcyclopentasiloxane	541-02-6	Flammable liquids, Category 4 Acute toxicity (Inhalation), Category 5	7
Glyceryl monostearate	123-94-4		3
4-Chloro-3-methylphenol	59-50-7	Acute toxicity (Oral), Category 4 Skin corrosion, Category 1C Serious eye damage, Category 1 Skin sensitization, Sub-category 1B Specific target organ toxicity - single exposure, Category 3 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 3	0,1
Betamethasone	378-44-9	Acute toxicity (Inhalation), Category 2 Reproductive toxicity, Category 1B Specific target organ toxicity - repeated exposure (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland), Category 1 Long-term (chronic)	0,064

SAFETY DATA SHEET



Betamethasone (0.05%) Cream Formulation



Version 4.2 Revision Date: 30.09.2023 SDS Number: 1682158-00014 Date of last issue: 04.04.2023
Date of first issue: 17.05.2017

		aquatic hazard, Category 1	
--	--	-------------------------------	--

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May damage the unborn child.
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Vapors may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Silicon oxides
Formaldehyde
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Betamethasone (0.05%) Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.2	30.09.2023	1682158-00014	Date of first issue: 17.05.2017

for fire-fighters

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing. Do not breathe dust, fume, gas, mist, vapors or spray. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment. Do not breathe decomposition products.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labeled containers. Store locked up.

Betamethasone (0.05%) Cream Formulation

Version 4.2 Revision Date: 30.09.2023 SDS Number: 1682158-00014 Date of last issue: 04.04.2023
Date of first issue: 17.05.2017

Materials to avoid : Keep tightly closed.
Store in accordance with the particular national regulations.
Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Petrolatum	8009-03-8	TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
Glyceryl monostearate	123-94-4	TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH
4-Chloro-3-methylphenol	59-50-7	TWA	200 µg/m ³ (OEB 2)	Internal
		Wipe limit	100 µg/100 cm ²	Internal
Betamethasone	378-44-9	TWA	1 µg/m ³ (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	10 µg/100 cm ²	Internal

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Formaldehyde	50-00-0	CEIL	1,6 ppm 2,3 mg/m ³	BR OEL
	Further information: Degree of harmfulness: maximum			
		TWA	0,1 ppm	ACGIH
		STEL	0,3 ppm	ACGIH

Engineering measures : Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Betamethasone (0.05%) Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.2	30.09.2023	1682158-00014	Date of first issue: 17.05.2017

Essentially no open handling permitted.
Use closed processing systems or containment technologies.

Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates, inorganic gas/vapor and organic vapor type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving.
- Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : cream
- Color : white
- Odor : No data available
- Odor Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : > 93,3 °C
- Evaporation rate : Not applicable
- Flammability (solid, gas) : Not classified as a flammability hazard
- Flammability (liquids) : Not applicable
- Upper explosion limit / Upper flammability limit : No data available

SAFETY DATA SHEET



Betamethasone (0.05%) Cream Formulation



Version 4.2 Revision Date: 30.09.2023 SDS Number: 1682158-00014 Date of last issue: 04.04.2023
Date of first issue: 17.05.2017

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Vapors may form explosive mixture with air.
Can react with strong oxidizing agents.
Hazardous decomposition products will be formed at elevated temperatures.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products

Thermal decomposition : Formaldehyde

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact
Ingestion
Eye contact

Betamethasone (0.05%) Cream Formulation

Version 4.2 Revision Date: 30.09.2023 SDS Number: 1682158-00014 Date of last issue: 04.04.2023
Date of first issue: 17.05.2017

Acute toxicity

Not classified based on available information.

Product:

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:**Petrolatum:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Decamethylcyclopentasiloxane:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 8,67 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Glyceryl monostearate:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Remarks: Based on data from similar materials

4-Chloro-3-methylphenol:

Acute oral toxicity : LD50 (Mouse): 600 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2,871 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Betamethasone:

Betamethasone (0.05%) Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.2	30.09.2023	1682158-00014	Date of first issue: 17.05.2017

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
LD50 (Mouse): > 4.500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0,4 mg/l
Exposure time: 4 h

Skin corrosion/irritation

Not classified based on available information.

Components:**Petrolatum:**

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

Decamethylcyclopentasiloxane:

Species : Rabbit
Result : No skin irritation

Glyceryl monostearate:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

4-Chloro-3-methylphenol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Corrosive after 1 to 4 hours of exposure

Betamethasone:

Species : Rabbit
Result : Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Petrolatum:**

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

Decamethylcyclopentasiloxane:

Species : Rabbit
Result : No eye irritation

Betamethasone (0.05%) Cream Formulation

Version 4.2 Revision Date: 30.09.2023 SDS Number: 1682158-00014 Date of last issue: 04.04.2023
Date of first issue: 17.05.2017

Glyceryl monostearate:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

4-Chloro-3-methylphenol:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

Betamethasone:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:**Petrolatum:**

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative
Remarks : Based on data from similar materials

Decamethylcyclopentasiloxane:

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Skin contact
Species : Mouse
Result : negative

Glyceryl monostearate:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative
Remarks : Based on data from similar materials

4-Chloro-3-methylphenol:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Assessment : Probability or evidence of low to moderate skin sensitization rate in humans

Betamethasone (0.05%) Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.2	30.09.2023	1682158-00014	Date of first issue: 17.05.2017

Betamethasone:

Routes of exposure : Dermal
 Species : Guinea pig
 Result : Weak sensitizer

Germ cell mutagenicity

Not classified based on available information.

Components:

Petrolatum:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
 Result: negative
 Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Intraperitoneal injection
 Method: OECD Test Guideline 474
 Result: negative
 Remarks: Based on data from similar materials

Decamethylcyclopentasiloxane:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Method: OECD Test Guideline 471
 Result: negative

Test Type: Chromosome aberration test in vitro
 Method: OECD Test Guideline 473
 Result: negative

Test Type: In vitro mammalian cell gene mutation test
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Rat
 Application Route: inhalation (vapor)
 Method: OECD Test Guideline 474
 Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo
 Species: Rat
 Application Route: Inhalation
 Method: OECD Test Guideline 486
 Result: negative

Glyceryl monostearate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Betamethasone (0.05%) Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.2	30.09.2023	1682158-00014	Date of first issue: 17.05.2017

Method: OECD Test Guideline 473
 Result: negative
 Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)
 Method: OECD Test Guideline 471
 Result: negative
 Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
 Result: negative
 Remarks: Based on data from similar materials

4-Chloro-3-methylphenol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Betamethasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: In vitro mammalian cell gene mutation test
 Result: negative

Test Type: Chromosome aberration test in vitro
 Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Oral
 Result: equivocal

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:**Petrolatum:**

Species : Rat
 Application Route : Ingestion
 Exposure time : 2 Years
 Result : negative

Reproductive toxicity

May damage the unborn child.

Components:**Petrolatum:**

Betamethasone (0.05%) Cream Formulation

Version 4.2 Revision Date: 30.09.2023 SDS Number: 1682158-00014 Date of last issue: 04.04.2023
Date of first issue: 17.05.2017

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Skin contact
Result: negative
Remarks: Based on data from similar materials

Decamethylcyclopentasiloxane:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: inhalation (vapor)
Method: OPPTS 870.3800
Result: negative

Effects on fetal development : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: inhalation (vapor)
Method: OPPTS 870.3800
Result: negative

Glyceryl monostearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

4-Chloro-3-methylphenol:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion

Betamethasone (0.05%) Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.2	30.09.2023	1682158-00014	Date of first issue: 17.05.2017

Result: negative

Betamethasone:

Effects on fetal development : Species: Rabbit
 Application Route: Intramuscular
 Developmental Toxicity: LOAEL: 0,05 mg/kg body weight
 Result: Fetotoxicity., Malformations were observed.

Species: Rat
 Application Route: Subcutaneous
 Developmental Toxicity: LOAEL: 0,42 mg/kg body weight
 Result: Malformations were observed.

Species: Mouse
 Application Route: Intramuscular
 Developmental Toxicity: LOAEL: 1 mg/kg body weight
 Result: Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

Components:

4-Chloro-3-methylphenol:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.

Components:

Betamethasone:

Target Organs : Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland
 Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Petrolatum:

Species : Rat
 NOAEL : 5.000 mg/kg
 Application Route : Ingestion
 Exposure time : 2 y

Decamethylcyclopentasiloxane:

Species : Rat

Betamethasone (0.05%) Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.2	30.09.2023	1682158-00014	Date of first issue: 17.05.2017

NOAEL : 1.000 mg/kg
 LOAEL : > 1.000 mg/kg
 Application Route : Ingestion
 Method : OECD Test Guideline 408

Glyceryl monostearate:

Species : Rat
 NOAEL : >= 12.500 mg/kg
 Application Route : Ingestion
 Exposure time : 84 Days
 Remarks : Based on data from similar materials

4-Chloro-3-methylphenol:

Species : Rat
 NOAEL : 200 mg/kg
 LOAEL : 400 mg/kg
 Application Route : Ingestion
 Exposure time : 28 Days

Betamethasone:

Species : Rabbit
 LOAEL : 0.05 %
 Application Route : Skin contact
 Exposure time : 10 - 30 d
 Target Organs : Pituitary gland, Immune system, muscle

Species : Rat
 LOAEL : 0.05 %
 Application Route : Skin contact
 Exposure time : 8 Weeks
 Target Organs : thymus gland

Species : Mouse
 LOAEL : 0.1 %
 Application Route : Skin contact
 Exposure time : 8 Weeks
 Target Organs : thymus gland

Species : Dog
 LOAEL : 0,05 mg/kg
 Application Route : Oral
 Exposure time : 28 d
 Target Organs : Blood, thymus gland, Adrenal gland

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Betamethasone:

Inhalation : Target Organs: Adrenal gland

Betamethasone (0.05%) Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.2	30.09.2023	1682158-00014	Date of first issue: 17.05.2017

Skin contact : Symptoms: Redness, pruritis, Irritation

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Petrolatum:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l
 Exposure time: 96 h
 Test substance: Water Accommodated Fraction
 Method: OECD Test Guideline 203
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l
 Exposure time: 48 h
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l
 Exposure time: 72 h
 Test substance: Water Accommodated Fraction
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l
 Exposure time: 21 d
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials

Decamethylcyclopentasiloxane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 16 µg/l
 Exposure time: 96 h
 Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 2,9 µg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202
 Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 12 µg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 201
 Remarks: No toxicity at the limit of solubility.

EC10 (Pseudokirchneriella subcapitata (green algae)): > 12 µg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 201
 Remarks: No toxicity at the limit of solubility.

Betamethasone (0.05%) Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.2	30.09.2023	1682158-00014	Date of first issue: 17.05.2017

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 14 µg/l
 Exposure time: 90 d
 Method: OECD Test Guideline 210
 Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 15 µg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211
 Remarks: No toxicity at the limit of solubility.

Toxicity to microorganisms : EC50: > 2.000 mg/l
 Exposure time: 3 h
 Method: 88/302/EC

Glyceryl monostearate:

Toxicity to fish : LL50 (Leuciscus idus (Golden orfe)): > 100 mg/l
 Exposure time: 48 h
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 32 mg/l
 Exposure time: 47 h
 Method: Directive 67/548/EEC, Annex V, C.2.
 Remarks: No toxicity at the limit of solubility.
 Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
 Exposure time: 72 h
 Test substance: Water Accommodated Fraction
 Method: OECD Test Guideline 201
 Remarks: No toxicity at the limit of solubility.

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
 Exposure time: 72 h
 Test substance: Water Accommodated Fraction
 Method: OECD Test Guideline 201
 Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 0,22 mg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211
 Remarks: No toxicity at the limit of solubility.
 Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 1 mg/l
 Exposure time: 18 h
 Remarks: Based on data from similar materials

4-Chloro-3-methylphenol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 917 µg/l
 Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1,5 mg/l

Betamethasone (0.05%) Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.2	30.09.2023	1682158-00014	Date of first issue: 17.05.2017

aquatic invertebrates		Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Chlorella pyrenoidosa): 15 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC10 (Chlorella pyrenoidosa): 2,3 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0,32 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	:	EC50: 22,86 mg/l Exposure time: 60 h
Betamethasone:		
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Americamysis): > 50 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility.
		NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility.
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0,052 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
		NOEC (Oryzias latipes (Japanese medaka)): 0,07 µg/l Exposure time: 219 d Method: OECD Test Guideline 229
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 8 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	1.000

Betamethasone (0.05%) Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.2	30.09.2023	1682158-00014	Date of first issue: 17.05.2017

Persistence and degradability

Components:

Petrolatum:

Biodegradability : Result: Not readily biodegradable.
 Biodegradation: 31 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301F
 Remarks: Based on data from similar materials

Decamethylcyclopentasiloxane:

Biodegradability : Result: Not readily biodegradable.
 Biodegradation: 0,14 %
 Exposure time: 28 d
 Method: OECD Test Guideline 310

Glyceryl monostearate:

Biodegradability : Result: Readily biodegradable.
 Remarks: Based on data from similar materials

4-Chloro-3-methylphenol:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 78 %
 Exposure time: 15 d
 Method: OECD Test Guideline 301

Bioaccumulative potential

Components:

Decamethylcyclopentasiloxane:

Bioaccumulation : Species: Pimephales promelas (fathead minnow)
 Bioconcentration factor (BCF): 7.060 - 13.300
 Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 8,023

Glyceryl monostearate:

Partition coefficient: n-octanol/water : log Pow: 6,1

4-Chloro-3-methylphenol:

Bioaccumulation : Species: Cyprinus carpio (Carp)
 Bioconcentration factor (BCF): 5,5 - 13

Partition coefficient: n-octanol/water : log Pow: 0,477

Betamethasone:

Partition coefficient: n-octanol/water : log Pow: 2,11

SAFETY DATA SHEET



Betamethasone (0.05%) Cream Formulation



Version 4.2 Revision Date: 30.09.2023 SDS Number: 1682158-00014 Date of last issue: 04.04.2023
Date of first issue: 17.05.2017

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(betamethasone)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Betamethasone)

Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Betamethasone)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Betamethasone (0.05%) Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.2	30.09.2023	1682158-00014	Date of first issue: 17.05.2017

Domestic regulation**ANTT**

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (betamethasone)
Class	:	9
Packing group	:	III
Labels	:	9
Hazard Identification Number	:	90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 30.09.2023
Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
BR OEL : Brazil. NR 15 - Unhealthy activities and operations

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit

SAFETY DATA SHEET



Betamethasone (0.05%) Cream Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.2	30.09.2023	1682158-00014	Date of first issue: 17.05.2017

BR OEL / CEIL : Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8