

# SAFETY DATA SHEET



## Betamethasone (0.05%) Liquid Formulation



Version 2.6      Revision Date: 30.09.2023      SDS Number: 4659289-00010      Date of last issue: 04.04.2023  
Date of first issue: 11.07.2019

---

### SECTION 1. IDENTIFICATION

Product name : Betamethasone (0.05%) Liquid Formulation

#### Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33rd floor  
Jersey City, New Jersey, U.S.A 07302

Telephone : 1-551-430-6000

Emergency telephone : 1-215-631-6999

E-mail address : EHSSTEWARD@organon.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION



#### GHS Classification

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 1 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland)

Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

Hazard pictograms :  

Signal Word : Danger

Hazard Statements : H360D May damage the unborn child.  
H372 Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read

## Betamethasone (0.05%) Liquid Formulation

Version 2.6      Revision Date: 30.09.2023      SDS Number: 4659289-00010      Date of last issue: 04.04.2023  
Date of first issue: 11.07.2019

and understood.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Glycerine	56-81-5	>= 50 -< 70
Ethanol#	64-17-5	>= 0,1 -< 1
Betamethasone	378-44-9	>= 0,025 -< 0,1

# Voluntarily-disclosed substance

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

## Betamethasone (0.05%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	4659289-00010	Date of first issue: 11.07.2019

Most important symptoms and effects, both acute and delayed : May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

## Betamethasone (0.05%) Liquid Formulation

Version            Revision Date:            SDS Number:            Date of last issue: 04.04.2023  
2.6                    30.09.2023                4659289-00010            Date of first issue: 11.07.2019

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

- Technical measures            : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation        : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling        : Do not get on skin or clothing.  
Do not breathe mist or vapors.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage    : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid            : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerine	56-81-5	CMP (Mist)	10 mg/m <sup>3</sup>	AR OEL
Ethanol	64-17-5	CMP	1.000 ppm	AR OEL
	Further information: A4 - Not classifiable as a human carcinogen			
		STEL	1.000 ppm	ACGIH
Betamethasone	378-44-9	TWA	1 µg/m <sup>3</sup> (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	10 µg/100 cm <sup>2</sup>	Internal

- Engineering measures**        : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Essentially no open handling permitted.  
Use closed processing systems or containment technologies.  
If handled in a laboratory, use a properly designed biosafety

## Betamethasone (0.05%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	4659289-00010	Date of first issue: 11.07.2019

---

cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

**Personal protective equipment**

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapor type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving.
- Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance : liquid
- Color : No data available
- Odor : No data available
- Odor Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : No data available

# SAFETY DATA SHEET



## Betamethasone (0.05%) Liquid Formulation



Version 2.6      Revision Date: 30.09.2023      SDS Number: 4659289-00010      Date of last issue: 04.04.2023  
Date of first issue: 11.07.2019

---

Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

**Betamethasone (0.05%) Liquid Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04.04.2023  
2.6                30.09.2023                4659289-00010            Date of first issue: 11.07.2019

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****Glycerine:**

Acute oral toxicity                        : LD50 (Rat): > 5.000 mg/kg  
Acute dermal toxicity                      : LD50 (Guinea pig): > 5.000 mg/kg

**Ethanol:**

Acute oral toxicity                        : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
Acute inhalation toxicity                : LC50 (Rat): 124,7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor

**Betamethasone:**

Acute oral toxicity                        : LD50 (Rat): > 5.000 mg/kg  
LD50 (Mouse): > 4.500 mg/kg  
Acute inhalation toxicity                : LC50 (Rat): 0,4 mg/l  
Exposure time: 4 h

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Glycerine:**

Species                                      : Rabbit  
Result                                        : No skin irritation

**Ethanol:**

Species                                      : Rabbit  
Method                                       : OECD Test Guideline 404  
Result                                        : No skin irritation

**Betamethasone:**

Species                                      : Rabbit  
Result                                        : Mild skin irritation

**Betamethasone (0.05%) Liquid Formulation**

Version 2.6      Revision Date: 30.09.2023      SDS Number: 4659289-00010      Date of last issue: 04.04.2023  
Date of first issue: 11.07.2019

---

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Glycerine:**

Species : Rabbit  
Result : No eye irritation

**Ethanol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

**Betamethasone:**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Ethanol:**

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Result : negative

**Betamethasone:**

Routes of exposure : Dermal  
Species : Guinea pig  
Result : Weak sensitizer

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Glycerine:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative



## Betamethasone (0.05%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	4659289-00010	Date of first issue: 11.07.2019

---

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

**Ethanol:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Application Route: Ingestion  
Result: equivocal

**Betamethasone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Oral  
Result: equivocal

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Carcinogenicity**

Not classified based on available information.

**Components:****Glycerine:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

**Reproductive toxicity**

May damage the unborn child.

**Components:****Glycerine:**

## Betamethasone (0.05%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	4659289-00010	Date of first issue: 11.07.2019

---

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Ethanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### Betamethasone:

Effects on fetal development : Species: Rabbit  
Application Route: Intramuscular  
Developmental Toxicity: LOAEL: 0,05 mg/kg body weight  
Result: Fetotoxicity., Malformations were observed.

Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: LOAEL: 0,42 mg/kg body weight  
Result: Malformations were observed.

Species: Mouse  
Application Route: Intramuscular  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.

### Components:

#### Betamethasone:

Target Organs : Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland  
Assessment : Causes damage to organs through prolonged or repeated exposure.

## Betamethasone (0.05%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	4659289-00010	Date of first issue: 11.07.2019

---

**Repeated dose toxicity****Components:****Glycerine:**

Species	:	Rat
NOAEL	:	0,167 mg/l
LOAEL	:	0,622 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	13 Weeks

Species	:	Rat
NOAEL	:	8.000 - 10.000 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 y

Species	:	Rabbit
NOAEL	:	5.040 mg/kg
Application Route	:	Skin contact
Exposure time	:	45 Weeks

**Ethanol:**

Species	:	Rat
NOAEL	:	1.280 mg/kg
LOAEL	:	3.156 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

**Betamethasone:**

Species	:	Rabbit
LOAEL	:	0.05 %
Application Route	:	Skin contact
Exposure time	:	10 - 30 d
Target Organs	:	Pituitary gland, Immune system, muscle

Species	:	Rat
LOAEL	:	0.05 %
Application Route	:	Skin contact
Exposure time	:	8 Weeks
Target Organs	:	thymus gland

Species	:	Mouse
LOAEL	:	0.1 %
Application Route	:	Skin contact
Exposure time	:	8 Weeks
Target Organs	:	thymus gland

Species	:	Dog
LOAEL	:	0,05 mg/kg
Application Route	:	Oral
Exposure time	:	28 d
Target Organs	:	Blood, thymus gland, Adrenal gland

# Betamethasone (0.05%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	4659289-00010	Date of first issue: 11.07.2019

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Betamethasone:**

Inhalation	:	Target Organs: Adrenal gland
Skin contact	:	Symptoms: Redness, pruritis, Irritation

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Glycerine:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 54.000 mg/l Exposure time: 96 h
------------------	---	--

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1.955 mg/l Exposure time: 48 h
---	---	--

Toxicity to microorganisms	:	NOEC (Pseudomonas putida): > 10.000 mg/l Exposure time: 16 h Method: DIN 38 412 Part 8
----------------------------	---	--

**Ethanol:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1.000 mg/l Exposure time: 96 h
------------------	---	--

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia (water flea)): > 1.000 mg/l Exposure time: 48 h
---	---	---

Toxicity to algae/aquatic plants	:	ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h
----------------------------------	---	---

	:	EC10 (Chlorella vulgaris (Fresh water algae)): 11,5 mg/l Exposure time: 72 h
--	---	---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 9,6 mg/l Exposure time: 9 d
--	---	---

Toxicity to microorganisms	:	EC50 (Pseudomonas putida): 6.500 mg/l Exposure time: 16 h
----------------------------	---	--

**Betamethasone:**

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Americamysis): > 50 mg/l Exposure time: 96 h
---	---	---

Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l Exposure time: 72 h
----------------------------------	---	--

## Betamethasone (0.05%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	4659289-00010	Date of first issue: 11.07.2019

---

Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.

NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0,052 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

NOEC (Oryzias latipes (Japanese medaka)): 0,07 µg/l  
Exposure time: 219 d  
Method: OECD Test Guideline 229

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 8 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1.000

**Persistence and degradability****Components:****Glycerine:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 %  
Exposure time: 30 d  
Method: OECD Test Guideline 301D

**Ethanol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 84 %  
Exposure time: 20 d

**Bioaccumulative potential****Components:****Glycerine:**

Partition coefficient: n-octanol/water : log Pow: -1,75

**Ethanol:**

Partition coefficient: n-octanol/water : log Pow: -0,35

**Betamethasone:**

Partition coefficient: n-octanol/water : log Pow: 2,11

# SAFETY DATA SHEET



## Betamethasone (0.05%) Liquid Formulation



Version 2.6      Revision Date: 30.09.2023      SDS Number: 4659289-00010      Date of last issue: 04.04.2023  
Date of first issue: 11.07.2019

---

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(betamethasone)

Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Betamethasone)

Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

#### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Betamethasone)

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

---

**Betamethasone (0.05%) Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	4659289-00010	Date of first issue: 11.07.2019

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Ethanol

**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

AICS : not determined

**SECTION 16. OTHER INFORMATION**

Revision Date : 30.09.2023  
Date format : dd.mm.yyyy

**Further information**

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
AR OEL : Argentina. Occupational Exposure Limits

ACGIH / STEL : Short-term exposure limit  
AR OEL / CMP : TLV (Threshold Limit Value)

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-

**Betamethasone (0.05%) Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	4659289-00010	Date of first issue: 11.07.2019

---

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8