

# SAFETY DATA SHEET



## Betamethasone Cream Formulation



Version 6.1      Revision Date: 2023/09/30      SDS Number: 1841211-00016      Date of last issue: 2023/04/04  
Date of first issue: 2017/07/19

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Betamethasone Cream Formulation

#### Manufacturer or supplier's details

Company : Organon & Co.

Address : JL Raya Pandaan KM. 48  
Pandaan, Jawa Timur - Indonesia

Telephone : +1-551-430-6000

Emergency telephone number : +1-215-631-6999

E-mail address : EHSSTEWARD@organon.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 1 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland)

Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H360D May damage the unborn child.  
H372 Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

## Betamethasone Cream Formulation

Version 6.1	Revision Date: 2023/09/30	SDS Number: 1841211-00016	Date of last issue: 2023/04/04 Date of first issue: 2017/07/19
----------------	------------------------------	------------------------------	---

---

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Petrolatum	8009-03-8	>= 10 -< 30
Paraffin oil	8012-95-1	>= 2.5 -< 10
Hexadecan-1-ol, Ethoxylated	9004-95-9	< 10
4-Chloro-3-methylphenol	59-50-7	>= 0.025 -< 0.25
betamethasone	378-44-9	>= 0.025 -< 0.25

**4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.

## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	1841211-00016	Date of first issue: 2017/07/19

---

In case of eye contact	:	Thoroughly clean shoes before reuse. Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

**5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

**6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain-

## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
6.1	2023/09/30	1841211-00016	2023/04/04
			Date of first issue: 2017/07/19

ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## 7. HANDLING AND STORAGE

- |                             |   |   |
|-----------------------------|---|---|
| Technical measures          | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.   |
| Local/Total ventilation     | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.   |
| Advice on safe handling     | : | Do not get on skin or clothing.<br>Do not breathe vapours.<br>Do not swallow.<br>Avoid contact with eyes.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | : | Keep in properly labelled containers.<br>Store locked up.<br>Keep tightly closed.<br>Store in accordance with the particular national regulations.  |
| Materials to avoid          | : | Do not store with the following product types:<br>Strong oxidizing agents   |

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Petrolatum	8009-03-8	NAB (Mist)	5 mg/m <sup>3</sup>	ID OEL
		PSD (Mist)	10 mg/m <sup>3</sup>	ID OEL
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
Paraffin oil	8012-95-1	NAB (Mist)	5 mg/m <sup>3</sup>	ID OEL
		PSD (Mist)	10 mg/m <sup>3</sup>	ID OEL

## Betamethasone Cream Formulation

Version 6.1      Revision Date: 2023/09/30      SDS Number: 1841211-00016      Date of last issue: 2023/04/04  
 Date of first issue: 2017/07/19

		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
4-Chloro-3-methylphenol	59-50-7	TWA	200 µg/m <sup>3</sup> (OEB 2)	Internal
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
betamethasone	378-44-9	TWA	1 µg/m <sup>3</sup> (OEB 4)	Internal
Further information: Skin				
		Wipe limit	10 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

# SAFETY DATA SHEET



## Betamethasone Cream Formulation



Version 6.1	Revision Date: 2023/09/30	SDS Number: 1841211-00016	Date of last issue: 2023/04/04 Date of first issue: 2017/07/19
----------------	------------------------------	------------------------------	---

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: cream
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
pH	: 5
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: > 93.3 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies) Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity Viscosity, kinematic	: No data available

## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
6.1	2023/09/30	1841211-00016	2023/04/04
			Date of first issue: 2017/07/19

---

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : Not applicable

---

**10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Vapours may form explosive mixture with air.  
Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****Petrolatum:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

**Paraffin oil:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Hexadecan-1-ol. Ethoxylated:**

## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	1841211-00016	Date of first issue: 2017/07/19

---

Acute oral toxicity : LD50 (Rat): 2,500 mg/kg

**4-Chloro-3-methylphenol:**

Acute oral toxicity : LD50 (Mouse): 600 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2.871 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

**betamethasone:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

LD50 (Mouse): > 4,500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.4 mg/l  
Exposure time: 4 h

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Petrolatum:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Paraffin oil:**

Species : Rabbit  
Result : No skin irritation

**4-Chloro-3-methylphenol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive after 1 to 4 hours of exposure

**betamethasone:**

Species : Rabbit  
Result : Mild skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.



## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	1841211-00016	Date of first issue: 2017/07/19

---

**Components:****Petrolatum:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

**Paraffin oil:**

Species	:	Rabbit
Result	:	No eye irritation

**Hexadecan-1-ol. Ethoxylated:**

Result	:	Irritation to eyes, reversing within 21 days
Remarks	:	Based on data from similar materials

**4-Chloro-3-methylphenol:**

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

**betamethasone:**

Species	:	Rabbit
Result	:	No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Petrolatum:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

**4-Chloro-3-methylphenol:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig

Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans
------------	---	--

## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	1841211-00016	Date of first issue: 2017/07/19

---

**betamethasone:**

Exposure routes : Dermal  
 Species : Guinea pig  
 Result : Weak sensitizer

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Petrolatum:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
 Result: negative  
 Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
 Species: Mouse  
 Application Route: Intraperitoneal injection  
 Method: OECD Test Guideline 474  
 Result: negative  
 Remarks: Based on data from similar materials

**4-Chloro-3-methylphenol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

**betamethasone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Test Type: In vitro mammalian cell gene mutation test  
 Result: negative

Test Type: Chromosome aberration test in vitro  
 Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
 Species: Mouse  
 Application Route: Oral  
 Result: equivocal

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Carcinogenicity**

Not classified based on available information.

## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	1841211-00016	Date of first issue: 2017/07/19

---

**Components:****Petrolatum:**

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 2 Years  
 Result : negative

**Reproductive toxicity**

May damage the unborn child.

**Components:****Petrolatum:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Skin contact  
 Result: negative  
 Remarks: Based on data from similar materials

**4-Chloro-3-methylphenol:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on foetal development : Test Type: Reproduction/Developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

**betamethasone:**

Effects on foetal development : Species: Rabbit  
 Application Route: Intramuscular  
 Developmental Toxicity: LOAEL: 0.05 mg/kg body weight  
 Result: Fetotoxicity, Malformations were observed.

Species: Rat  
 Application Route: Subcutaneous  
 Developmental Toxicity: LOAEL: 0.42 mg/kg body weight  
 Result: Malformations were observed.

Species: Mouse

## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	1841211-00016	Date of first issue: 2017/07/19

---

Application Route: Intramuscular  
 Developmental Toxicity: LOAEL: 1 mg/kg body weight  
 Result: Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

**STOT - single exposure**

Not classified based on available information.

**Components:****4-Chloro-3-methylphenol:**

Assessment : May cause respiratory irritation.

**STOT - repeated exposure**

Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.

**Components:****betamethasone:**

Target Organs : Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Petrolatum:**

Species : Rat  
 NOAEL : 5,000 mg/kg  
 Application Route : Ingestion  
 Exposure time : 2 yr

**Paraffin oil:**

Species : Rat, female  
 LOAEL : 161 mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 Days

**4-Chloro-3-methylphenol:**

Species : Rat  
 NOAEL : 200 mg/kg  
 LOAEL : 400 mg/kg  
 Application Route : Ingestion  
 Exposure time : 28 Days

## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	1841211-00016	Date of first issue: 2017/07/19

---

**betamethasone:**

Species : Rabbit  
 LOAEL : 0.05 %  
 Application Route : Skin contact  
 Exposure time : 10 - 30 d  
 Target Organs : Pituitary gland, Immune system, muscle

Species : Rat  
 LOAEL : 0.05 %  
 Application Route : Skin contact  
 Exposure time : 8 Weeks  
 Target Organs : thymus gland

Species : Mouse  
 LOAEL : 0.1 %  
 Application Route : Skin contact  
 Exposure time : 8 Weeks  
 Target Organs : thymus gland

Species : Dog  
 LOAEL : 0.05 mg/kg  
 Application Route : Oral  
 Exposure time : 28 d  
 Target Organs : Blood, thymus gland, Adrenal gland

**Aspiration toxicity**

Not classified based on available information.

**Components:****Paraffin oil:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**Experience with human exposure****Components:****betamethasone:**

Inhalation : Target Organs: Adrenal gland  
 Skin contact : Symptoms: Redness, pruritis, Irritation

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Petrolatum:**

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
 Exposure time: 96 h

## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	1841211-00016	Date of first issue: 2017/07/19

---

Test substance: Water Accommodated Fraction  
 Method: OECD Test Guideline 203  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
 Exposure time: 48 h  
 Test substance: Water Accommodated Fraction  
 Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l  
 Exposure time: 72 h  
 Test substance: Water Accommodated Fraction  
 Method: OECD Test Guideline 201  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l  
 Exposure time: 21 d  
 Test substance: Water Accommodated Fraction  
 Remarks: Based on data from similar materials

**Paraffin oil:**

Toxicity to fish : LL50 (Scophthalmus maximus (turbot)): > 100 mg/l  
 Exposure time: 96 h  
 Test substance: Water Accommodated Fraction  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Acartia tonsa (Calanoid copepod)): > 100 mg/l  
 Exposure time: 48 h  
 Test substance: Water Accommodated Fraction  
 Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Skeletonema costatum (marine diatom)): > 100 mg/l  
 Exposure time: 72 h  
 Test substance: Water Accommodated Fraction  
 Remarks: Based on data from similar materials

NOELR (Skeletonema costatum (marine diatom)): > 1 mg/l  
 Exposure time: 72 h  
 Test substance: Water Accommodated Fraction  
 Remarks: Based on data from similar materials

**Hexadecan-1-ol. Ethoxylated:**

Toxicity to fish : LC50 : > 1 - 10 mg/l  
 Exposure time: 96 h  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50: > 1 - 10 mg/l  
 Exposure time: 48 h  
 Remarks: Based on data from similar materials

## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	1841211-00016	Date of first issue: 2017/07/19

---

Toxicity to algae/aquatic plants : EC50: > 10 - 100 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

**4-Chloro-3-methylphenol:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 917 µg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.5 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Chlorella pyrenoidosa (algae)): 15 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC10 (Chlorella pyrenoidosa (algae)): 2.3 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.32 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: 22.86 mg/l  
Exposure time: 60 h

**betamethasone:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): > 50 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility

NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.052 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

NOEC (Oryzias latipes (Japanese medaka)): 0.07 µg/l  
Exposure time: 219 d

## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	1841211-00016	Date of first issue: 2017/07/19

---

Method: OECD Test Guideline 229

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 8 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1,000

**Persistence and degradability****Components:****Petrolatum:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

**Hexadecan-1-ol. Ethoxylated:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 99 %  
Exposure time: 19 d

**4-Chloro-3-methylphenol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 78 %  
Exposure time: 15 d  
Method: OECD Test Guideline 301

**Bioaccumulative potential****Components:****Paraffin oil:**

Partition coefficient: n-octanol/water : log Pow: > 4  
Remarks: Calculation

**4-Chloro-3-methylphenol:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 5.5 - 13

Partition coefficient: n-octanol/water : log Pow: 0.477

**betamethasone:**

Partition coefficient: n-octanol/water : log Pow: 2.11



## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	1841211-00016	Date of first issue: 2017/07/19

---

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (betamethasone)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

**IATA-DGR**

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (betamethasone)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes

**IMDG-Code**

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (betamethasone)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

# SAFETY DATA SHEET



## Betamethasone Cream Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	1841211-00016	Date of first issue: 2017/07/19

---

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

### Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

### Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

### Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

## 16. OTHER INFORMATION

Revision Date : 2023/09/30

---

## Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	1841211-00016	Date of first issue: 2017/07/19

---

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average  
ID OEL / NAB : Long term exposure limit  
ID OEL / PSD : Short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text.

# SAFETY DATA SHEET



## Betamethasone Cream Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	1841211-00016	Date of first issue: 2017/07/19

---

Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN