

# SAFETY DATA SHEET



## Betamethasone / Salicylic Acid Lotion Formulation



Version 6.2      Revision Date: 06.04.2024      SDS Number: 1833517-00019      Date of last issue: 30.09.2023  
Date of first issue: 13.07.2017

---

### SECTION 1. IDENTIFICATION

#### Manufacturer or supplier's details

Company : Organon & Co.  
Address : 30 Hudson Street, 33rd floor  
Jersey City, New Jersey, U.S.A 07302  
Telephone : 1-551-430-6000  
Emergency telephone : 1-215-631-6999  
E-mail address : EHSSTEWARD@organon.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 2  
Skin corrosion/irritation : Category 2  
Serious eye damage/eye irritation : Category 2A  
Reproductive toxicity : Category 1B  
Specific target organ toxicity - single exposure : Category 3  
Specific target organ toxicity - repeated exposure : Category 1 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland)  
Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

Hazard pictograms :    

Signal Word : Danger

# SAFETY DATA SHEET



## Betamethasone / Salicylic Acid Lotion Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	06.04.2024	1833517-00019	Date of first issue: 13.07.2017

- Hazard Statements** :
- H225 Highly flammable liquid and vapor.
  - H315 Causes skin irritation.
  - H319 Causes serious eye irritation.
  - H336 May cause drowsiness or dizziness.
  - H360D May damage the unborn child.
  - H372 Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.
  - H410 Very toxic to aquatic life with long lasting effects.
- Precautionary Statements** :
- Prevention:**
- P201 Obtain special instructions before use.
  - P202 Do not handle until all safety precautions have been read and understood.
  - P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
  - P260 Do not breathe mist or vapors.
  - P264 Wash skin thoroughly after handling.
  - P270 Do not eat, drink or smoke when using this product.
  - P271 Use only outdoors or in a well-ventilated area.
  - P273 Avoid release to the environment.
  - P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- Response:**
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
  - P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
  - P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  - P308 + P313 IF exposed or concerned: Get medical advice/ attention.
  - P332 + P313 If skin irritation occurs: Get medical advice/ attention.
  - P337 + P313 If eye irritation persists: Get medical advice/ attention.
  - P362 + P364 Take off contaminated clothing and wash it before reuse.
  - P391 Collect spillage.
- Storage:**
- P405 Store locked up.
- Disposal:**
- P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Vapors may form explosive mixture with air.

# Betamethasone / Salicylic Acid Lotion Formulation

Version 6.2      Revision Date: 06.04.2024      SDS Number: 1833517-00019      Date of last issue: 30.09.2023  
Date of first issue: 13.07.2017

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Propan-2-ol	67-63-0	>= 30 -< 50
Salicylic acid	69-72-7	>= 1 -< 3
Sodium hydroxide	1310-73-2	>= 0,5 -< 1
Betamethasone	378-44-9	>= 0,025 -< 0,1

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.  
May damage the unborn child.  
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

## SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.

# SAFETY DATA SHEET



## Betamethasone / Salicylic Acid Lotion Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	06.04.2024	1833517-00019	Date of first issue: 13.07.2017

---

Flash back possible over considerable distance.  
Vapors may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Ventilate the area.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

---

# Betamethasone / Salicylic Acid Lotion Formulation

Version 6.2      Revision Date: 06.04.2024      SDS Number: 1833517-00019      Date of last issue: 30.09.2023  
Date of first issue: 13.07.2017

- CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapors.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Flammable solids  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Substances and mixtures which in contact with water emit flammable gases  
Explosives  
Gases  
Very acutely toxic substances and mixtures

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propan-2-ol	67-63-0	CMP	400 ppm	AR OEL
		CMP - CPT	500 ppm	AR OEL
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Salicylic acid	69-72-7	TWA	100 µg/m <sup>3</sup> (OEB)	Internal

# SAFETY DATA SHEET



## Betamethasone / Salicylic Acid Lotion Formulation



Version 6.2      Revision Date: 06.04.2024      SDS Number: 1833517-00019      Date of last issue: 30.09.2023  
 Date of first issue: 13.07.2017

			2)	
	Further information: DSEN			
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
Sodium hydroxide	1310-73-2	CMP-C	2 mg/m <sup>3</sup>	AR OEL
		C	2 mg/m <sup>3</sup>	ACGIH
Betamethasone	378-44-9	TWA	1 µg/m <sup>3</sup> (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	10 µg/100 cm <sup>2</sup>	Internal

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine		2 mg/g creatinine	AR BEI
		Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted.  
 Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.  
 Use explosion-proof electrical, ventilating and lighting equipment.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.  
**Filter type** : Combined particulates and organic vapor type  
**Hand protection**  
**Material** : Chemical-resistant gloves  
**Remarks** : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.  
**Eye protection** : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.  
**Skin and body protection** : Work uniform or laboratory coat.

# SAFETY DATA SHEET



## Betamethasone / Salicylic Acid Lotion Formulation



Version 6.2	Revision Date: 06.04.2024	SDS Number: 1833517-00019	Date of last issue: 30.09.2023 Date of first issue: 13.07.2017
----------------	------------------------------	------------------------------	---

Hygiene measures : Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: lotion
Color	: colorless, translucent
Odor	: No data available
Odor Threshold	: No data available
pH	: 4,6 - 5,3
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 21,4 - 22,2 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available

# SAFETY DATA SHEET



## Betamethasone / Salicylic Acid Lotion Formulation



Version 6.2      Revision Date: 06.04.2024      SDS Number: 1833517-00019      Date of last issue: 30.09.2023  
Date of first issue: 13.07.2017

---

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics  
Particle size : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Highly flammable liquid and vapor.  
Vapors may form explosive mixture with air.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l



# SAFETY DATA SHEET



## Betamethasone / Salicylic Acid Lotion Formulation



Version 6.2      Revision Date: 06.04.2024      SDS Number: 1833517-00019      Date of last issue: 30.09.2023  
Date of first issue: 13.07.2017

---

Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Calculation method

### Components:

#### **Propan-2-ol:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 25 mg/l  
Exposure time: 6 h  
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

#### **Salicylic acid:**

Acute oral toxicity : LD50 (Mouse): 480 mg/kg

LD50 (Rat): 891 mg/kg

LD50 (Rabbit): 1.300 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0,9 mg/l  
Exposure time: 1 h

Acute dermal toxicity : LD50 (Rat): 2.000 mg/kg

LD50 (Rabbit): 10.000 mg/kg

#### **Sodium hydroxide:**

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

#### **Betamethasone:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

LD50 (Mouse): > 4.500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0,4 mg/l  
Exposure time: 4 h

#### **Skin corrosion/irritation**

Causes skin irritation.

### Components:

#### **Propan-2-ol:**

Species : Rabbit

Result : No skin irritation

**Betamethasone / Salicylic Acid Lotion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	06.04.2024	1833517-00019	Date of first issue: 13.07.2017

---

**Salicylic acid:**

Result : Skin irritation

**Sodium hydroxide:**

Result : Corrosive after 3 minutes or less of exposure

**Betamethasone:**Species : Rabbit  
Result : Mild skin irritation**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****Propan-2-ol:**Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days**Salicylic acid:**Species : Rabbit  
Remarks : Severe eye irritation**Sodium hydroxide:**Result : Irreversible effects on the eye  
Remarks : Based on skin corrosivity.**Betamethasone:**Species : Rabbit  
Result : No eye irritation**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Propan-2-ol:**Test Type : Buehler Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

# Betamethasone / Salicylic Acid Lotion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	06.04.2024	1833517-00019	Date of first issue: 13.07.2017

---

**Salicylic acid:**

Test Type : Local lymph node assay (LLNA)  
 Species : Mouse  
 Result : negative

**Sodium hydroxide:**

Test Type : Human repeat insult patch test (HRIPT)  
 Routes of exposure : Skin contact  
 Result : negative

**Betamethasone:**

Routes of exposure : Dermal  
 Species : Guinea pig  
 Result : Weak sensitizer

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Propan-2-ol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Test Type: In vitro mammalian cell gene mutation test  
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
 Species: Mouse  
 Application Route: Intraperitoneal injection  
 Result: negative

**Salicylic acid:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian bone marrow sister chromatid exchange  
 Species: Mouse  
 Application Route: Intraperitoneal injection  
 Result: negative

Test Type: Sister chromatid exchange analysis in spermatogonia  
 Species: Mouse  
 Application Route: Intraperitoneal injection  
 Result: negative

**Betamethasone:**

# Betamethasone / Salicylic Acid Lotion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	06.04.2024	1833517-00019	Date of first issue: 13.07.2017

---

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative
- Test Type: In vitro mammalian cell gene mutation test  
Result: negative
- Test Type: Chromosome aberration test in vitro  
Result: positive
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Oral  
Result: equivocal
- Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

#### Components:

##### Propan-2-ol:

- Species : Rat  
Application Route : inhalation (vapor)  
Exposure time : 104 weeks  
Method : OECD Test Guideline 451  
Result : negative

##### Salicylic acid:

- Species : Mouse  
Application Route : Skin contact  
Exposure time : 1 Years  
NOAEL : 2 mg/cm<sup>2</sup>  
Result : negative

### Reproductive toxicity

May damage the unborn child.

#### Components:

##### Propan-2-ol:

- Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative
- Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

# Betamethasone / Salicylic Acid Lotion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	06.04.2024	1833517-00019	Date of first issue: 13.07.2017

---

**Salicylic acid:**

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Subcutaneous  
 Developmental Toxicity: LOAEL: 380 mg/kg body weight  
 Result: Maternal toxicity observed., Embryo-fetal toxicity.

Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 80 mg/kg body weight  
 Result: No effects on fetal development.

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

**Betamethasone:**

Effects on fetal development : Species: Rabbit  
 Application Route: Intramuscular  
 Developmental Toxicity: LOAEL: 0,05 mg/kg body weight  
 Result: Fetotoxicity., Malformations were observed.

Species: Rat  
 Application Route: Subcutaneous  
 Developmental Toxicity: LOAEL: 0,42 mg/kg body weight  
 Result: Malformations were observed.

Species: Mouse  
 Application Route: Intramuscular  
 Developmental Toxicity: LOAEL: 1 mg/kg body weight  
 Result: Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

**STOT-single exposure**

May cause drowsiness or dizziness.

**Components:****Propan-2-ol:**

Assessment : May cause drowsiness or dizziness.

**STOT-repeated exposure**

Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.

**Components:****Betamethasone:**

Target Organs : Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland

# Betamethasone / Salicylic Acid Lotion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	06.04.2024	1833517-00019	Date of first issue: 13.07.2017

---

Assessment : Causes damage to organs through prolonged or repeated exposure.

## Repeated dose toxicity

### Components:

#### **Propan-2-ol:**

Species : Rat  
 NOAEL : 12,5 mg/l  
 Application Route : inhalation (vapor)  
 Exposure time : 104 Weeks

#### **Salicylic acid:**

Species : Rat  
 NOAEL : 50 mg/kg  
 Application Route : Ingestion  
 Exposure time : 2 y

Species : Rat  
 LOAEL : 500 mg/kg  
 Application Route : Oral  
 Exposure time : 3 d  
 Target Organs : Liver

#### **Betamethasone:**

Species : Rabbit  
 LOAEL : 0.05 %  
 Application Route : Skin contact  
 Exposure time : 10 - 30 d  
 Target Organs : Pituitary gland, Immune system, muscle

Species : Rat  
 LOAEL : 0.05 %  
 Application Route : Skin contact  
 Exposure time : 8 Weeks  
 Target Organs : thymus gland

Species : Mouse  
 LOAEL : 0.1 %  
 Application Route : Skin contact  
 Exposure time : 8 Weeks  
 Target Organs : thymus gland

Species : Dog  
 LOAEL : 0,05 mg/kg  
 Application Route : Oral  
 Exposure time : 28 d  
 Target Organs : Blood, thymus gland, Adrenal gland

# Betamethasone / Salicylic Acid Lotion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	06.04.2024	1833517-00019	Date of first issue: 13.07.2017

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Salicylic acid:**

Skin contact	:	Symptoms: Skin irritation
Eye contact	:	Symptoms: Severe irritation
Ingestion	:	Symptoms: Gastrointestinal discomfort, hearing loss, Dizziness, electrolyte imbalance

**Betamethasone:**

Inhalation	:	Target Organs: Adrenal gland
Skin contact	:	Symptoms: Redness, pruritis, Irritation

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Propan-2-ol:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 9.640 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 24 h
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): > 1.050 mg/l Exposure time: 16 h

**Salicylic acid:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 1.380 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 870 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d

**Betamethasone:**

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Americamysis): > 50 mg/l Exposure time: 96 h
Toxicity to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 34

# SAFETY DATA SHEET



## Betamethasone / Salicylic Acid Lotion Formulation



Version 6.2      Revision Date: 06.04.2024      SDS Number: 1833517-00019      Date of last issue: 30.09.2023  
Date of first issue: 13.07.2017

plants      mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.

NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0,052 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

NOEC (Oryzias latipes (Japanese medaka)): 0,07 µg/l  
Exposure time: 219 d  
Method: OECD Test Guideline 229

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 8 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1.000

### Persistence and degradability

#### Components:

##### **Propan-2-ol:**

Biodegradability : Result: rapidly degradable

BOD/COD : BOD: 1,19 (BOD5)  
COD: 2,23  
BOD/COD: 53 %

### Bioaccumulative potential

#### Components:

##### **Propan-2-ol:**

Partition coefficient: n-octanol/water : log Pow: 0,05

##### **Salicylic acid:**

Partition coefficient: n-octanol/water : log Pow: 2,25

##### **Betamethasone:**

Partition coefficient: n-octanol/water : log Pow: 2,11

### Mobility in soil

No data available



# SAFETY DATA SHEET



## Betamethasone / Salicylic Acid Lotion Formulation



Version 6.2      Revision Date: 06.04.2024      SDS Number: 1833517-00019      Date of last issue: 30.09.2023  
Date of first issue: 13.07.2017

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 1219  
Proper shipping name : ISOPROPANOL SOLUTION  
Class : 3  
Packing group : II  
Labels : 3  
Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : UN 1219  
Proper shipping name : Isopropanol solution  
Class : 3  
Packing group : II  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 364  
Packing instruction (passenger aircraft) : 353

#### IMDG-Code

UN number : UN 1219  
Proper shipping name : ISOPROPANOL SOLUTION  
(Betamethasone)  
Class : 3  
Packing group : II  
Labels : 3  
EmS Code : F-E, S-D  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# Betamethasone / Salicylic Acid Lotion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	06.04.2024	1833517-00019	Date of first issue: 13.07.2017

## Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Propan-2-ol

### The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

## SECTION 16. OTHER INFORMATION

Revision Date : 06.04.2024  
Date format : dd.mm.yyyy

### Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
AR BEI : Argentina. Biological Exposure Indices  
AR OEL : Argentina. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
ACGIH / C : Ceiling limit  
AR OEL / CMP : TLV (Threshold Limit Value)  
AR OEL / CMP - CPT : STEL (Short Term Limit Value)  
AR OEL / CMP-C : Ceiling value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with

# SAFETY DATA SHEET



## Betamethasone / Salicylic Acid Lotion Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	06.04.2024	1833517-00019	Date of first issue: 13.07.2017

---

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8