

## Carbidopa / Levodopa Formulation

Version 3.1      Revision Date: 2023/09/30      SDS Number: 50116-00022      Date of last issue: 2023/04/04  
Date of first issue: 2015/01/23

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Carbidopa / Levodopa Formulation

**Manufacturer or supplier's details**

Company : Organon & Co.

Address : JL Raya Pandaan KM. 48  
Pandaan, Jawa Timur - Indonesia

Telephone : +1-551-430-6000

Emergency telephone number : +1-215-631-6999

E-mail address : EHSSTEWARD@organon.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

**2. HAZARDS IDENTIFICATION****GHS Classification**


Acute toxicity (Oral) : Category 4

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure (Oral) : Category 1 (Central nervous system)

Long-term (chronic) aquatic hazard : Category 3

**GHS label elements**

Hazard pictograms : 

Signal word : Danger

Hazard statements : H302 Harmful if swallowed.  
H361d Suspected of damaging the unborn child.  
H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure if swallowed.  
H412 Harmful to aquatic life with long lasting effects.

## Carbidopa / Levodopa Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	50116-00022	Date of first issue: 2015/01/23

Precautionary statements : **Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Levodopa	59-92-7	>= 60 -<= 100
Carbidopa	38821-49-7	>= 10 -< 25
Cellulose	9004-34-6	< 10
Starch	9005-25-8	< 10
Magnesium stearate	557-04-0	< 10

**4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

# SAFETY DATA SHEET



## Carbidopa / Levodopa Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	50116-00022	Date of first issue: 2015/01/23

---

of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
Suspected of damaging the unborn child.  
Causes damage to organs through prolonged or repeated exposure if swallowed.  
Contact with dust can cause mechanical irritation or drying of the skin.

Protection of first-aiders : Dust contact with the eyes can lead to mechanical irritation.  
First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Metal oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

---

## Carbidopa / Levodopa Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	50116-00022	Date of first issue: 2015/01/23

---

- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**7. HANDLING AND STORAGE**

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

## Carbidopa / Levodopa Formulation

Version  
3.1Revision Date:  
2023/09/30SDS Number:  
50116-00022Date of last issue: 2023/04/04  
Date of first issue: 2015/01/23

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Levodopa	59-92-7	TWA	500 µg/m <sup>3</sup> (OEB 2)	Internal
Carbidopa	38821-49-7	TWA	2,000 µg/m <sup>3</sup> (OEB 1)	Internal
Cellulose	9004-34-6	NAB	10 mg/m <sup>3</sup>	ID OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH
Starch	9005-25-8	NAB	10 mg/m <sup>3</sup>	ID OEL
	Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals			
		TWA	10 mg/m <sup>3</sup>	ACGIH
Magnesium stearate	557-04-0	NAB	10 mg/m <sup>3</sup>	ID OEL
	Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals			
		TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection  
Material

: Chemical-resistant gloves

Eye protection

: Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection

: Work uniform or laboratory coat.

# SAFETY DATA SHEET



## Carbidopa / Levodopa Formulation



Version 3.1	Revision Date: 2023/09/30	SDS Number: 50116-00022	Date of last issue: 2023/04/04 Date of first issue: 2015/01/23
----------------	------------------------------	----------------------------	---

---

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Colour	: No data available
Odour	: odourless
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies) Water solubility	: No data available

# SAFETY DATA SHEET



## Carbidopa / Levodopa Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	50116-00022	Date of first issue: 2015/01/23

---

Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

#### Acute toxicity

Harmful if swallowed.

#### **Product:**

Acute oral toxicity	:	Acute toxicity estimate: 1,952 mg/kg Method: Calculation method
---------------------	---	--

## Carbidopa / Levodopa Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	50116-00022	Date of first issue: 2015/01/23

---

**Components:****Levodopa:**

Acute oral toxicity : LD50 (Rat): 1,780 mg/kg  
LD50 (Mouse): 2,363 mg/kg

**Carbidopa:**

Acute oral toxicity : LD50 (Rat): 4,810 mg/kg  
LD50 (Mouse): 1,750 mg/kg

**Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Starch:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Magnesium stearate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Remarks: Based on data from similar materials

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Carbidopa:**

Species : Rabbit  
Result : No skin irritation

**Magnesium stearate:**

Species : Rabbit  
Result : No skin irritation



## Carbidopa / Levodopa Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	50116-00022	Date of first issue: 2015/01/23

---

Remarks : Based on data from similar materials

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Carbidopa:**

Species : Rabbit  
Result : Mild eye irritation

**Starch:**

Species : Rabbit  
Result : No eye irritation

**Magnesium stearate:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Levodopa:**

Species : Guinea pig  
Result : Not a skin sensitizer.

**Carbidopa:**

Remarks : No data available

**Starch:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

**Magnesium stearate:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406

## Carbidopa / Levodopa Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	50116-00022	Date of first issue: 2015/01/23

---

Result : negative  
 Remarks : Based on data from similar materials

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Levodopa:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Test Type: Chromosomal aberration  
 Test system: mouse lymphoma cells  
 Result: equivocal

Test Type: Micronucleus test  
 Test system: Chinese hamster lung cells  
 Result: positive

Test Type: sister chromatid exchange assay  
 Test system: Chinese hamster lung cells  
 Result: positive

**Carbidopa:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: positive

Test Type: In vitro mammalian cell gene mutation test  
 Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
 Species: Mouse  
 Application Route: Oral  
 Result: negative

**Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Test Type: In vitro mammalian cell gene mutation test  
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
 Species: Mouse  
 Application Route: Ingestion  
 Result: negative

**Starch:**

## Carbidopa / Levodopa Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	50116-00022	Date of first issue: 2015/01/23

---

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

**Magnesium stearate:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

**Carcinogenicity**

Not classified based on available information.

**Components:****Levodopa:**

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

**Carbidopa:**

Species : Rat  
Application Route : Oral  
Exposure time : 96 weeks  
: 135 mg/kg body weight  
Result : negative

**Cellulose:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 72 weeks  
Result : negative

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Components:****Levodopa:**

Effects on fertility : Test Type: Fertility  
Species: Rat

## Carbidopa / Levodopa Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	50116-00022	Date of first issue: 2015/01/23

---

Application Route: Oral  
 Fertility: NOAEL: 100 mg/kg body weight  
 Result: Animal testing did not show any effects on fertility.

Effects on foetal development : Test Type: Development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 125 mg/kg body weight  
 Symptoms: Skeletal malformations, Visceral malformations  
 Result: positive

Test Type: Development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 10 mg/kg body weight

Test Type: Development  
 Species: Mouse  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 500 mg/kg body weight  
 Symptoms: Effects on foetal development  
 Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

**Carbidopa:**

Effects on fertility : Test Type: Fertility  
 Species: Rat  
 Application Route: Oral  
 Fertility: NOAEL: 120 mg/kg body weight  
 Symptoms: Reduced body weight  
 Result: Animal testing did not show any effects on fertility.

Effects on foetal development : Test Type: Development  
 Species: Mouse  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 120 mg/kg body weight  
 Result: No teratogenic effects

Test Type: Development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 120 mg/kg body weight  
 Result: No teratogenic effects

**Cellulose:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

## Carbidopa / Levodopa Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	50116-00022	Date of first issue: 2015/01/23

---

Effects on foetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Magnesium stearate:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Causes damage to organs (Central nervous system) through prolonged or repeated exposure if swallowed.

**Components:****Levodopa:**

Exposure routes : Oral  
Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Levodopa:**

Species : Rat  
LOAEL : 100 mg/kg  
Application Route : Oral  
Exposure time : 106 Weeks  
Target Organs : Central nervous system  
Symptoms : Salivation

Species : Monkey  
LOAEL : 100 mg/kg  
Application Route : Oral

## Carbidopa / Levodopa Formulation

Version 3.1      Revision Date: 2023/09/30      SDS Number: 50116-00022      Date of last issue: 2023/04/04  
Date of first issue: 2015/01/23

---

Exposure time : 22 Weeks  
Target Organs : Central nervous system

**Carbidopa:**

Species : Rat  
LOAEL : 25 mg/kg  
Application Route : Oral  
Exposure time : 96 Weeks  
Remarks : No significant adverse effects were reported

Species : Monkey  
NOAEL : 135 mg/kg  
Application Route : Oral  
Exposure time : 1 yr  
Remarks : No significant adverse effects were reported

Species : Dog  
NOAEL : 5 mg/kg  
LOAEL : 15 mg/kg  
Application Route : Oral  
Exposure time : 238 d  
Symptoms : Diarrhoea, Vomiting, Tremors

**Cellulose:**

Species : Rat  
NOAEL :  $\geq 9,000$  mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Starch:**

Species : Rat  
NOAEL :  $\geq 2,000$  mg/kg  
Application Route : Skin contact  
Exposure time : 28 Days  
Method : OECD Test Guideline 410

**Magnesium stearate:**

Species : Rat  
NOAEL :  $> 100$  mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

**Aspiration toxicity**

Not classified based on available information.

## Carbidopa / Levodopa Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	50116-00022	Date of first issue: 2015/01/23

---

**Experience with human exposure****Components:****Levodopa:**

Ingestion : Symptoms: Nausea, central nervous system effects, Drowsiness

**Carbidopa:**

Ingestion : Symptoms: involuntary movement

---

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Levodopa:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 16 mg/l  
Exposure time: 48 h

**Carbidopa:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 35.3 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

**Cellulose:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

**Magnesium stearate:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l  
Exposure time: 48 h  
Method: DIN 38412  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 47 h  
Test substance: Water Accommodated Fraction  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

## Carbidopa / Levodopa Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	50116-00022	Date of first issue: 2015/01/23

---

No toxicity at the limit of solubility

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l  
Exposure time: 16 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

#### Persistence and degradability

##### Components:

##### **Cellulose:**

Biodegradability : Result: Readily biodegradable.

##### **Magnesium stearate:**

Biodegradability : Result: Not biodegradable  
Remarks: Based on data from similar materials

#### Bioaccumulative potential

##### Components:

##### **Levodopa:**

Partition coefficient: n-octanol/water : log Pow: -2.39

##### **Magnesium stearate:**

Partition coefficient: n-octanol/water : log Pow: > 4

##### **Mobility in soil**

No data available

##### **Other adverse effects**

No data available

---

### 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.



## Carbidopa / Levodopa Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.1	2023/09/30	50116-00022	2023/04/04
			Date of first issue: 2015/01/23

---

---

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable

**IATA-DGR**

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

**IMDG-Code**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

Not applicable

---

**15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

**Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health**

Hazardous substances that must be registered : Not applicable

---

# SAFETY DATA SHEET



## Carbidopa / Levodopa Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	50116-00022	Date of first issue: 2015/01/23

---

### Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use	:	Not applicable
Prohibited substances	:	Not applicable
Restricted substances	:	Not applicable

### Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I	:	Not applicable
Type of hazardous materials subject to distribution and control, Annex II	:	Not applicable

### The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

---

## 16. OTHER INFORMATION

Revision Date	:	2023/09/30
---------------	---	------------

### Further information

Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
---	---	---

Date format	:	yyyy/mm/dd
-------------	---	------------

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ID OEL	:	Indonesia. Occupational Exposure Limits

ACGIH / TWA	:	8-hour, time-weighted average
ID OEL / NAB	:	Long term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA

## Carbidopa / Levodopa Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	50116-00022	Date of first issue: 2015/01/23

---

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN