according to the Globally Harmonized System



Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.12	30.09.2023	778691-00013	Date of first issue: 23.06.2016

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	Desloratadine Liquid Formulation		
Manufacturer or supplier's de	eta	ils		
Company	:	Organon & Co.		
Address	:	30 Hudson Street, 33nd floor Jersey City, New Jersey, U.S.A 07302		
Telephone	:	+1-551-430-6000		
Emergency telephone number	:	+1-215-631-6999		
E-mail address	:	EHSSTEWARD@organon.com		
Recommended use of the chemical and restrictions on use				
Recommended use Restrictions on use	:	Pharmaceutical Not applicable		

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards which do not result in classification None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Desloratadine	100643-71-8	>= 0.025 - < 0.1

4. FIRST AID MEASURES

according to the Globally Harmonized System



Desloratadine Liquid Formulation

Version 1.12	Revision Date: 30.09.2023	-	0S Number: 8691-00013	Date of last issue: 04.04.2023 Date of first issue: 23.06.2016				
lf inha	aled	:	If inhaled, remove					
In cas	In case of skin contact In case of eye contact		 Get medical attention if symptoms occur. Wash with water and soap as a precaution. Get medical attention if symptoms occur. Flush eyes with water as a precaution. Get medical attention if irritation develops and persists. 					
In cas								
lf swa	llowed	:	If swallowed, DO Get medical atter	NOT induce vomiting. ntion if symptoms occur. oughly with water.				
	important symptoms ffects, both acute and ed	:	None known.					
	ction of first-aiders to physician	:		utions are necessary for first aid responders. ically and supportively.				
5. FIREFIC	GHTING MEASURES							
Suitat	ble extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (0 Dry chemical					
Unsui media	table extinguishing	:	None known.					
	fic hazards during fire-	:	Exposure to com	bustion products may be a hazard to health.				
	dous combustion prod-	:	Carbon oxides					
Speci ods	fic extinguishing meth-	:	cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do				
	al protective equipment efighters	:		ned breathing apparatus for firefighting if nec-				

Personal precautions, protec- tive equipment and emer- gency procedures	:	Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can

according to the Globally Harmonized System



Desloratadine Liquid Formulation

Version 1.12	Revision Date: 30.09.2023			Date of last issue: 04.04.2023 Date of first issue: 23.06.2016
		Cl be Lo po en mi Se	ean up remaini nt. cal or national sal of this mate ployed in the o ne which regul ctions 13 and	e recovered material in appropriate container. ng materials from spill with suitable absor- regulations may apply to releases and dis- erial, as well as those materials and items cleanup of releases. You will need to deter- ations are applicable. 15 of this SDS provide information regarding ational requirements.
7. HAND	LING AND STORAGE			
Tecl	hnical measures			measures under EXPOSURE SONAL PROTECTION section.
	al/Total ventilation ice on safe handling	: Ha	Indle in accord	equate ventilation. ance with good industrial hygiene and safety n the results of the workplace exposure as-
		se Ta	ssment	vent spills, waste and minimize release to the
Con	ditions for safe storage	: Ke	ep in properly	labelled containers. nce with the particular national regulations.
Mate	erials to avoid	: Do		the following product types:

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Desloratadine	100643-71-8	TWA	20 µg/m3 (OEB 3)	Internal
		Wipe limit	200 µg/100 cm ²	Internal

Engineering measures	Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.
Personal protective equipmer	t
Respiratory protection :	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.
Filter type :	Particulates type
Hand protection	
Remarks : Eye protection :	Wash hands before breaks and at the end of workday. Wear the following personal protective equipment: Safety glasses
Skin and body protection :	Skin should be washed after contact.
Hygiene measures :	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working

according to the Globally Harmonized System



Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.12	30.09.2023	778691-00013	Date of first issue: 23.06.2016

place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	clear
Odour	:	sweet
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available

according to the Globally Harmonized System



Desloratadine Liquid Formulation

Version 1.12	Revision Date: 30.09.2023	SDS Number 778691-0001	
	scosity, kinematic sive properties	: No data : Not expl	
Oxidizing properties Molecular weight Particle size		: The subs : No data : No data	

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Can react with strong oxidizing agents.
tions		
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact

Acute toxicity

Not classified based on available information.

Components:

Desloratadine:

Acute oral toxicity	: LD50 (Rat): > 549 mg/kg
---------------------	---------------------------

LD50 (Mouse): 353 mg/kg

LD50 (Monkey): > 250 mg/kg Symptoms: Vomiting Remarks: No mortality observed at this dose.

Skin corrosion/irritation

Not classified based on available information.

Components:

Species	:	Rabbit
Result	:	No skin irritation

according to the Globally Harmonized System



Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.12	30.09.2023	778691-00013	Date of first issue: 23.06.2016

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Desloratadine:

Species	:	Rabbit
Remarks	:	Severe eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Desloratadine:

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Desloratadine:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Chromosomal aberration Test system: Human lymphocytes Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

according to the Globally Harmonized System



Desloratadine Liquid Formulation

Version 1.12	Revision Date: 30.09.2023	SDS Number: 778691-00013	Date of last issue: 04.04.2023 Date of first issue: 23.06.2016	

Result : equivocal Target Organs : Liver Remarks : Based on data from similar materials The mechanism or mode of action may not be relevant in humans.	Target Organs	 Liver Based on data from similar materials The mechanism or mode of action may not be relevant in ht
--	---------------	--

Reproductive toxicity

Not classified based on available information.

Components:

Effects on fertility	:	Test Type: Fertility Species: Rat, male Application Route: Oral Fertility: LOAEL: 12 mg/kg body weight Symptoms: Reduced fertility Result: positive Remarks: The mechanism or mode of action may not be rele- vant in humans.
		Test Type: Fertility Species: Rat, female Fertility: NOAEL: 3 mg/kg body weight Symptoms: No effects on fertility Result: negative
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 30 mg/kg body weight Result: No teratogenic effects
		Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 9 mg/kg body weight Symptoms: Preimplantation loss, Reduced body weight Result: Specific developmental abnormalities Remarks: The mechanism or mode of action may not be rele- vant in humans.
		Test Type: Two-generation study Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 18 mg/kg body weight Result: No adverse effects
Reproductive toxicity - As-	:	Some evidence of adverse effects on sexual function and

according to the Globally Harmonized System



Desloratadine Liquid Formulation

ersion .12	Revision Date: 30.09.2023	SDS Number: 778691-00013	Date of last issue: 04.04.2023 Date of first issue: 23.06.2016
sessm	nent		on animal experiments., Some evidence of on development, based on animal experi-
STOT	- single exposure		
Not cl	assified based on ava	ailable information.	
STOT	- repeated exposure	e	
Not cl	assified based on ava	ailable information.	
Repe	ated dose toxicity		
<u>Comr</u>	oonents:		
Deslo	oratadine:		
Specie		: Rat	
LOAE		: 30 mg/kg	
	cation Route sure time	: Oral : 3 Months	
	t Organs	: Kidney	
Rema			city observed in testing
			n or mode of action may not be relevant in hu
		mans.	
Specie	es	: Monkey	
NOAE		: 6 mg/kg	
LOAE		: 12 mg/kg	
	ation Route	: Oral	
	sure time t Organs	: 3 Months : Central nervou	s system
Symp	-	: Gastrointestina	
Specie	es	: Monkey	
NOAE		: 40 mg/kg	
	ation Route	: Oral	
	sure time	: 17 Months	
Rema	irks	: No significant a	adverse effects were reported
Specie		: Monkey	
NOAE		: 6 mg/kg	
ADDIIC	cation Route sure time	: Oral : 3 Months	
		: Gastrointestina	

Experience with human exposure

Components:

Inhalation	:	Remarks: May cause respiratory tract irritation.
Eye contact	:	Symptoms: Eye irritation

according to the Globally Harmonized System



Desloratadine Liquid Formulation

ersion .12	Revision Date: 30.09.2023		OS Number: 8691-00013	Date of last issue: 04.04.2023 Date of first issue: 23.06.2016
Ingestion		:	Symptoms: dry sore throat, pair	mouth, muscle pain, Fatigue, Drowsiness, nful menstration
2. ECOLO	GICAL INFORMATION	1		
Ecoto	xicity			
<u>Comp</u>	onents:			
Deslo	ratadine:			
Toxicit	ty to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.2 mg/l Exposure time: 96 h Method: FDA 4.11	
	ty to daphnia and other cinvertebrates	:	EC50 (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 48 h Method: FDA 4.08	
Toxicit plants	ty to algae/aquatic	:	mg/l Exposure time:	kirchneriella subcapitata (green algae)): 1.6 72 h Test Guideline 201
			mg/l Exposure time:	okirchneriella subcapitata (green algae)): 0.3 72 h Test Guideline 201
Toxici	ty to microorganisms	:	Exposure time: Test Type: Res	nicroorganism): 53.7 mg/l 3 h piration inhibition Test Guideline 209
			Exposure time: Test Type: Res	microorganism): 12 mg/l 3 h piration inhibition Test Guideline 209
Toxicit icity)	ty to fish (Chronic tox-	:		
	ty to daphnia and other c invertebrates (Chron- city)	:	NOEC: 0.48 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211	
Persis	stence and degradabili	ity		
<u>Comp</u>	onents:			
	ratadine: gradability	:	Result: Not read	dily biodegradable.

according to the Globally Harmonized System



Desloratadine Liquid Formulation

Versi 1.12		Revision Date: 30.09.2023		0S Number: 8691-00013	Date of last issue: 04.04.2023 Date of first issue: 23.06.2016
				Biodegradation: 6 Exposure time: 28 Method: OECD To Result: Not readily Biodegradation: 6 Exposure time: 28 Method: FDA 3.17	3 d est Guideline 314 y biodegradable.) % 3 d
	Stability	y in water	:	Hydrolysis: < 10 % Method: FDA 3.09	
	Bioacc	umulative potential			
	Compo	onents:			
		atadine: n coefficient: n- /water	:	log Pow: 1.24 Method: OECD Te	est Guideline 107
	Mobilit	y in soil			
	Compo	onents:			
	Distribu	atadine: ution among environ- compartments	:	log Koc: 3.00 Method: OECD To	est Guideline 106
		adverse effects a available			
13. C	DISPOS	AL CONSIDERATION	IS		
	Dispos	al methods			
	•	from residues	:		waste into sewer.
	Contan	ninated packaging	:		ordance with local regulations. should be taken to an approved waste han- cling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

according to the Globally Harmonized System



Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.12	30.09.2023	778691-00013	Date of first issue: 23.06.2016

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

Revision Date	:	30.09.2023
Further information		
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
Date format	:	dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

according to the Globally Harmonized System



Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.12	30.09.2023	778691-00013	Date of first issue: 23.06.2016

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN