



## **Desloratadine Liquid Formulation**

Date of last issue: 04.04.2023 Version Revision Date: SDS Number: 1.15 30.09.2023 771474-00016 Date of first issue: 23.06.2016

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name **Desloratadine Liquid Formulation** 

Manufacturer or supplier's details

Company name of supplier Organon & Co.

Address Avenida 16 de Septiembre No. 301

Xaltocan - Xochimilco Mexico 16090

+52 55 57284444 Telephone Emergency telephone 1-215-631-6999

E-mail address EHSSTEWARD@organon.com

#### Recommended use of the chemical and restrictions on use

Recommended use **Pharmaceutical** Restrictions on use Not applicable

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS** label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

## Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Desloratadine	100643-71-8	< 0.1

#### **SECTION 4. FIRST AID MEASURES**

If inhaled If inhaled, remove to fresh air.

> Get medical attention if symptoms occur. : Wash with water and soap as a precaution.

In case of skin contact

Get medical attention if symptoms occur. Flush eyes with water as a precaution.

In case of eye contact

Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur.

Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

If swallowed

None known.

Protection of first-aiders

No special precautions are necessary for first aid responders.

Notes to physician Treat symptomatically and supportively.



## **Desloratadine Liquid Formulation**

Date of last issue: 04.04.2023 Version Revision Date: SDS Number: 1.15 30.09.2023 771474-00016 Date of first issue: 23.06.2016

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical None known.

Unsuitable extinguishing

media

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment :

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec: : tive equipment and emer-

gency procedures

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

**Environmental precautions** Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures See Engineering measures under EXPOSURE





## **Desloratadine Liquid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 1.15
 30.09.2023
 771474-00016
 Date of first issue: 23.06.2016

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety

practice, based on the results of the workplace exposure

assessment

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Gases

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Desloratadine	100643-71-8	TWA	20 μg/m3 (OEB 3)	Internal
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Remarks

: Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:

Safety glasses

Skin and body protection : Skin should be washed after contact.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : clear

Odor : sweet

Odor Threshold : No data available

pH : No data available



## **Desloratadine Liquid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 1.15
 30.09.2023
 771474-00016
 Date of first issue: 23.06.2016

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

## **SECTION 10. STABILITY AND REACTIVITY**





## **Desloratadine Liquid Formulation**

SDS Number: Date of last issue: 04.04.2023 Version Revision Date: 1.15 30.09.2023 771474-00016 Date of first issue: 23.06.2016

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Possibility of hazardous reac-Can react with strong oxidizing agents.

tions

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition No hazardous decomposition products are known.

products

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

#### **Acute toxicity**

Not classified based on available information.

## **Components:**

#### **Desloratadine:**

Acute oral toxicity LD50 (Rat): > 549 mg/kg

LD50 (Mouse): 353 mg/kg

LD50 (Monkey): > 250 mg/kg

Symptoms: Vomiting

Remarks: No mortality observed at this dose.

#### Skin corrosion/irritation

Not classified based on available information.

## Components:

## **Desloratadine:**

**Species** Rabbit

Result No skin irritation

## Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

#### **Desloratadine:**

**Species** Rabbit

Remarks Severe eye irritation

## Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.



## **Desloratadine Liquid Formulation**

♣ ORGANON

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 1.15
 30.09.2023
 771474-00016
 Date of first issue: 23.06.2016

## Respiratory sensitization

Not classified based on available information.

## **Components:**

#### **Desloratadine:**

Test Type : Maximization Test

Routes of exposure : Dermal Species : Guinea pig Result : negative

#### Germ cell mutagenicity

Not classified based on available information.

## **Components:**

#### **Desloratadine:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Oral Result: negative

## Carcinogenicity

Not classified based on available information.

## **Components:**

#### **Desloratadine:**

Species: MouseApplication Route: OralExposure time: 2 YearsResult: negative

Species : Rat Application Route : Oral

LOAEL : 10 mg/kg body weight

Result : equivocal Target Organs : Liver

Remarks : Based on data from similar materials

The mechanism or mode of action may not be relevant in hu-

mans.

#### Reproductive toxicity

Not classified based on available information.





## **Desloratadine Liquid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 1.15
 30.09.2023
 771474-00016
 Date of first issue: 23.06.2016

#### **Components:**

**Desloratadine:** 

Effects on fertility : Test Type: Fertility

Species: Rat, male Application Route: Oral

Fertility: LOAEL: 12 mg/kg body weight

Symptoms: Reduced fertility

Result: positive

Remarks: The mechanism or mode of action may not be rele-

vant in humans.

Test Type: Fertility Species: Rat, female

Fertility: NOAEL: 3 mg/kg body weight Symptoms: No effects on fertility.

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 30 mg/kg body weight

Result: No teratogenic effects.

Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 9 mg/kg body weight Symptoms: Preimplantation loss., Reduced body weight

Result: Specific developmental abnormalities.

Remarks: The mechanism or mode of action may not be rele-

vant in humans.

Test Type: Two-generation study

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 18 mg/kg body weight

Result: No adverse effects.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of

adverse effects on development, based on animal

experiments.

#### STOT-single exposure

Not classified based on available information.

## STOT-repeated exposure

Not classified based on available information.





## **Desloratadine Liquid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 1.15
 30.09.2023
 771474-00016
 Date of first issue: 23.06.2016

## Repeated dose toxicity

#### **Components:**

#### **Desloratadine:**

Species : Rat
LOAEL : 30 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Kidney

Remarks : Significant toxicity observed in testing

The mechanism or mode of action may not be relevant in

humans.

Species : Monkey
NOAEL : 6 mg/kg
LOAEL : 12 mg/kg
Application Route : Oral
Exposure time : 3 Months

Target Organs : Central nervous system Symptoms : Gastrointestinal disturbance

Species : Monkey
NOAEL : 40 mg/kg
Application Route : Oral
Exposure time : 17 Months

Remarks : No significant adverse effects were reported

Species : Monkey
NOAEL : 6 mg/kg
Application Route : Oral
Exposure time : 3 Months

Symptoms : Gastrointestinal disturbance, Fatigue

## **Aspiration toxicity**

Not classified based on available information.

## **Experience with human exposure**

## Components:

## **Desloratadine:**

Inhalation : Remarks: May cause respiratory tract irritation.

Eye contact : Symptoms: Eye irritation

Ingestion : Symptoms: dry mouth, muscle pain, Fatigue, Drowsiness,

sore throat, painful menstration

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

## **Components:**

#### **Desloratadine:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.2 mg/l





## **Desloratadine Liquid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 1.15
 30.09.2023
 771474-00016
 Date of first issue: 23.06.2016

Exposure time: 96 h Method: FDA 4.11

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 48 h Method: FDA 4.08

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 1.6

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.36

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.12 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.48 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Natural microorganism): 53.7 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC (Natural microorganism): 12 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

## Persistence and degradability

#### **Components:**

**Desloratadine:** 

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 67.4 % Exposure time: 28 d

Method: OECD Test Guideline 314

Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d Method: FDA 3.11

Stability in water : Hydrolysis: < 10 % at 50 °C(5 d)

Method: FDA 3.09





## **Desloratadine Liquid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 1.15
 30.09.2023
 771474-00016
 Date of first issue: 23.06.2016

## **Bioaccumulative potential**

#### **Components:**

**Desloratadine:** 

Partition coefficient: n- : log Pow: 1.24

octanol/water Method: OECD Test Guideline 107

#### Mobility in soil

## **Components:**

**Desloratadine:** 

Distribution among environ-

mental compartments

: log Koc: 3.00

Method: OECD Test Guideline 106

#### Other adverse effects

No data available

## **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

## International Regulations

## **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **Domestic regulation**

#### NOM-002-SCT

Not regulated as a dangerous good

## Special precautions for user

Not applicable



## **Desloratadine Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 1.15 30.09.2023 771474-00016 Date of first issue: 23.06.2016

#### **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, : Not applicable essential chemical products and machinery for producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

Revision Date : 30.09.2023 Date format : dd.mm.yyyy

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-



## **Desloratadine Liquid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 1.15
 30.09.2023
 771474-00016
 Date of first issue: 23.06.2016

mendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8