

Desloratadine Liquid Formulation

Version 2.1 Revision Date: 30.09.2023 SDS Number: 771476-00015 Date of last issue: 04.04.2023
Date of first issue: 23.06.2016

Section 1: Identification

Product name : Desloratadine Liquid Formulation

Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33rd floor
Jersey City, New Jersey, U.S.A 07302

Telephone : +1-551-430-6000

Emergency telephone number : +1-215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

Section 2: Hazard identification**GHS Classification**

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Propylene glycol	57-55-6	>= 10 -< 20
Desloratadine	100643-71-8	>= 0.025 -< 0.1

Section 4: First-aid measures

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.1	30.09.2023	771476-00015	Date of first issue: 23.06.2016

In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	None known.
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
Notes to physician	:	Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	:	Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can

Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.1	30.09.2023	771476-00015	Date of first issue: 23.06.2016

be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
- Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Section 8: Exposure controls/personal protection
Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propylene glycol	57-55-6	WES-TWA (particulate)	10 mg/m ³	NZ OEL
		WES-TWA (Vapour and particulates)	150 ppm 474 mg/m ³	NZ OEL
Desloratadine	100643-71-8	TWA	20 µg/m ³ (OEB 3)	Internal
		Wipe limit	200 µg/100 cm ²	Internal

- Engineering measures** : Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or expo-

Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.1	30.09.2023	771476-00015	Date of first issue: 23.06.2016

	sure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Particulates type
Hand protection	
Remarks	: Wash hands before breaks and at the end of workday.
Eye protection	: Wear the following personal protective equipment: Safety glasses
Skin and body protection	: Skin should be washed after contact.

Section 9: Physical and chemical properties

Appearance	: liquid
Colour	: clear
Odour	: sweet
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n-	: No data available

Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.1	30.09.2023	771476-00015	Date of first issue: 23.06.2016

octanol/water
Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : No data available
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : Can react with strong oxidizing agents.
Conditions to avoid : None known.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:**Propylene glycol:**

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal

Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.1	30.09.2023	771476-00015	Date of first issue: 23.06.2016

toxicity

Desloratadine:

Acute oral toxicity : LD50 (Rat): > 549 mg/kg
LD50 (Mouse): 353 mg/kg
LD50 (Monkey): > 250 mg/kg
Symptoms: Vomiting
Remarks: No mortality observed at this dose.

Skin corrosion/irritation

Not classified based on available information.

Components:

Propylene glycol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Desloratadine:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Propylene glycol:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Desloratadine:

Species : Rabbit
Remarks : Severe eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Desloratadine Liquid Formulation

Version 2.1 Revision Date: 30.09.2023 SDS Number: 771476-00015 Date of last issue: 04.04.2023
Date of first issue: 23.06.2016

Components:**Propylene glycol:**

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Desloratadine:

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Result : negative

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**Propylene glycol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Desloratadine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosomal aberration
Test system: Human lymphocytes
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Oral
Result: negative

Desloratadine Liquid Formulation

Version 2.1 Revision Date: 30.09.2023 SDS Number: 771476-00015 Date of last issue: 04.04.2023
Date of first issue: 23.06.2016

Carcinogenicity

Not classified based on available information.

Components:**Propylene glycol:**

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Desloratadine:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Rat
Application Route : Oral
LOAEL : 10 mg/kg body weight
Result : equivocal
Target Organs : Liver
Remarks : Based on data from similar materials
The mechanism or mode of action may not be relevant in humans.

Reproductive toxicity

Not classified based on available information.

Components:**Propylene glycol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Desloratadine:

Effects on fertility : Test Type: Fertility
Species: Rat, male
Application Route: Oral
Fertility: LOAEL: 12 mg/kg body weight
Symptoms: Reduced fertility
Result: positive
Remarks: The mechanism or mode of action may not be relevant in humans.

Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.1	30.09.2023	771476-00015	Date of first issue: 23.06.2016

	<p>Test Type: Fertility Species: Rat, female Fertility: NOAEL: 3 mg/kg body weight Symptoms: No effects on fertility Result: negative</p>
Effects on foetal development	<p>: Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 30 mg/kg body weight Result: No teratogenic effects</p> <p>Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 9 mg/kg body weight Symptoms: Preimplantation loss, Reduced body weight Result: Specific developmental abnormalities Remarks: The mechanism or mode of action may not be relevant in humans.</p> <p>Test Type: Two-generation study Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 18 mg/kg body weight Result: No adverse effects</p>
Reproductive toxicity - Assessment	<p>: Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.</p>

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****Propylene glycol:**

Species	: Rat, male
NOAEL	: >= 1,700 mg/kg
Application Route	: Ingestion
Exposure time	: 2 yr

Desloratadine:

Species	: Rat
LOAEL	: 30 mg/kg

SAFETY DATA SHEET



Desloratadine Liquid Formulation



Version 2.1 Revision Date: 30.09.2023 SDS Number: 771476-00015 Date of last issue: 04.04.2023
Date of first issue: 23.06.2016

Application Route : Oral
Exposure time : 3 Months
Target Organs : Kidney
Remarks : Significant toxicity observed in testing
The mechanism or mode of action may not be relevant in humans.

Species : Monkey
NOAEL : 6 mg/kg
LOAEL : 12 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Central nervous system
Symptoms : Gastrointestinal disturbance

Species : Monkey
NOAEL : 40 mg/kg
Application Route : Oral
Exposure time : 17 Months
Remarks : No significant adverse effects were reported

Species : Monkey
NOAEL : 6 mg/kg
Application Route : Oral
Exposure time : 3 Months
Symptoms : Gastrointestinal disturbance, Fatigue

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Desloratadine:

Inhalation : Remarks: May cause respiratory tract irritation.
Eye contact : Symptoms: Eye irritation
Ingestion : Symptoms: dry mouth, muscle pain, Fatigue, Drowsiness, sore throat, painful menstration

Section 12: Ecological information

Ecotoxicity

Components:

Propylene glycol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l
Exposure time: 48 h

Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.1	30.09.2023	771476-00015	Date of first issue: 23.06.2016

Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l
Exposure time: 7 d

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

Desloratadine:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.2 mg/l
Exposure time: 96 h
Method: FDA 4.11

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 9.6 mg/l
Exposure time: 48 h
Method: FDA 4.08

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.6 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.36 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.12 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.48 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Natural microorganism): 53.7 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC (Natural microorganism): 12 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Desloratadine Liquid Formulation

Version 2.1 Revision Date: 30.09.2023 SDS Number: 771476-00015 Date of last issue: 04.04.2023
Date of first issue: 23.06.2016

Persistence and degradability**Components:****Propylene glycol:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 98.3 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Desloratadine:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 67.4 %
Exposure time: 28 d
Method: OECD Test Guideline 314

Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: FDA 3.11

Stability in water : Hydrolysis: < 10 % at 50 °C(5 d)
Method: FDA 3.09

Bioaccumulative potential**Components:****Propylene glycol:**

Partition coefficient: n-octanol/water : log Pow: -1.07
Method: Regulation (EC) No. 440/2008, Annex, A.8

Desloratadine:

Partition coefficient: n-octanol/water : log Pow: 1.24
Method: OECD Test Guideline 107

Mobility in soil**Components:****Desloratadine:**

Distribution among environmental compartments : log Koc: 3.00
Method: OECD Test Guideline 106

Other adverse effects

No data available

Desloratadine Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.1	30.09.2023	771476-00015	Date of first issue: 23.06.2016

Section 13: Disposal considerations**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

Section 14: Transport information**International Regulations****UNRTDG**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable

IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

IMDG-Code

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**NZS 5433**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable

SAFETY DATA SHEET



Desloratadine Liquid Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.1	30.09.2023	771476-00015	Date of first issue: 23.06.2016

Packing group : Not applicable
Labels : Not applicable
Hazchem Code : Not applicable

Special precautions for user

Not applicable

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

Not applicable

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 30.09.2023

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with

SAFETY DATA SHEET



Desloratadine Liquid Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.1	30.09.2023	771476-00015	Date of first issue: 23.06.2016

x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN