

## Desloratadine / Pseudoephedrine Formulation

Version 5.0      Revision Date: 2023/09/30      SDS Number: 2095101-00014      Date of last issue: 2023/04/04  
Date of first issue: 2017/10/23

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Desloratadine / Pseudoephedrine Formulation

**Manufacturer or supplier's details**

Company : Organon & Co.

Address : JL Raya Pandaan KM. 48  
Pandaan, Jawa Timur - Indonesia

Telephone : +1-551-430-6000

Emergency telephone number : +1-215-631-6999

E-mail address : EHSSTEWARD@organon.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Specific target organ toxicity - repeated exposure (Oral) : Category 1 (Central nervous system)

Specific target organ toxicity - repeated exposure (Inhalation) : Category 1 (Cardio-vascular system)

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure if swallowed.  
H372 Causes damage to organs (Cardio-vascular system) through prolonged or repeated exposure if inhaled.

Precautionary statements : **Prevention:**  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.

## Desloratadine / Pseudoephedrine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
5.0	2023/09/30	2095101-00014	Date of first issue: 2017/10/23

P270 Do not eat, drink or smoke when using this product.

**Response:**

P314 Get medical advice/ attention if you feel unwell.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 30 -< 60
Bis[[S-(R*,R*)-(β-hydroxy-α-methylphenethyl)methylammonium] sulphate	7460-12-0	>= 10 -< 30
Starch, oxidized	65996-62-5	< 10
Disodium EDTA, dihydrate	6381-92-6	< 10
Citric acid	77-92-9	< 10
Desloratadine	100643-71-8	>= 0.25 -< 1

**4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Causes damage to organs through prolonged or repeated exposure if swallowed.  
Causes damage to organs through prolonged or repeated exposure if inhaled.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

# SAFETY DATA SHEET



## Desloratadine / Pseudoephedrine Formulation



Version 5.0      Revision Date: 2023/09/30      SDS Number: 2095101-00014      Date of last issue: 2023/04/04  
Date of first issue: 2017/10/23

---

Notes to physician : and use the recommended personal protective equipment when the potential for exposure exists (see section 8).  
: Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Metal oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

---

# SAFETY DATA SHEET



## Desloratadine / Pseudoephedrine Formulation



Version 5.0      Revision Date: 2023/09/30      SDS Number: 2095101-00014      Date of last issue: 2023/04/04  
Date of first issue: 2017/10/23

- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust, fume, gas, mist, vapours or spray.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	NAB	10 mg/m <sup>3</sup>	ID OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH
Bis[[S-(R*,R*)]-(β-hydroxy-α-methylphenethyl)methylammonium] sulphate	7460-12-0	TWA	50 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	500 µg/100 cm <sup>2</sup>	Internal
Starch, oxidized	65996-62-5	TWA (inhalable dust)	0.5 mg/m <sup>3</sup>	ACGIH
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
Desloratadine	100643-71-8	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection

# SAFETY DATA SHEET



## Desloratadine / Pseudoephedrine Formulation



Version 5.0      Revision Date: 2023/09/30      SDS Number: 2095101-00014      Date of last issue: 2023/04/04  
Date of first issue: 2017/10/23

---

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Colour : white, blue

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Not classified as a flammability hazard

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

# SAFETY DATA SHEET



## Desloratadine / Pseudoephedrine Formulation



Version 5.0      Revision Date: 2023/09/30      SDS Number: 2095101-00014      Date of last issue: 2023/04/04  
Date of first issue: 2017/10/23

---

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

## Desloratadine / Pseudoephedrine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
5.0	2023/09/30	2095101-00014	Date of first issue: 2017/10/23

---

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

**Components:****Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Bis[[S-(R\*,R\*)]-(β-hydroxy-α-methylphenethyl)methylammonium] sulphate:**

Acute oral toxicity : LD50 (Rat): 660 mg/kg  
LD50 (Mouse): 371 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2.37 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Information given is based on data obtained from similar substances.

**Disodium EDTA, dihydrate:**

Acute oral toxicity : LD50 (Rat): 2,800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): > 1 mg/l  
Exposure time: 6 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 412

**Citric acid:**

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

## Desloratadine / Pseudoephedrine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
5.0	2023/09/30	2095101-00014	Date of first issue: 2017/10/23

---

**Desloratadine:**

Acute oral toxicity	:	LD50 (Rat): > 549 mg/kg
		LD50 (Mouse): 353 mg/kg
		LD50 (Monkey): > 250 mg/kg
		Symptoms: Vomiting
		Remarks: No mortality observed at this dose.

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Bis[[S-(R\*,R\*)]-(β-hydroxy-α-methylphenethyl)methylammonium] sulphate:**

Species	:	Rabbit
Result	:	No skin irritation

**Citric acid:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

**Desloratadine:**

Species	:	Rabbit
Result	:	No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Bis[[S-(R\*,R\*)]-(β-hydroxy-α-methylphenethyl)methylammonium] sulphate:**

Species	:	Rabbit
Result	:	No eye irritation

**Disodium EDTA, dihydrate:**

Species	:	Rabbit
Result	:	No eye irritation

**Citric acid:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

**Desloratadine:**

Species	:	Rabbit
Remarks	:	Severe eye irritation



## Desloratadine / Pseudoephedrine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
5.0	2023/09/30	2095101-00014	Date of first issue: 2017/10/23

---

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Bis[[S-(R\*,R\*)]-(β-hydroxy-α-methylphenethyl)methylammonium] sulphate:**

Remarks : No data available

**Disodium EDTA, dihydrate:**

Test Type : Maximisation Test  
 Exposure routes : Skin contact  
 Species : Guinea pig  
 Method : OECD Test Guideline 406  
 Result : negative  
 Remarks : Based on data from similar materials

**Desloratadine:**

Test Type : Maximisation Test  
 Exposure routes : Dermal  
 Species : Guinea pig  
 Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative  
 Test Type: In vitro mammalian cell gene mutation test  
 Result: negative  
 Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
 Species: Mouse  
 Application Route: Ingestion  
 Result: negative

**Bis[[S-(R\*,R\*)]-(β-hydroxy-α-methylphenethyl)methylammonium] sulphate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative  
 Remarks: Information given is based on data obtained from

## Desloratadine / Pseudoephedrine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
5.0	2023/09/30	2095101-00014	Date of first issue: 2017/10/23

---

similar substances.

Test Type: Chromosomal aberration

Result: negative

Remarks: Information given is based on data obtained from similar substances.

Genotoxicity in vivo

: Test Type: Micronucleus test

Species: Rat

Application Route: Oral

Result: negative

Remarks: Based on data from similar materials

**Disodium EDTA, dihydrate:**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)

Species: Mouse

Application Route: Ingestion

Method: OECD Test Guideline 474

Result: negative

**Citric acid:**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: in vitro micronucleus test

Result: positive

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo

: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Ingestion

Result: negative

**Desloratadine:**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)

## Desloratadine / Pseudoephedrine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
5.0	2023/09/30	2095101-00014	Date of first issue: 2017/10/23

---

	Result: negative
	Test Type: Chromosomal aberration
	Test system: Human lymphocytes
	Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test
	Species: Mouse
	Cell type: Bone marrow
	Application Route: Oral
	Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Cellulose:**

Species	: Rat
Application Route	: Ingestion
Exposure time	: 72 weeks
Result	: negative

**Bis[[S-(R\*,R\*)]-(β-hydroxy-α-methylphenethyl)methylammonium] sulphate:**

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
Result	: negative
Remarks	: Based on data from similar materials

Species	: Mouse
Application Route	: Oral
Exposure time	: 2 Years
Result	: negative
Remarks	: Based on data from similar materials

**Disodium EDTA, dihydrate:**

Species	: Rat
Application Route	: Ingestion
Exposure time	: 103 weeks
Result	: negative
Remarks	: Based on data from similar materials

**Desloratadine:**

Species	: Mouse
Application Route	: Oral
Exposure time	: 2 Years
Result	: negative

Species	: Rat
---------	-------

## Desloratadine / Pseudoephedrine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
5.0	2023/09/30	2095101-00014	Date of first issue: 2017/10/23

---

Application Route	: Oral
LOAEL	: 10 mg/kg body weight
Result	: equivocal
Target Organs	: Liver
Remarks	: Based on data from similar materials The mechanism or mode of action may not be relevant in humans.

**Reproductive toxicity**

Not classified based on available information.

**Components:****Cellulose:**

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal development	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative

**Bis[[S-(R\*,R\*)]-(β-hydroxy-α-methylphenethyl)methylammonium] sulphate:**

Effects on fertility	: Test Type: Fertility Species: Rat Application Route: Oral Fertility: LOAEL: 80 mg/kg body weight Symptoms: male reproductive effects
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Result: No teratogenic effects  Test Type: Embryo-foetal development Application Route: Oral Developmental Toxicity: LOAEL: 27 mg/kg body weight Result: No embryotoxic effects have been observed in animal tests., No teratogenic effects Remarks: Maternal toxicity observed.

**Disodium EDTA, dihydrate:**

Effects on fertility	: Test Type: Four-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Embryo-foetal development

## Desloratadine / Pseudoephedrine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
5.0	2023/09/30	2095101-00014	Date of first issue: 2017/10/23

---

ment

Species: Rat  
Application Route: Ingestion  
Result: negative

**Citric acid:**

Effects on foetal development

: Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Desloratadine:**

Effects on fertility

: Test Type: Fertility  
Species: Rat, male  
Application Route: Oral  
Fertility: LOAEL: 12 mg/kg body weight  
Symptoms: Reduced fertility  
Result: positive  
Remarks: The mechanism or mode of action may not be relevant in humans.

Test Type: Fertility  
Species: Rat, female  
Fertility: NOAEL: 3 mg/kg body weight  
Symptoms: No effects on fertility  
Result: negative

Effects on foetal development

: Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 30 mg/kg body weight  
Result: No teratogenic effects

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 9 mg/kg body weight  
Symptoms: Preimplantation loss, Reduced body weight  
Result: Specific developmental abnormalities  
Remarks: The mechanism or mode of action may not be relevant in humans.

Test Type: Two-generation study  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 18 mg/kg body weight  
Result: No adverse effects

Reproductive toxicity - Assessment

: Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

## Desloratadine / Pseudoephedrine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
5.0	2023/09/30	2095101-00014	Date of first issue: 2017/10/23

---

||

**STOT - single exposure**

Not classified based on available information.

**Components:****Citric acid:**

|| Assessment : May cause respiratory irritation.

**STOT - repeated exposure**

Causes damage to organs (Central nervous system) through prolonged or repeated exposure if swallowed.

Causes damage to organs (Cardio-vascular system) through prolonged or repeated exposure if inhaled.

**Components:****Bis[[S-(R\*,R\*)]-(β-hydroxy-α-methylphenethyl)methylammonium] sulphate:**

Exposure routes	: Ingestion, Inhalation
Target Organs	: Central nervous system, Cardio-vascular system
Assessment	: Causes damage to organs through prolonged or repeated exposure.

**Disodium EDTA, dihydrate:**

Exposure routes	: inhalation (dust/mist/fume)
Target Organs	: Respiratory Tract
Assessment	: May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Cellulose:**

Species	: Rat
NOAEL	: >= 9,000 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

**Bis[[S-(R\*,R\*)]-(β-hydroxy-α-methylphenethyl)methylammonium] sulphate:**

|| Remarks : No data available

**Starch, oxidized:**

Species	: Rat
NOAEL	: 22,500 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

**Disodium EDTA, dihydrate:**

## Desloratadine / Pseudoephedrine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
5.0	2023/09/30	2095101-00014	Date of first issue: 2017/10/23

---

Species	: Rat
NOAEL	: 500 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks

Species	: Rat
LOAEL	: 0.03 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 4 Weeks
Method	: OECD Test Guideline 412

**Citric acid:**

Species	: Rat
NOAEL	: 4,000 mg/kg
LOAEL	: 8,000 mg/kg
Application Route	: Ingestion
Exposure time	: 10 Days

**Desloratadine:**

Species	: Rat
LOAEL	: 30 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Kidney
Remarks	: Significant toxicity observed in testing The mechanism or mode of action may not be relevant in humans.

Species	: Monkey
NOAEL	: 6 mg/kg
LOAEL	: 12 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Central nervous system
Symptoms	: Gastrointestinal disturbance

Species	: Monkey
NOAEL	: 40 mg/kg
Application Route	: Oral
Exposure time	: 17 Months
Remarks	: No significant adverse effects were reported

Species	: Monkey
NOAEL	: 6 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Symptoms	: Gastrointestinal disturbance, Fatigue

**Aspiration toxicity**

Not classified based on available information.

## Desloratadine / Pseudoephedrine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
5.0	2023/09/30	2095101-00014	Date of first issue: 2017/10/23

**Experience with human exposure****Components:****Bis[[S-(R\*,R\*)]-(β-hydroxy-α-methylphenethyl)methylammonium] sulphate:**

Inhalation	:	Remarks: May cause irritation of respiratory tract.
Eye contact	:	Remarks: May irritate eyes.
Ingestion	:	Symptoms: central nervous system effects, tachycardia, Palpitation

**Desloratadine:**

Inhalation	:	Remarks: May cause respiratory tract irritation.
Eye contact	:	Symptoms: Eye irritation
Ingestion	:	Symptoms: dry mouth, muscle pain, Fatigue, Drowsiness, sore throat, painful menstration

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Cellulose:**

Toxicity to fish	:	LC50 ( <i>Oryzias latipes</i> (Japanese medaka)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
------------------	---	--

**Disodium EDTA, dihydrate:**

Toxicity to fish	:	LC50 ( <i>Lepomis macrochirus</i> (Bluegill sunfish)): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 ( <i>Daphnia magna</i> (Water flea)): 140 mg/l Exposure time: 48 h Method: DIN 38412
Toxicity to algae/aquatic plants	:	ErC50 ( <i>Pseudokirchneriella subcapitata</i> (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
	:	EC10 ( <i>Pseudokirchneriella subcapitata</i> (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC ( <i>Daphnia magna</i> (Water flea)): 25 mg/l Exposure time: 21 d
Toxicity to microorganisms	:	EC10 (activated sludge): > 500 mg/l



## Desloratadine / Pseudoephedrine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
5.0	2023/09/30	2095101-00014	Date of first issue: 2017/10/23

---

Exposure time: 30 min  
Method: OECD Test Guideline 209

**Citric acid:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,535 mg/l  
Exposure time: 24 h

**Desloratadine:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.2 mg/l  
Exposure time: 96 h  
Method: FDA 4.11

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 9.6 mg/l  
Exposure time: 48 h  
Method: FDA 4.08

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.6 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.36 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.12 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.48 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Natural microorganism): 53.7 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC (Natural microorganism): 12 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

## Desloratadine / Pseudoephedrine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
5.0	2023/09/30	2095101-00014	Date of first issue: 2017/10/23

---

**Persistence and degradability****Components:****Cellulose:**

Biodegradability	:	Result: Readily biodegradable.
------------------	---	--------------------------------

**Disodium EDTA, dihydrate:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 2 % Exposure time: 28 d Method: OECD Test Guideline 301D
------------------	---	--

**Citric acid:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 97 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---	---

**Desloratadine:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 67.4 % Exposure time: 28 d Method: OECD Test Guideline 314
------------------	---	--

	:	Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: FDA 3.11
--	---	--

Stability in water	:	Hydrolysis: < 10 % at 50 °C(5 d) Method: FDA 3.09
--------------------	---	--

**Bioaccumulative potential****Components:****Bis[[S-(R\*,R\*)-(β-hydroxy-α-methylphenethyl)methylammonium] sulphate:**

Partition coefficient: n-octanol/water	:	log Pow: 0.89
--	---	---------------

**Disodium EDTA, dihydrate:**

Bioaccumulation	:	Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): < 500 Remarks: Based on data from similar materials
-----------------	---	--

Partition coefficient: n-octanol/water	:	log Pow: -4.3
--	---	---------------

**Citric acid:**

## Desloratadine / Pseudoephedrine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
5.0	2023/09/30	2095101-00014	Date of first issue: 2017/10/23

---

|| Partition coefficient: n-octanol/water : log Pow: -1.72

**Desloratadine:**

|| Partition coefficient: n-octanol/water : log Pow: 1.24  
Method: OECD Test Guideline 107

**Mobility in soil****Components:****Desloratadine:**

|| Distribution among environmental compartments : log Koc: 3.00  
Method: OECD Test Guideline 106

**Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

|| Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable

**IATA-DGR**

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

**IMDG-Code**

# SAFETY DATA SHEET



## Desloratadine / Pseudoephedrine Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
5.0	2023/09/30	2095101-00014	Date of first issue: 2017/10/23

---

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

Not applicable

---

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

### Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

### Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

### Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

## Desloratadine / Pseudoephedrine Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	2023/09/30	2095101-00014	2023/04/04
			Date of first issue: 2017/10/23

---

IECSC : not determined

---

**16. OTHER INFORMATION**

Revision Date : 2023/09/30

**Further information**Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

**Full text of other abbreviations**ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ID OEL : Indonesia. Occupational Exposure LimitsACGIH / TWA : 8-hour, time-weighted average  
ID OEL / NAB : Long term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

# SAFETY DATA SHEET



## Desloratadine / Pseudoephedrine Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
5.0	2023/09/30	2095101-00014	Date of first issue: 2017/10/23

---

recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN