

SAFETY DATA SHEET



Desogestrel Formulation



Version 11.0 Revision Date: 2024/04/06 SDS Number: 21976-00026 Date of last issue: 2023/09/26
Date of first issue: 2014/10/15

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Desogestrel Formulation

Supplier's company name, address and phone number

Company name of supplier : Organon & Co.

Address : 30 Hudson Street, 33rd floor
Jersey City, New Jersey, U.S.A 07302

Telephone : +1-551-430-6000

E-mail address : EHSSTEWARD@organon.com

Emergency telephone number : +1-215-631-6999

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 1 (Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate)

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H360Fd May damage fertility. Suspected of damaging the unborn child.
H372 Causes damage to organs (Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Desogestrel Formulation

Version 11.0 Revision Date: 2024/04/06 SDS Number: 21976-00026 Date of last issue: 2023/09/26
Date of first issue: 2014/10/15

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Important symptoms and out- : Dust contact with the eyes can lead to mechanical irritation.
lines of the emergency as- : Contact with dust can cause mechanical irritation or drying of
sumed : the skin.
May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Starch, oxidized	65996-62-5	>= 1 - < 10	8-99
Propylene glycol	57-55-6	>= 0.1 - < 1	2-234
Titanium dioxide	13463-67-7	> 0 - < 10	1-558, 5-5225
Desogestrel	54024-22-5	>= 0.1 - < 0.25	

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

SAFETY DATA SHEET



Desogestrel Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/26
11.0	2024/04/06	21976-00026	Date of first issue: 2014/10/15

If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May damage fertility. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO _x)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-	:	Use personal protective equipment.
-------------------------------	---	------------------------------------

SAFETY DATA SHEET



Desogestrel Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/26
11.0	2024/04/06	21976-00026	Date of first issue: 2014/10/15

tive equipment and emergency procedures		Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures	:	Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Do not breathe dust. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Avoidance of contact	:	Oxidizing agents
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye

SAFETY DATA SHEET



Desogestrel Formulation



Version 11.0 Revision Date: 2024/04/06 SDS Number: 21976-00026 Date of last issue: 2023/09/26
Date of first issue: 2014/10/15

flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Storage

- Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Reference concentration / Permissible concentration	Basis
Starch, oxidized	65996-62-5	TWA (inhalable dust)	0.5 mg/m ³	ACGIH
Titanium dioxide	13463-67-7	OEL-M (Respirable particulate matter)	1.5 mg/m ³ (Titanium)	JP OEL JSOH
		Further information: Group 2B: possibly carcinogenic to humans		
		OEL-M (Total particulate matter)	2 mg/m ³ (Titanium)	JP OEL JSOH
		Further information: Group 2B: possibly carcinogenic to humans		
Desogestrel	54024-22-5	TWA	0.04 µg/m ³ (OEB 5)	Internal
		Wipe limit	0.4 µg/100 cm ²	Internal

- Engineering measures** : Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
No open handling permitted.

Desogestrel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/26
11.0	2024/04/06	21976-00026	Date of first issue: 2014/10/15

Totally enclosed processes and materials transport systems are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Particulates type
Hand protection	:	
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	powder
Colour	:	white
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point, initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Lower explosion limit and upper explosion limit / flammability limit	:	
Upper explosion limit / Upper explosion limit / Lower explosion limit / flammability limit	:	No data available

SAFETY DATA SHEET



Desogestrel Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/26
11.0	2024/04/06	21976-00026	Date of first issue: 2014/10/15

Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Decomposition temperature	:	No data available
pH	:	No data available
Evaporation rate	:	Not applicable
Auto-ignition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	Not applicable
Vapour pressure	:	Not applicable
Density and / or relative density Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	May form explosive dust-air mixture during processing, han- dling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents

Desogestrel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/26
11.0	2024/04/06	21976-00026	Date of first issue: 2014/10/15

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:**Propylene glycol:**

Acute oral toxicity	: LD50 (Rat): 22,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 44.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

Titanium dioxide:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 6.82 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity

Desogestrel:

Acute oral toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg LD50 (Mouse, male and female): > 2,000 mg/kg
---------------------	--

Skin corrosion/irritation

Not classified based on available information.

Components:**Propylene glycol:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Desogestrel Formulation

Version 11.0 Revision Date: 2024/04/06 SDS Number: 21976-00026 Date of last issue: 2023/09/26
Date of first issue: 2014/10/15

Titanium dioxide:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Propylene glycol:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Titanium dioxide:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Propylene glycol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Titanium dioxide:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro

Desogestrel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/26
11.0	2024/04/06	21976-00026	Date of first issue: 2014/10/15

		Method: OECD Test Guideline 473
		Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
		Species: Mouse
		Application Route: Intraperitoneal injection
		Result: negative

Titanium dioxide:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative
Genotoxicity in vivo	:	Test Type: In vivo micronucleus test
		Species: Mouse
		Result: negative

Desogestrel:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test
		Species: Rat
		Application Route: Intraperitoneal
		Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Propylene glycol:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

Titanium dioxide:

Species	:	Rat
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	2 Years
Method	:	OECD Test Guideline 453
Result	:	positive
Remarks	:	The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment	:	Limited evidence of carcinogenicity in inhalation studies with animals.
------------------------------	---	---

Desogestrel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/26
11.0	2024/04/06	21976-00026	Date of first issue: 2014/10/15

Desogestrel:

Species	: Rat
Application Route	: Oral
Exposure time	: 104 weeks
Result	: negative

Species	: Mouse
Application Route	: Oral
Exposure time	: 81 weeks
Result	: negative

Reproductive toxicity

May damage fertility. Suspected of damaging the unborn child.

Components:**Propylene glycol:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: negative
----------------------	---

Effects on foetal development	: Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative
-------------------------------	--

Desogestrel:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rabbit, female Fertility: LOAEL Parent: 2 mg/kg body weight Result: Effects on fertility
----------------------	---

	: Test Type: Fertility/early embryonic development Species: Rat, female Fertility: NOAEL Parent: 0.5 mg/kg body weight Result: No effects on fertility
--	---

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rabbit, female Application Route: Oral Developmental Toxicity: NOAEL F1: 1 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects
-------------------------------	--

	: Test Type: Embryo-foetal development Species: Rat, female Application Route: Oral Embryo-foetal toxicity: LOAEC Parent: 0.125 mg/kg body weight Result: No teratogenic effects
--	--

Desogestrel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/26
11.0	2024/04/06	21976-00026	Date of first issue: 2014/10/15

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs (Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate) through prolonged or repeated exposure.

Components:**Desogestrel:**

Target Organs : Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate
 Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Starch, oxidized:**

Species : Rat
 NOAEL : 22,500 mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days

Propylene glycol:

Species : Rat, male
 NOAEL : >= 1,700 mg/kg
 Application Route : Ingestion
 Exposure time : 2 yr

Titanium dioxide:

Species : Rat
 NOAEL : 24,000 mg/kg
 Application Route : Ingestion
 Exposure time : 28 Days

Species : Rat
 NOAEL : 10 mg/m³
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 2 yr

Desogestrel:

Species : Rat, female
 LOAEL : 0.00625 mg/kg

Desogestrel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/26
11.0	2024/04/06	21976-00026	Date of first issue: 2014/10/15

Application Route	: Oral
Exposure time	: 26 Weeks
Target Organs	: Pituitary gland, Uterus (including cervix), Ovary, Mammary gland

Species	: Rat
LOAEL	: 0.005 mg/kg
Application Route	: Oral
Exposure time	: 52 Weeks
Target Organs	: Pituitary gland, Uterus (including cervix), Ovary, Mammary gland

Species	: Dog
LOAEL	: 0.005 mg/kg
Application Route	: Oral
Exposure time	: 52 Weeks
Target Organs	: Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Desogestrel:**

Ingestion	: Symptoms: Headache, changes in libido, Dizziness, Nausea, Vomiting, Diarrhoea, water retention, sodium retention, Gastrointestinal discomfort, mental depression, amenorrhea, insomnia, impaired glucose tolerance, pulmonary embolism
	Target Organs: Uterus (including cervix)
	Target Organs: Mammary gland

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Propylene glycol:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l Exposure time: 72 h

SAFETY DATA SHEET



Desogestrel Formulation



Version 11.0 Revision Date: 2024/04/06 SDS Number: 21976-00026 Date of last issue: 2023/09/26
Date of first issue: 2014/10/15

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l
Exposure time: 7 d

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

Titanium dioxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Desogestrel:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4 mg/l
Exposure time: 96 h
Method: FDA 4.11
Remarks: Based on data from similar materials

LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.3 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: No toxicity at the limit of solubility
Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 3.9 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility
Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.059 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210
Remarks: Based on data from similar materials

NOEC (Oryzias latipes (Japanese medaka)): 0.0000027 mg/l
Exposure time: 183 d
Remarks: Based on data from similar materials

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 1.2 mg/l

Desogestrel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/26
11.0	2024/04/06	21976-00026	Date of first issue: 2014/10/15

aquatic invertebrates (Chronic toxicity)	:	Exposure time: 21 d Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	:	10,000
Toxicity to microorganisms	:	EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 Remarks: Based on data from similar materials
	:	NOEC: 70.8 mg/l Exposure time: 3 h Test Type: Respiration inhibition Remarks: Based on data from similar materials

Persistence and degradability**Components:****Propylene glycol:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 98.3 % Exposure time: 28 d Method: OECD Test Guideline 301F
------------------	---	---

Desogestrel:

Stability in water	:	Hydrolysis: < 10 %(5 d) Remarks: Based on data from similar materials
--------------------	---	--

Bioaccumulative potential**Components:****Propylene glycol:**

Partition coefficient: n-octanol/water	:	log Pow: -1.07 Method: Regulation (EC) No. 440/2008, Annex, A.8
--	---	--

Desogestrel:

Bioaccumulation	:	Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 128 Remarks: Based on data from similar materials
-----------------	---	--

Partition coefficient: n-octanol/water	:	log Pow: 3.5
--	---	--------------

Mobility in soil**Components:****Desogestrel:**

SAFETY DATA SHEET



Desogestrel Formulation



Version 11.0 Revision Date: 2024/04/06 SDS Number: 21976-00026 Date of last issue: 2023/09/26
Date of first issue: 2014/10/15

|| Distribution among environmental compartments : log Koc: 2.84

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Desogestrel)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Desogestrel)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Desogestrel)
Class : 9
Packing group : III
Labels : 9

SAFETY DATA SHEET



Desogestrel Formulation



Version 11.0 Revision Date: 2024/04/06 SDS Number: 21976-00026 Date of last issue: 2023/09/26
Date of first issue: 2014/10/15

EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
Propane-1,2-diol	106

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Titanium(IV) oxide	>0 - <10	-

Desogestrel Formulation

Version
11.0Revision Date:
2024/04/06SDS Number:
21976-00026Date of last issue: 2023/09/26
Date of first issue: 2014/10/15

Substances Subject to be Indicated Names

Not applicable

Substances Subject to be Indicated Names

Not applicable

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

|| Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Desogestrel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/26
11.0	2024/04/06	21976-00026	Date of first issue: 2014/10/15

Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
JP OEL JSOH	:	Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits

ACGIH / TWA	:	8-hour, time-weighted average
JP OEL JSOH / OEL-M	:	Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships;

SAFETY DATA SHEET



Desogestrel Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/26
11.0	2024/04/06	21976-00026	Date of first issue: 2014/10/15

n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN