

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ORGANON

Desogestrel / Ethinyl Estradiol Formulation

Version 5.0 Revision Date: 06.04.2024 SDS Number: 19062-00026 Date of last issue: 26.09.2023
Date of first issue: 06.10.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Desogestrel / Ethinyl Estradiol Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Pharmaceutical

Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : Organon & Co.
30 Hudson Street, 33rd floor
07302 Jersey City, New Jersey, U.S.A

Telephone : +1-551-430-6000

E-mail address of person responsible for the SDS : EHSSTEWARD@organon.com

1.4 Emergency telephone number

+1-215-631-6999

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Carcinogenicity, Category 1A	H350: May cause cancer.
Reproductive toxicity, Category 1B	H360FD: May damage fertility. May damage the unborn child.
Specific target organ toxicity - repeated exposure, Category 1	H372: Causes damage to organs through prolonged or repeated exposure.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Desogestrel / Ethinyl Estradiol Formulation

Version 5.0 Revision Date: 06.04.2024 SDS Number: 19062-00026 Date of last issue: 26.09.2023
Date of first issue: 06.10.2014

Signal word	:	Danger
Hazard statements	:	H350 May cause cancer.
	:	H360FD May damage fertility. May damage the unborn child.
	:	H372 Causes damage to organs through prolonged or repeated exposure.
	:	H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention:
	:	P201 Obtain special instructions before use.
	:	P260 Do not breathe dust.
	:	P273 Avoid release to the environment.
	:	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	:	Response:
:	P308 + P313 IF exposed or concerned: Get medical advice/ attention.	
:	P391 Collect spillage.	

Hazardous components which must be listed on the label:

Desogestrel
Ethinylestradiol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Desogestrel	54024-22-5	Repr. 1B; H360Fd	>= 0.1 - < 0.25

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Desogestrel / Ethinyl Estradiol Formulation

Version 5.0 Revision Date: 06.04.2024 SDS Number: 19062-00026 Date of last issue: 26.09.2023
Date of first issue: 06.10.2014

	258-929-4	STOT RE 1; H372 (Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate) Aquatic Chronic 1; H410	
		M-Factor (Chronic aquatic toxicity): 10,000	
		specific concentration limit Repr. 1B; H360Fd ≥ 0.01 % STOT RE 1; H372 ≥ 0.01 %	
Ethinylestradiol	57-63-6 200-342-2	Acute Tox. 4; H302 Carc. 1A; H350 Repr. 1B; H360FD STOT RE 1; H372 (Liver, Blood) Aquatic Chronic 1; H410	≥ 0.025 - < 0.1
		M-Factor (Chronic aquatic toxicity): 100,000	
		specific concentration limit Carc. 1A; H350 ≥ 0.01 % Repr. 1B; H360FD ≥ 0.01 % STOT RE 1; H372 ≥ 0.01 %	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Desogestrel / Ethinyl Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
5.0	06.04.2024	19062-00026	Date of first issue: 06.10.2014

- When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause cancer.
May damage fertility. May damage the unborn child.
Causes damage to organs through prolonged or repeated exposure.
- Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Desogestrel / Ethinyl Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
5.0	06.04.2024	19062-00026	Date of first issue: 06.10.2014

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Desogestrel / Ethinyl Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
5.0	06.04.2024	19062-00026	Date of first issue: 06.10.2014

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- | | | |
|-------------------------|---|--|
| Technical measures | : | Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation. |
| Advice on safe handling | : | Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

7.2 Conditions for safe storage, including any incompatibilities

- | | | |
|---|---|--|
| Requirements for storage areas and containers | : | Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations. |
| Advice on common storage | : | Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases |

7.3 Specific end use(s)

- | | | |
|-----------------|---|-------------------|
| Specific use(s) | : | No data available |
|-----------------|---|-------------------|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Desogestrel / Ethinyl Estradiol Formulation

Version 5.0 Revision Date: 06.04.2024 SDS Number: 19062-00026 Date of last issue: 26.09.2023
Date of first issue: 06.10.2014

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

	dusts non-specific	4 mg/m ³ Value type (Form of exposure): OELV - 8 hrs (TWA) (Respirable dust) Basis: IE OEL
		10 mg/m ³ Value type (Form of exposure): OELV - 8 hrs (TWA) (inhalable dust) Basis: IE OEL

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
	Starch	9005-25-8	OELV - 8 hrs (TWA) (Respirable dust)	4 mg/m ³	IE OEL
			OELV - 8 hrs (TWA) (inhalable dust)	10 mg/m ³	IE OEL
	Stearic acid	57-11-4	OELV - 8 hrs (TWA)	10 mg/m ³	IE OEL
	Desogestrel	54024-22-5	TWA	0.04 µg/m ³ (OEB 5)	Internal
			Wipe limit	0.4 µg/100 cm ²	Internal
	Ethinylestradiol	57-63-6	TWA	0.01 µg/m ³ (OEB 5)	Internal
			Wipe limit	0.1 µg/100 cm ²	Internal

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value	
	Stearic acid	Workers	Inhalation	Long-term systemic effects	17.63 mg/m ³
		Workers	Skin contact	Long-term systemic effects	10 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	4.348 mg/m ³	
		Skin contact	Long-term systemic effects	5 mg/kg bw/day	
		Ingestion	Long-term systemic effects	2.5 mg/kg bw/day	

8.2 Exposure controls

Engineering measures

Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ORGANON

Desogestrel / Ethinyl Estradiol Formulation

Version 5.0 Revision Date: 06.04.2024 SDS Number: 19062-00026 Date of last issue: 26.09.2023
Date of first issue: 06.10.2014

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Equipment should conform to I.S. EN 143

Filter type : Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : powder

Colour : White to light yellow

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ORGANON

Desogestrel / Ethinyl Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
5.0	06.04.2024	19062-00026	Date of first issue: 06.10.2014

flammability limit

Lower explosion limit / Lower flammability limit : No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : No data available

Viscosity
Viscosity, kinematic : Not applicable

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : Not applicable

Relative density : No data available

Density : 1 g/cm³

Relative vapour density : Not applicable

Particle characteristics
Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ORGANON

Desogestrel / Ethinyl Estradiol Formulation

Version 5.0 Revision Date: 06.04.2024 SDS Number: 19062-00026 Date of last issue: 26.09.2023
Date of first issue: 06.10.2014

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Desogestrel:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
LD50 (Mouse, male and female): > 2,000 mg/kg

Ethinylestradiol:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg
LD50 (Mouse): 1,737 mg/kg
Acute inhalation toxicity : Remarks: No data available
Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethinylestradiol:

Remarks : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Desogestrel / Ethinyl Estradiol Formulation

Version 5.0 Revision Date: 06.04.2024 SDS Number: 19062-00026 Date of last issue: 26.09.2023
Date of first issue: 06.10.2014

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Ethinylestradiol:

||Remarks : No data available

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Ethinylestradiol:

||Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Components:

Desogestrel:

||Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

||Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat
Application Route: Intraperitoneal
Result: negative

Ethinylestradiol:

||Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Test system: Salmonella typhimurium
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
Test system: Escherichia coli
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Result: equivocal

||Genotoxicity in vivo : Test Type: Chromosomal aberration
Species: Mouse
Cell type: Bone marrow
Application Route: Oral

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Desogestrel / Ethinyl Estradiol Formulation

Version 5.0 Revision Date: 06.04.2024 SDS Number: 19062-00026 Date of last issue: 26.09.2023
Date of first issue: 06.10.2014

Result: positive

Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Oral

Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

May cause cancer.

Components:

Desogestrel:

Species : Rat
Application Route : Oral
Exposure time : 104 weeks
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 81 weeks
Result : negative

Ethinylestradiol:

Species : Rat, male and female
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Monkey, female
Application Route : Oral
Exposure time : 10 Years
Result : negative

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

Desogestrel:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rabbit, female
Fertility: LOAEL Parent: 2 mg/kg body weight
Result: Effects on fertility

Test Type: Fertility/early embryonic development

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Desogestrel / Ethinyl Estradiol Formulation

Version 5.0 Revision Date: 06.04.2024 SDS Number: 19062-00026 Date of last issue: 26.09.2023
Date of first issue: 06.10.2014

		Species: Rat, female Fertility: NOAEL Parent: 0.5 mg/kg body weight Result: No effects on fertility
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rabbit, female Application Route: Oral Developmental Toxicity: NOAEL F1: 1 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects
		Test Type: Embryo-foetal development Species: Rat, female Application Route: Oral Embryo-foetal toxicity: LOAEC Parent: 0.125 mg/kg body weight Result: No teratogenic effects
Reproductive toxicity - Assessment	:	Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

Ethinylestradiol:

Effects on fertility	:	Species: Hamster Fertility: LOAEL: 6.3 mg/kg body weight Result: Effects on fertility
Effects on foetal development	:	Test Type: Four-generation reproduction toxicity study Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: > 0.006 mg/kg body weight Result: Specific developmental abnormalities
		Test Type: Two-generation reproduction toxicity study Species: Rat, male and female Application Route: Oral Developmental Toxicity: LOAEL: 0.005 mg/kg body weight Result: Specific developmental abnormalities
Reproductive toxicity - Assessment	:	Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Desogestrel / Ethinyl Estradiol Formulation

Version 5.0 Revision Date: 06.04.2024 SDS Number: 19062-00026 Date of last issue: 26.09.2023
Date of first issue: 06.10.2014

Components:

Desogestrel:

Target Organs : Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate
Assessment : Causes damage to organs through prolonged or repeated exposure.

Ethinylestradiol:

Target Organs : Liver, Blood
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Desogestrel:

Species : Rat, female
LOAEL : 0.00625 mg/kg
Application Route : Oral
Exposure time : 26 Weeks
Target Organs : Pituitary gland, Uterus (including cervix), Ovary, Mammary gland

Species : Rat
LOAEL : 0.005 mg/kg
Application Route : Oral
Exposure time : 52 Weeks
Target Organs : Pituitary gland, Uterus (including cervix), Ovary, Mammary gland

Species : Dog
LOAEL : 0.005 mg/kg
Application Route : Oral
Exposure time : 52 Weeks
Target Organs : Pituitary gland, Uterus (including cervix), Ovary, Mammary gland, Prostate

Ethinylestradiol:

Species : Rat
NOAEL : 0.25 mg/kg
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 2 Weeks
Target Organs : Liver

Species : Rabbit
LOAEL : 0.015 mg/kg
Application Route : Oral
Exposure time : 20 Weeks

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Desogestrel / Ethinyl Estradiol Formulation

Version 5.0 Revision Date: 06.04.2024 SDS Number: 19062-00026 Date of last issue: 26.09.2023
Date of first issue: 06.10.2014

|| Target Organs : Liver

|| Species : Dog
|| NOAEL : 0.04 mg/kg
|| LOAEL : 0.2 mg/kg
|| Application Route : Oral
|| Exposure time : 95 d
|| Target Organs : Blood

|| Species : Rat, male and female
|| NOAEL : 0.0015 mg/kg
|| LOAEL : 0.005 mg/kg
|| Application Route : Oral
|| Exposure time : 2 yr
|| Target Organs : Reproductive organs, Mammary gland, Liver, Uterus (including cervix)

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Experience with human exposure

Components:

Desogestrel:

|| Ingestion : Symptoms: Headache, changes in libido, Dizziness, Nausea, Vomiting, Diarrhoea, water retention, sodium retention, Gastrointestinal discomfort, mental depression, amenorrhea, insomnia, impaired glucose tolerance, pulmonary embolism
Target Organs: Uterus (including cervix)
Target Organs: Mammary gland

Ethinylestradiol:

|| Ingestion : Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhoea, Headache, Dizziness, mood swings, Oedema, liver function change, water retention, hair loss, gynaecomastia, effects on menstruation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ORGANON

Desogestrel / Ethinyl Estradiol Formulation

Version 5.0 Revision Date: 06.04.2024 SDS Number: 19062-00026 Date of last issue: 26.09.2023
Date of first issue: 06.10.2014

SECTION 12: Ecological information

12.1 Toxicity

Components:

Desogestrel:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 4 mg/l Exposure time: 96 h Method: FDA 4.11 Remarks: Based on data from similar materials
	LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.3 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 3.9 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility Based on data from similar materials
Toxicity to microorganisms	: EC50 : > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 Remarks: Based on data from similar materials
	NOEC : 70.8 mg/l Exposure time: 3 h Test Type: Respiration inhibition Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	: NOEC: 0.059 mg/l Exposure time: 32 d Species: Pimephales promelas (fathead minnow) Method: OECD Test Guideline 210 Remarks: Based on data from similar materials
	NOEC: 0.0000027 mg/l Exposure time: 183 d Species: Oryzias latipes (Japanese medaka) Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 1.2 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Remarks: Based on data from similar materials
M-Factor (Chronic aquatic	: 10,000

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Desogestrel / Ethinyl Estradiol Formulation

Version 5.0 Revision Date: 06.04.2024 SDS Number: 19062-00026 Date of last issue: 26.09.2023
Date of first issue: 06.10.2014

||toxicity)

Ethinylestradiol:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.6 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 6.7 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 6.7 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC50 : > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 NOEC : 24.9 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
Toxicity to fish (Chronic toxicity)	:	NOEC: 0.01 µg/l Exposure time: 35 d Species: Pimephales promelas (fathead minnow) Method: OECD Test Guideline 210 NOEC: 0.00031 µg/l Exposure time: 339 d Species: Zebrafish
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0.75 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	100,000

12.2 Persistence and degradability

Components:

Desogestrel:

Stability in water	:	Hydrolysis: < 10 %(5 d) Remarks: Based on data from similar materials
--------------------	---	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Desogestrel / Ethinyl Estradiol Formulation

Version 5.0 Revision Date: 06.04.2024 SDS Number: 19062-00026 Date of last issue: 26.09.2023
Date of first issue: 06.10.2014

12.3 Bioaccumulative potential

Components:

Desogestrel:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 128
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 3.5

Ethinylestradiol:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 264
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.15

12.4 Mobility in soil

Components:

Desogestrel:

Distribution among environmental compartments : log Koc: 2.84

Ethinylestradiol:

Distribution among environmental compartments : log Koc: 3.86

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Desogestrel / Ethinyl Estradiol Formulation

Version 5.0 Revision Date: 06.04.2024 SDS Number: 19062-00026 Date of last issue: 26.09.2023
Date of first issue: 06.10.2014

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Product : Dispose of in accordance with local regulations.
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Do not dispose of waste into sewer.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

- ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

- ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Ethinylestradiol, Desogestrel)
- ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Ethinylestradiol, Desogestrel)
- RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Ethinylestradiol, Desogestrel)
- IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Ethinylestradiol, Desogestrel)
- IATA : Environmentally hazardous substance, solid, n.o.s.
(Ethinylestradiol, Desogestrel)

14.3 Transport hazard class(es)

- | | Class | Subsidiary risks |
|------|-------|------------------|
| ADN | : 9 | |
| ADR | : 9 | |
| RID | : 9 | |
| IMDG | : 9 | |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Desogestrel / Ethinyl Estradiol Formulation

Version 5.0 Revision Date: 06.04.2024 SDS Number: 19062-00026 Date of last issue: 26.09.2023
Date of first issue: 06.10.2014

IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ORGANON

Desogestrel / Ethinyl Estradiol Formulation

Version 5.0 Revision Date: 06.04.2024 SDS Number: 19062-00026 Date of last issue: 26.09.2023
Date of first issue: 06.10.2014

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 75

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

Other regulations:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ORGANON

Desogestrel / Ethinyl Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
5.0	06.04.2024	19062-00026	Date of first issue: 06.10.2014

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H302	:	Harmful if swallowed.
H350	:	May cause cancer.
H360Fd	:	May damage fertility. Suspected of damaging the unborn child.
H360FD	:	May damage fertility. May damage the unborn child.
H372	:	Causes damage to organs through prolonged or repeated exposure.
H410	:	Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Carc.	:	Carcinogenicity
Repr.	:	Reproductive toxicity
STOT RE	:	Specific target organ toxicity - repeated exposure
IE OEL	:	Ireland. List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2
IE OEL / OELV - 8 hrs (TWA)	:	Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good La-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ORGANON

Desogestrel / Ethinyl Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
5.0	06.04.2024	19062-00026	Date of first issue: 06.10.2014

laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Carc. 1A	H350
Repr. 1B	H360FD
STOT RE 1	H372
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN