according to GB/T 16483 and GB/T 17519



# **Enalapril Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 2024/04/06 734739-00017 Date of first issue: 2016/06/07 3.2

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**Enalapril Formulation** Product name

Manufacturer or supplier's details

Company : Organon & Co.

Address 30 Hudson Street, 33nd floor

Jersey City, New Jersey, U.S.A 07302

Telephone +1-551-430-6000

Emergency telephone number: +1-215-631-6999

E-mail address EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use Pharmaceutical Restrictions on use Not applicable

#### 2. HAZARDS IDENTIFICATION

## **Emergency Overview**

**Appearance** : powder Colour white

Odour No data available

May damage the unborn child. May cause damage to organs through prolonged or repeated ex-

posure.

**GHS Classification** 

Reproductive toxicity Category 1A

Specific target organ toxicity - : Category 2

repeated exposure

**GHS** label elements

Hazard pictograms

Signal word Danger

Hazard statements H360D May damage the unborn child.

H373 May cause damage to organs through prolonged or re-

according to GB/T 16483 and GB/T 17519



# **Enalapril Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 3.2 2024/04/06 734739-00017 Date of first issue: 2016/06/07

peated exposure.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe dust.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

## Physical and chemical hazards

Not classified based on available information.

#### **Health hazards**

May damage the unborn child. May cause damage to organs through prolonged or repeated exposure.

## **Environmental hazards**

Not classified based on available information.

#### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## Components

Chemical name	CAS-No.	Concentration (% w/w)
Starch	9005-25-8	>= 10 -< 20
(S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate	76095-16-4	>= 1 -< 10

# 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

according to GB/T 16483 and GB/T 17519



# **Enalapril Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 3.2 2024/04/06 734739-00017 Date of first issue: 2016/06/07

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention.
Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

May damage the unborn child.

May cause damage to organs through prolonged or repeated

exposure.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

#### 5. FIREFIGHTING MEASURES

Protection of first-aiders

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

according to GB/T 16483 and GB/T 17519



# **Enalapril Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 3.2 2024/04/06 734739-00017 Date of first issue: 2016/06/07

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 7. HANDLING AND STORAGE

### Handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust. Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

according to GB/T 16483 and GB/T 17519



# **Enalapril Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 3.2 2024/04/06 734739-00017 Date of first issue: 2016/06/07

Avoidance of contact : Oxidizing agents

**Storage** 

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Starch	9005-25-8	TWA	10 mg/m3	ACGIH
(S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate	76095-16-4	TWA	50 μg/m3 (OEB 3)	Internal
		Wipe limit	500 μg/100 cm <sup>2</sup>	Internal

**Engineering measures** : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices).

Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

according to GB/T 16483 and GB/T 17519



# **Enalapril Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 3.2 2024/04/06 734739-00017 Date of first issue: 2016/06/07

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : white

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

according to GB/T 16483 and GB/T 17519



# **Enalapril Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 3.2 2024/04/06 734739-00017 Date of first issue: 2016/06/07

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size : No data available

#### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation

Skin contact Ingestion Eye contact

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

according to GB/T 16483 and GB/T 17519



# **Enalapril Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 3.2 2024/04/06 734739-00017 Date of first issue: 2016/06/07

Method: Calculation method

**Components:** 

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

(S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:

Acute oral toxicity : LD50 (Rat): 2,000 - 3,500 mg/kg

LDLo (Rat): 1,775 mg/kg

LD50 (Mouse): 2,000 - 3,500 mg/kg

LDLo (Mouse): 1,000 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Rat): 850 mg/kg

Application Route: Intravenous

LD50 (Mouse): 750 mg/kg Application Route: Intravenous

LD50 (Dog): > 100 mg/kg

LDLo (Dog): 200 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

#### Components:

(S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:

Species : Rabbit

Result : No skin irritation

# Serious eye damage/eye irritation

Not classified based on available information.

### **Components:**

Starch:

Species : Rabbit

Result : No eye irritation

## (S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:

Species : Rabbit

Result : Severe irritation

according to GB/T 16483 and GB/T 17519



# **Enalapril Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 3.2 2024/04/06 734739-00017 Date of first issue: 2016/06/07

## Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

### Respiratory sensitisation

Not classified based on available information.

### **Components:**

#### Starch:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

## (S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Result : Not a skin sensitizer.

## Germ cell mutagenicity

Not classified based on available information.

## Components:

### Starch:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

### (S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: negative

Test Type: Alkaline elution assay

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

according to GB/T 16483 and GB/T 17519



# **Enalapril Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 3.2 2024/04/06 734739-00017 Date of first issue: 2016/06/07

cytogenetic test, chromosomal analysis)

Species: Mouse

**Application Route: Ingestion** 

Result: negative

## Carcinogenicity

Not classified based on available information.

### **Components:**

## (S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:

Species : Rat
Application Route : Ingestion
Exposure time : 106 weeks

NOAEL : 90 mg/kg body weight

Result : negative

Species : Mouse
Application Route : Ingestion
Exposure time : 94 weeks

NOAEL : 90 - 180 mg/kg body weight

Result : negative

### Reproductive toxicity

May damage the unborn child.

### **Components:**

## (S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:

Effects on fertility : Test Type: Fertility

Species: Rat, male and female Application Route: Ingestion

Fertility: NOAEL: 90 mg/kg body weight

Result: No effects on fertility

Effects on foetal develop-

ment

Species: Rat

Application Route: Ingestion

Developmental Toxicity: NOAEL: 200 mg/kg body weight

Result: No effects on foetal development

Species: Rat

Application Route: Ingestion

Developmental Toxicity: LOAEL: 1,200 mg/kg body weight

Result: Fetotoxicity

Species: Rat

Application Route: Ingestion

Developmental Toxicity: LOAEL: 30 mg/kg body weight Result: Effects on postnatal development, Effects on newborn,

No teratogenic effects

according to GB/T 16483 and GB/T 17519



# **Enalapril Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 3.2 2024/04/06 734739-00017 Date of first issue: 2016/06/07

Species: Rabbit

**Application Route: Ingestion** 

General Toxicity Maternal: LOAEL: 1 mg/kg body weight Developmental Toxicity: LOAEL: 1 mg/kg body weight Result: Fetotoxicity, Maternal toxicity observed., No teratogen-

result. Feloloxicity, Maternal toxicity observed., No teratoger

ic effects

Reproductive toxicity - As-

sessment

Positive evidence of adverse effects on development from

human epidemiological studies.

## STOT - single exposure

Not classified based on available information.

# STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

### **Components:**

### (S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:

Target Organs : Kidney, Cardio-vascular system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

## Repeated dose toxicity

### **Components:**

#### Starch:

Species : Rat

NOAEL : >= 2,000 mg/kg
Application Route : Skin contact
Exposure time : 28 Days

Method : OECD Test Guideline 410

## (S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:

Species : Dog
NOAEL : 15 mg/kg
LOAEL : 30 mg/kg
Application Route : Ingestion
Exposure time : 1 yr
Target Organs : Kidney

Species : Rat
NOAEL : 90 mg/kg
Application Route : Oral
Exposure time : 1 yr

Remarks : No significant adverse effects were reported

Species : Monkey NOAEL : 30 mg/kg

according to GB/T 16483 and GB/T 17519



# **Enalapril Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 3.2 2024/04/06 734739-00017 Date of first issue: 2016/06/07

Application Route : Oral Exposure time : 1 Months

Remarks : No significant adverse effects were reported

## **Aspiration toxicity**

Not classified based on available information.

## **Experience with human exposure**

## **Components:**

### (S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:

Ingestion : Target Organs: Cardio-vascular system

Symptoms: hypotension, Cough, Dizziness, Headache, Blurred vision, Fatigue, Oedema, Nausea, hyperkalemia, faint-

ing, Weakness, skin rash

Remarks: May cause harm to the unborn child.

#### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

### **Components:**

#### (S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 346 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50 (Natural microorganism): > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

## Persistence and degradability

No data available

## **Bioaccumulative potential**

No data available

## Mobility in soil

No data available

#### Other adverse effects

No data available

according to GB/T 16483 and GB/T 17519



# **Enalapril Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 3.2 2024/04/06 734739-00017 Date of first issue: 2016/06/07

#### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

## **International Regulations**

**UNRTDG** 

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen- : Not applicable

ger aircraft)

**IMDG-Code** 

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable

Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

GB 6944/12268

UN number : Not applicable Proper shipping name : Not applicable

according to GB/T 16483 and GB/T 17519



# **Enalapril Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 3.2 2024/04/06 734739-00017 Date of first issue: 2016/06/07

Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Marine pollutant : no

Special precautions for user

Not applicable

#### 15. REGULATORY INFORMATION

#### **National regulatory information**

Law on the Prevention and Control of Occupational Diseases

**Regulation on the Administration of Precursor Chemicals** 

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### 16. OTHER INFORMATION

Revision Date : 2024/04/06

**Further information** 

Sources of key data used to compile the Safety Data

Sheet

cy, http://echa.europa.eu/

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-

Internal technical data, data from raw material SDSs, OECD

eChem Portal search results and European Chemicals Agen-

according to GB/T 16483 and GB/T 17519



# **Enalapril Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 3.2 2024/04/06 734739-00017 Date of first issue: 2016/06/07

tem: GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN