

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Enalapril / Hydrochlorothiazide Formulation

Version 6.2      Revision Date: 2024/04/06      SDS Number: 402519-00019      Date of last issue: 2023/09/30  
Date of first issue: 2016/01/07

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Enalapril / Hydrochlorothiazide Formulation

#### Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33rd floor  
Jersey City, New Jersey, U.S.A 07302

Telephone : +1-551-430-6000

Emergency telephone number : +1-215-631-6999

E-mail address : EHSSTEWARD@organon.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

**Appearance** : powder  
**Colour** : No data available  
**Odour** : No data available

May be harmful if swallowed. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.

#### GHS Classification

Acute toxicity (Oral) : Category 5

Reproductive toxicity : Category 1A

Specific target organ toxicity - repeated exposure : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Danger

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Enalapril / Hydrochlorothiazide Formulation

Version 6.2      Revision Date: 2024/04/06      SDS Number: 402519-00019      Date of last issue: 2023/09/30  
Date of first issue: 2016/01/07

Hazard statements : H303 May be harmful if swallowed.  
H360D May damage the unborn child.  
H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P312 Call a POISON CENTER/ doctor if you feel unwell.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

May be harmful if swallowed. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.

### Environmental hazards

Not classified based on available information.

### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Hydrochlorothiazide	58-93-5	>= 10 -< 20
Starch	9005-25-8	>= 10 -< 20
(S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate	76095-16-4	>= 1 -< 10

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Enalapril / Hydrochlorothiazide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
6.2	2024/04/06	402519-00019	Date of first issue: 2016/01/07

### 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May be harmful if swallowed.  
May damage the unborn child.  
Causes damage to organs through prolonged or repeated exposure.  
Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Chlorine compounds  
Sulphur oxides  
Metal oxides
- Specific extinguishing meth- : Use extinguishing measures that are appropriate to local cir-

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Enalapril / Hydrochlorothiazide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
6.2	2024/04/06	402519-00019	Date of first issue: 2016/01/07

---

ods cumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### 7. HANDLING AND STORAGE

#### Handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety

---

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Enalapril / Hydrochlorothiazide Formulation

Version 6.2      Revision Date: 2024/04/06      SDS Number: 402519-00019      Date of last issue: 2023/09/30  
Date of first issue: 2016/01/07

practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

### Storage

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

Packaging material : Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Hydrochlorothiazide	58-93-5	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
Starch	9005-25-8	TWA	10 mg/m <sup>3</sup>	ACGIH
(S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate	76095-16-4	TWA	50 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	500 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Enalapril / Hydrochlorothiazide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
6.2	2024/04/06	402519-00019	Date of first issue: 2016/01/07

Eye/face protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Enalapril / Hydrochlorothiazide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
6.2	2024/04/06	402519-00019	Date of first issue: 2016/01/07

---

Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics	:	
Particle size	:	No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Enalapril / Hydrochlorothiazide Formulation

Version 6.2      Revision Date: 2024/04/06      SDS Number: 402519-00019      Date of last issue: 2023/09/30  
Date of first issue: 2016/01/07

### 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

May be harmful if swallowed.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 4,231 mg/kg  
Method: Calculation method

#### Components:

##### Hydrochlorothiazide:

Acute oral toxicity : LD50 (Rat): > 2,750 mg/kg  
LD50 (Mouse): > 2,830 mg/kg  
Acute toxicity (other routes of administration) : LD50 (Rat): 990 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 590 mg/kg  
Application Route: Intravenous

##### Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

##### (S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:

Acute oral toxicity : LD50 (Rat): 2,000 - 3,500 mg/kg  
LDLo (Rat): 1,775 mg/kg  
LD50 (Mouse): 2,000 - 3,500 mg/kg  
LDLo (Mouse): 1,000 mg/kg  
Acute toxicity (other routes of administration) : LD50 (Rat): 850 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 750 mg/kg  
Application Route: Intravenous  
LD50 (Dog): > 100 mg/kg



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Enalapril / Hydrochlorothiazide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
6.2	2024/04/06	402519-00019	Date of first issue: 2016/01/07

---

LDLo (Dog): 200 mg/kg

### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### Hydrochlorothiazide:

Species	:	Rabbit
Result	:	No skin irritation

##### (S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:

Species	:	Rabbit
Result	:	No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### Hydrochlorothiazide:

Species	:	Rabbit
Result	:	Mild eye irritation

##### Starch:

Species	:	Rabbit
Result	:	No eye irritation

##### (S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:

Species	:	Rabbit
Result	:	Severe irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### Starch:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Enalapril / Hydrochlorothiazide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
6.2	2024/04/06	402519-00019	Date of first issue: 2016/01/07

---

### **(S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : Not a skin sensitizer.

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Hydrochlorothiazide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: sister chromatid exchange assay  
Test system: Chinese hamster ovary cells  
Result: positive

Test Type: in vitro assay  
Test system: mouse lymphoma cells  
Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration  
Species: Chinese hamster  
Cell type: Bone marrow  
Result: negative

Test Type: in vivo assay  
Species: Mouse  
Cell type: Bone marrow  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

#### **Starch:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

### **(S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro sister chromatid exchange assay in mam-

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Enalapril / Hydrochlorothiazide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
6.2	2024/04/06	402519-00019	Date of first issue: 2016/01/07

---

malian cells  
Result: negative

Test Type: Alkaline elution assay  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Hydrochlorothiazide:

Species : Mouse, female  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

Species : Mouse, male  
Application Route : Oral  
Exposure time : 2 Years  
Result : equivocal

Species : Rat, male and female  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

#### (S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:

Species : Rat  
Application Route : Ingestion  
Exposure time : 106 weeks  
NOAEL : 90 mg/kg body weight  
Result : negative

Species : Mouse  
Application Route : Ingestion  
Exposure time : 94 weeks  
NOAEL : 90 - 180 mg/kg body weight

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Enalapril / Hydrochlorothiazide Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
6.2	2024/04/06	402519-00019	2023/09/30
			Date of first issue: 2016/01/07

---

Result : negative

### Reproductive toxicity

May damage the unborn child.

### Components:

#### Hydrochlorothiazide:

Effects on fertility : Test Type: Fertility  
Species: Rat, male and female  
Application Route: oral (feed)  
Fertility: NOAEL: 4 mg/kg body weight  
Result: Effects on fertility

Test Type: Fertility  
Species: Mouse, male and female  
Application Route: oral (feed)  
Fertility: NOAEL: 100 mg/kg body weight  
Result: Effects on fertility

Effects on foetal development : Test Type: Development  
Species: Mouse  
Application Route: Oral  
Developmental Toxicity: NOAEL: 3,000 mg/kg body weight  
Result: No teratogenic effects

Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight  
Result: No teratogenic effects

#### **(S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:**

Effects on fertility : Test Type: Fertility  
Species: Rat, male and female  
Application Route: Ingestion  
Fertility: NOAEL: 90 mg/kg body weight  
Result: No effects on fertility

Effects on foetal development : Species: Rat  
Application Route: Ingestion  
Developmental Toxicity: NOAEL: 200 mg/kg body weight  
Result: No effects on foetal development

Species: Rat  
Application Route: Ingestion  
Developmental Toxicity: LOAEL: 1,200 mg/kg body weight  
Result: Fetotoxicity

Species: Rat

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Enalapril / Hydrochlorothiazide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
6.2	2024/04/06	402519-00019	Date of first issue: 2016/01/07

Application Route: Ingestion  
Developmental Toxicity: LOAEL: 30 mg/kg body weight  
Result: Effects on postnatal development, Effects on newborn,  
No teratogenic effects

Species: Rabbit  
Application Route: Ingestion  
General Toxicity Maternal: LOAEL: 1 mg/kg body weight  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Fetotoxicity, Maternal toxicity observed., No teratogenic effects

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

### Components:

#### Hydrochlorothiazide:

Target Organs : Kidney, Parathyroid gland  
Assessment : Causes damage to organs through prolonged or repeated exposure.

#### (S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:

Target Organs : Kidney, Cardio-vascular system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### Hydrochlorothiazide:

Species : Rat, male and female  
LOAEL : 10 mg/kg  
Application Route : Oral  
Exposure time : 2 yr  
Target Organs : Kidney, Parathyroid gland

Species : Mouse, male and female  
NOAEL : 300 - 550 mg/kg  
Application Route : Oral  
Exposure time : 2 yr  
Remarks : No significant adverse effects were reported

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Enalapril / Hydrochlorothiazide Formulation

Version 6.2      Revision Date: 2024/04/06      SDS Number: 402519-00019      Date of last issue: 2023/09/30  
Date of first issue: 2016/01/07

---

Species : Dog  
: 50 - 200 mg/kg  
Application Route : Oral  
Exposure time : 9 Months  
Target Organs : Parathyroid gland

### Starch:

Species : Rat  
NOAEL :  $\geq 2,000$  mg/kg  
Application Route : Skin contact  
Exposure time : 28 Days  
Method : OECD Test Guideline 410

### (S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:

Species : Dog  
NOAEL : 15 mg/kg  
LOAEL : 30 mg/kg  
Application Route : Ingestion  
Exposure time : 1 yr  
Target Organs : Kidney

Species : Rat  
NOAEL : 90 mg/kg  
Application Route : Oral  
Exposure time : 1 yr  
Remarks : No significant adverse effects were reported

Species : Monkey  
NOAEL : 30 mg/kg  
Application Route : Oral  
Exposure time : 1 Months  
Remarks : No significant adverse effects were reported

### Aspiration toxicity

Not classified based on available information.

### Components:

#### Hydrochlorothiazide:

No aspiration toxicity classification

### Experience with human exposure

### Components:

#### Hydrochlorothiazide:

Eye contact : Symptoms: Eye irritation  
Ingestion : Symptoms: Dizziness, Headache, Fatigue, Nausea, Abdominal pain, hypotension, dry mouth, electrolyte imbalance,

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Enalapril / Hydrochlorothiazide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
6.2	2024/04/06	402519-00019	Date of first issue: 2016/01/07

eye pain

### (S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:

Ingestion : Target Organs: Cardio-vascular system  
Symptoms: hypotension, Cough, Dizziness, Headache, Blurred vision, Fatigue, Oedema, Nausea, hyperkalemia, fainting, Weakness, skin rash  
Remarks: May cause harm to the unborn child.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### Hydrochlorothiazide:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 500 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 500 mg/l  
Exposure time: 48 h

### (S)-1-[N-[1-(Ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-L-proline maleate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 346 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50 (Natural microorganism): > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

#### Hydrochlorothiazide:

Stability in water : Hydrolysis: 46.2 %(96 h)

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Enalapril / Hydrochlorothiazide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
6.2	2024/04/06	402519-00019	Date of first issue: 2016/01/07

### Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

#### IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

#### IMDG-Code

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Enalapril / Hydrochlorothiazide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
6.2	2024/04/06	402519-00019	Date of first issue: 2016/01/07

### GB 6944/12268

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Marine pollutant	:	no

### Special precautions for user

Not applicable

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

#### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

#### The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

## 16. OTHER INFORMATION

Revision Date : 2024/04/06

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ORGANON

## Enalapril / Hydrochlorothiazide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
6.2	2024/04/06	402519-00019	Date of first issue: 2016/01/07

---

Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN