

# SAFETY DATA SHEET



## Estradiol Formulation



Version 5.0      Revision Date: 30.09.2023      SDS Number: 2678767-00015      Date of last issue: 04.04.2023  
Date of first issue: 12.04.2018

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Estradiol Formulation

#### Manufacturer or supplier's details

Company name of supplier : Organon & Co.  
Address : Avenida 16 de Septiembre No. 301  
Xaltocan - Xochimilco Mexico 16090  
Telephone : +52 55 57284444  
Emergency telephone : 1-215-631-6999  
E-mail address : EHSSTEWARD@organon.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 3  
Carcinogenicity : Category 1A  
Reproductive toxicity : Category 1A  
Specific target organ toxicity - repeated exposure : Category 1 (Liver, Bone, Blood, Endocrine system)

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H226 Flammable liquid and vapor.  
H350 May cause cancer.  
H360FD May damage fertility. May damage the unborn child.  
H372 Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260 Do not breathe vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.

# SAFETY DATA SHEET



## Estradiol Formulation



Version 5.0      Revision Date: 30.09.2023      SDS Number: 2678767-00015      Date of last issue: 04.04.2023  
Date of first issue: 12.04.2018

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

Vapors may form explosive mixture with air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Ethanol#	64-17-5	>= 40 -<= 45
Estradiol	50-28-2	0.06

# Voluntarily-disclosed substance

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May cause cancer.  
May damage fertility. May damage the unborn child.  
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection,

# SAFETY DATA SHEET



## Estradiol Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.0	30.09.2023	2678767-00015	Date of first issue: 12.04.2018

---

Notes to physician : and use the recommended personal protective equipment when the potential for exposure exists (see section 8).  
: Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapors may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.

# SAFETY DATA SHEET



## Estradiol Formulation



Version 5.0      Revision Date: 30.09.2023      SDS Number: 2678767-00015      Date of last issue: 04.04.2023  
Date of first issue: 12.04.2018

---

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe vapors.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Flammable solids  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Substances and mixtures which in contact with water emit flammable gases  
Explosives  
Gases

# SAFETY DATA SHEET



## Estradiol Formulation



Version 5.0      Revision Date: 30.09.2023      SDS Number: 2678767-00015      Date of last issue: 04.04.2023  
Date of first issue: 12.04.2018

Very acutely toxic substances and mixtures

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	VLE-CT	1,000 ppm	NOM-010-STPS-2014
		STEL	1,000 ppm	ACGIH
Estradiol	50-28-2	TWA	0.05 µg/m <sup>3</sup> (OEB 5)	Internal
	Further information: Skin			
		Wipe limit	0.5 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Minimize workplace exposure concentrations.  
If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.

#### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Organic vapor Type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often!  
For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Wear the following personal protective equipment:  
If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

# SAFETY DATA SHEET



## Estradiol Formulation



Version 5.0      Revision Date: 30.09.2023      SDS Number: 2678767-00015      Date of last issue: 04.04.2023  
Date of first issue: 12.04.2018

---

Appearance : gel

Color : clear, colorless

Odor : No data available

Odor Threshold : No data available

pH : 6.6 - 6.8

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : 27 - 30 °C  
Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : Ignitable (see flash point)

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : 60000 - 85000 mm<sup>2</sup>/s

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

# SAFETY DATA SHEET



## Estradiol Formulation



Version 5.0      Revision Date: 30.09.2023      SDS Number: 2678767-00015      Date of last issue: 04.04.2023  
Date of first issue: 12.04.2018

---

Molecular weight                   : Not applicable  
Particle size                         : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity                           : Not classified as a reactivity hazard.  
Chemical stability                 : Stable under normal conditions.  
Possibility of hazardous reac-   : Flammable liquid and vapor.  
tions                                 : Vapors may form explosive mixture with air.  
Can react with strong oxidizing agents.  
Conditions to avoid               : Heat, flames and sparks.  
Incompatible materials           : Oxidizing agents  
Hazardous decomposition       : No hazardous decomposition products are known.  
products

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

##### Ethanol:

Acute oral toxicity                : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Acute inhalation toxicity         : LC50 (Rat): 124.7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor

##### Estradiol:

Acute oral toxicity                : LD50 (Rat): > 2,000 mg/kg  
Acute toxicity (other routes of   : LD50 (Rat): > 300 mg/kg  
administration)                    : Application Route: Subcutaneous

#### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### Ethanol:

Species                             : Rabbit

---

## Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.0	30.09.2023	2678767-00015	Date of first issue: 12.04.2018

---

Method	: OECD Test Guideline 404
Result	: No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Ethanol:**

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405

**Estradiol:**

Result	: No eye irritation
--------	---------------------

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Ethanol:**

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Species	: Mouse
Result	: negative

**Estradiol:**

Routes of exposure	: Skin contact
Species	: Guinea pig
Assessment	: Does not cause skin sensitization.
Result	: negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Ethanol:**

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test
	Result: negative
Genotoxicity in vivo	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo)
	Species: Mouse
	Application Route: Ingestion



## Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.0	30.09.2023	2678767-00015	Date of first issue: 12.04.2018

||| Result: equivocal

**Estradiol:**

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: mammalian cells  
Result: positive

Test Type: Chromosome aberration test in vitro  
Test system: mammalian cells  
Result: positive

Test Type: Chromosomal aberration  
Test system: mammalian cells  
Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration  
Species: Rat  
Cell type: Bone marrow  
Result: negative

Test Type: Chromosomal aberration  
Species: Mouse  
Cell type: Bone marrow  
Result: negative

**Carcinogenicity**

May cause cancer.

**Components:****Estradiol:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 24 Months  
LOAEL : 100 µg/kg  
Result : positive  
Target Organs : female reproductive organs

Species : Rat  
Application Route : Subcutaneous  
Exposure time : 13 weeks  
LOAEL : 20 mg/kg body weight  
Result : positive  
Target Organs : Endocrine system

||| Carcinogenicity - Assessment : Positive evidence from human epidemiological studies

**Reproductive toxicity**

May damage fertility. May damage the unborn child.

**Components:****Ethanol:**

## Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.0	30.09.2023	2678767-00015	Date of first issue: 12.04.2018

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Estradiol:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Fertility: LOAEL: 0.5 mg/kg body weight  
Result: Effects on fertility.

Test Type: One-generation reproduction toxicity study  
Species: Rat  
Duration of Single Treatment: 90 d  
Fertility: LOAEL: 0.69 mg/kg body weight  
Result: Effects on fertility.

Test Type: Two-generation study  
Species: Mouse  
Application Route: Oral  
Fertility: LOAEL: 0.1 mg/kg body weight  
Result: Effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse, female  
Application Route: Subcutaneous  
Teratogenicity: LOAEL: 4 mg/kg body weight  
Symptoms: Malformations were observed.  
Result: positive, Teratogenic effects.

Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Subcutaneous  
Teratogenicity: LOAEL: 2.5 µg/kg body weight  
Symptoms: Reduced body weight  
Result: positive, Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: LOAEL: 0.2 mg/kg body weight  
Symptoms: Early Resorptions / resorption rate., Reduced number of viable fetuses., Reduced body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Reproductive toxicity - Assessment : May damage fertility. May damage the unborn child.

**STOT-single exposure**

Not classified based on available information.

## Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.0	30.09.2023	2678767-00015	Date of first issue: 12.04.2018

---

**STOT-repeated exposure**

Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.

**Components:****Estradiol:**

Target Organs	:	Liver, Bone, Blood, Endocrine system
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Ethanol:**

Species	:	Rat
NOAEL	:	1,280 mg/kg
LOAEL	:	3,156 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

**Estradiol:**

Species	:	Rat
LOAEL	:	>= 0.17 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 d
Target Organs	:	Mammary gland, Ovary, Uterus (including cervix), Liver, Bone, Endocrine system, Blood, Testis

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Estradiol:**

Inhalation	:	Symptoms: tingling, Nose bleeding
Skin contact	:	Symptoms: Skin irritation, Redness, pruritis
Ingestion	:	Symptoms: Headache, Gastrointestinal disturbance, Dizziness, Vomiting, Diarrhea, water retention, liver function change, changes in libido, breast tenderness, menstrual irregularities

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Ethanol:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
------------------	---	--

# SAFETY DATA SHEET



## Estradiol Formulation



Version 5.0      Revision Date: 30.09.2023      SDS Number: 2678767-00015      Date of last issue: 04.04.2023  
Date of first issue: 12.04.2018

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia (water flea)): > 1,000 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l  
Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9.6 mg/l  
Exposure time: 9 d

Toxicity to microorganisms : EC50 (Pseudomonas putida): 6,500 mg/l  
Exposure time: 16 h

### Estradiol:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 3.9 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.7 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 1.7 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): > 1.7 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 0.000003 mg/l  
Exposure time: 160 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.2 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC50: > 100 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC: 100 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

# SAFETY DATA SHEET



## Estradiol Formulation



Version 5.0      Revision Date: 30.09.2023      SDS Number: 2678767-00015      Date of last issue: 04.04.2023  
Date of first issue: 12.04.2018

---

### Persistence and degradability

#### Components:

##### Ethanol:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 84 %  
Exposure time: 20 d

##### Estradiol:

Biodegradability : Result: rapidly degradable  
Biodegradation: 84 %  
Exposure time: 24 hrs

### Bioaccumulative potential

#### Components:

##### Ethanol:

Partition coefficient: n-octanol/water : log Pow: -0.35

##### Estradiol:

Partition coefficient: n-octanol/water : log Pow: 4.01

### Mobility in soil

#### Components:

##### Estradiol:

Distribution among environmental compartments : log Koc: 3.81

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

# SAFETY DATA SHEET



## Estradiol Formulation

Version 5.0      Revision Date: 30.09.2023      SDS Number: 2678767-00015      Date of last issue: 04.04.2023  
Date of first issue: 12.04.2018

---

### UNRTDG

UN number : UN 1170  
Proper shipping name : ETHANOL SOLUTION  
Class : 3  
Packing group : III  
Labels : 3  
Environmentally hazardous : yes

### IATA-DGR

UN/ID No. : UN 1170  
Proper shipping name : Ethanol solution  
Class : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

### IMDG-Code

UN number : UN 1170  
Proper shipping name : ETHANOL SOLUTION  
(Estradiol)  
Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-D  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### NOM-002-SCT

UN number : UN 1170  
Proper shipping name : ETHANOL SOLUTION  
Class : 3  
Packing group : III  
Labels : 3

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

# SAFETY DATA SHEET



## Estradiol Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.0	30.09.2023	2678767-00015	Date of first issue: 12.04.2018

### The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

### SECTION 16. OTHER INFORMATION

Revision Date	:	30.09.2023
Date format	:	dd.mm.yyyy

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NOM-010-STPS-2014	:	Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits
ACGIH / STEL	:	Short-term exposure limit
NOM-010-STPS-2014 / VLE-CT	:	Short term exposure limit value

AICC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

# SAFETY DATA SHEET



## Estradiol Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.0	30.09.2023	2678767-00015	Date of first issue: 12.04.2018

---

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8