



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



ORGANON

## Estradiol Gel Formulation

Version 3.0      Revision Date: 06.04.2024      SDS Number: 10608803-00007      Date of last issue: 30.09.2023  
Date of first issue: 08.02.2022

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H350 May cause cancer. H360FD May damage fertility. May damage the unborn child. H372 Causes damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	<b>Prevention:</b> P201 Obtain special instructions before use. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. <b>Response:</b> P308 + P313 IF exposed or concerned: Get medical advice/ attention. P391 Collect spillage.

Hazardous components which must be listed on the label:

Estradiol

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Vapours may form explosive mixture with air.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Estradiol Gel Formulation

Version 3.0      Revision Date: 06.04.2024      SDS Number: 10608803-00007      Date of last issue: 30.09.2023  
Date of first issue: 08.02.2022

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Ethanol#	64-17-5 200-578-6 603-002-00-5	Flam. Liq. 2; H225 Eye Irrit. 2; H319  specific concentra- tion limit Eye Irrit. 2; H319 >= 50 %	58,5
Estradiol	50-28-2 200-023-8	Carc. 1A; H350 Repr. 1A; H360FD STOT RE 1; H372 (Liver, Bone, Blood, Endocrine system) Aquatic Chronic 1; H410  M-Factor (Chronic aquatic toxicity): 1.000  specific concentra- tion limit Carc. 1A; H350 >= 0,01 % Repr. 1A; H360FD >= 0,01 % STOT RE 1; H372 >= 0,01 %	0,1

For explanation of abbreviations see section 16.  
#: Voluntarily-disclosed substance

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.0	06.04.2024	10608803-00007	Date of first issue: 08.02.2022

---

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.  
May cause cancer.  
May damage fertility. May damage the unborn child.  
Causes damage to organs through prolonged or repeated exposure.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.0	06.04.2024	10608803-00007	Date of first issue: 08.02.2022

---

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
- 

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Remove all sources of ignition. Ventilate the area. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

- Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.0	06.04.2024	10608803-00007	Date of first issue: 08.02.2022

---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

#### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.
- Advice on common storage : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Flammable solids  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Substances and mixtures, which in contact with water, emit flammable gases  
Explosives

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



ORGANON

## Estradiol Gel Formulation

Version 3.0      Revision Date: 06.04.2024      SDS Number: 10608803-00007      Date of last issue: 30.09.2023  
Date of first issue: 08.02.2022

Gases  
Very acutely toxic substances and mixtures

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ethanol	64-17-5	TWA	500 ppm 950 mg/m <sup>3</sup>	FOR-2011-12-06-1358
Propylene glycol	57-55-6	TWA	25 ppm 79 mg/m <sup>3</sup>	FOR-2011-12-06-1358
Estradiol	50-28-2	TWA	0.05 µg/m <sup>3</sup> (OEB 5)	Internal
	Further information: Skin			
		Wipe limit	0.5 µg/100 cm <sup>2</sup>	Internal

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Ethanol	Workers	Inhalation	Long-term systemic effects	950 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	343 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	114 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	206 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	87 mg/kg bw/day
Propylene glycol	Workers	Inhalation	Long-term local effects	10 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term systemic effects	168 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term local effects	10 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term systemic effects	50 mg/m <sup>3</sup>

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Ethanol	Fresh water	0,96 mg/l
	Freshwater - intermittent	2,75 mg/l
	Marine water	0,79 mg/l
	Sewage treatment plant	580 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Estradiol Gel Formulation

Version 3.0      Revision Date: 06.04.2024      SDS Number: 10608803-00007      Date of last issue: 30.09.2023  
Date of first issue: 08.02.2022

	Fresh water sediment	3,6 mg/kg dry weight (d.w.)
	Marine sediment	2,9 mg/kg dry weight (d.w.)
	Soil	0,63 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	380 mg/kg food
Propylene glycol	Fresh water	260 mg/l
	Freshwater - intermittent	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry weight (d.w.)
	Marine sediment	57,2 mg/kg dry weight (d.w.)
	Soil	50 mg/kg dry weight (d.w.)

### 8.2 Exposure controls

#### Engineering measures

Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

Use explosion-proof electrical, ventilating and lighting equipment.

#### Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



ORGANON

## Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.0	06.04.2024	10608803-00007	Date of first issue: 08.02.2022

---

Filter type : Equipment should conform to NS EN 14387  
: Combined particulates and organic vapour type (A-P)

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	:	gel
Colour	:	opalescent
Odour	:	aromatic
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Ignitable (see flash point)
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	22 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



ORGANON

## Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.0	06.04.2024	10608803-00007	Date of first issue: 08.02.2022

---

Relative density : No data available

Density : No data available

Relative vapour density : No data available

Particle characteristics  
Particle size : Not applicable

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Molecular weight : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Highly flammable liquid and vapour.  
Vapours may form explosive mixture with air.  
Can react with strong oxidizing agents.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



ORGANON

## Estradiol Gel Formulation

Version 3.0      Revision Date: 06.04.2024      SDS Number: 10608803-00007      Date of last issue: 30.09.2023  
Date of first issue: 08.02.2022

---

### Acute toxicity

Not classified based on available information.

### Components:

#### Ethanol:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 124,7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

#### Estradiol:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): > 300 mg/kg  
Application Route: Subcutaneous

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Ethanol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Components:

#### Ethanol:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritation to eyes, reversing within 21 days

#### Estradiol:

Result : No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Estradiol Gel Formulation

Version 3.0      Revision Date: 06.04.2024      SDS Number: 10608803-00007      Date of last issue: 30.09.2023  
Date of first issue: 08.02.2022

---

### Components:

#### **Ethanol:**

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Result	: negative

#### **Estradiol:**

Exposure routes	: Skin contact
Species	: Guinea pig
Assessment	: Does not cause skin sensitisation.
Result	: negative

### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **Ethanol:**

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: equivocal

#### **Estradiol:**

Genotoxicity in vitro	: Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Test system: mammalian cells Result: positive
	: Test Type: Chromosome aberration test in vitro Test system: mammalian cells Result: positive
	: Test Type: Chromosomal aberration Test system: mammalian cells Result: positive
Genotoxicity in vivo	: Test Type: Chromosomal aberration Species: Rat Cell type: Bone marrow Result: negative
	: Test Type: Chromosomal aberration

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Estradiol Gel Formulation

Version 3.0      Revision Date: 06.04.2024      SDS Number: 10608803-00007      Date of last issue: 30.09.2023  
Date of first issue: 08.02.2022

Species: Mouse  
Cell type: Bone marrow  
Result: negative

### **Carcinogenicity**

May cause cancer.

### **Components:**

#### **Estradiol:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 24 Months  
LOAEL : 100 µg/kg  
Result : positive  
Target Organs : female reproductive organs

Species : Rat  
Application Route : Subcutaneous  
Exposure time : 13 weeks  
LOAEL : 20 mg/kg body weight  
Result : positive  
Target Organs : Endocrine system

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies

### **Reproductive toxicity**

May damage fertility. May damage the unborn child.

### **Components:**

#### **Ethanol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

#### **Estradiol:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Fertility: LOAEL: 0,5 mg/kg body weight  
Result: Effects on fertility

Test Type: One-generation reproduction toxicity study  
Species: Rat  
Duration of Single Treatment: 90 d  
Fertility: LOAEL: 0,69 mg/kg body weight  
Result: Effects on fertility

Test Type: Two-generation study  
Species: Mouse

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



ORGANON

## Estradiol Gel Formulation

Version 3.0      Revision Date: 06.04.2024      SDS Number: 10608803-00007      Date of last issue: 30.09.2023  
Date of first issue: 08.02.2022

	Application Route: Oral Fertility: LOAEL: 0,1 mg/kg body weight Result: Effects on fertility
Effects on foetal development	: Test Type: Embryo-foetal development Species: Mouse, female Application Route: Subcutaneous Teratogenicity: LOAEL: 4 mg/kg body weight Symptoms: Malformations were observed. Result: positive, Teratogenic effects
	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Subcutaneous Teratogenicity: LOAEL: 2,5 µg/kg body weight Symptoms: Reduced body weight Result: positive, Embryotoxic effects and adverse effects on the offspring were detected.
	Test Type: Embryo-foetal development Species: Rat Application Route: Subcutaneous Developmental Toxicity: LOAEL: 0,2 mg/kg body weight Symptoms: Early Resorptions / resorption rate, Reduced number of viable fetuses, Reduced body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses
Reproductive toxicity - Assessment	: May damage fertility. May damage the unborn child.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

### Components:

#### Estradiol:

Target Organs	: Liver, Bone, Blood, Endocrine system
Assessment	: Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### Ethanol:

Species	: Rat
NOAEL	: 1.280 mg/kg
LOAEL	: 3.156 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Estradiol Gel Formulation

Version 3.0      Revision Date: 06.04.2024      SDS Number: 10608803-00007      Date of last issue: 30.09.2023  
Date of first issue: 08.02.2022

---

### Estradiol:

Species : Rat  
LOAEL :  $\geq 0,17$  mg/kg  
Application Route : Ingestion  
Exposure time : 90 d  
Target Organs : Mammary gland, Ovary, Uterus (including cervix), Liver, Bone, Endocrine system, Blood, Testis

### Aspiration toxicity

Not classified based on available information.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Experience with human exposure

#### Components:

##### Estradiol:

Inhalation : Symptoms: tingling, Nose bleeding  
Skin contact : Symptoms: Skin irritation, Redness, pruritis  
Ingestion : Symptoms: Headache, Gastrointestinal disturbance, Dizziness, Vomiting, Diarrhoea, water retention, liver function change, changes in libido, breast tenderness, menstrual irregularities

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### Ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)):  $> 1.000$  mg/l  
Exposure time: 96 h  
Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia (water flea)):  $> 1.000$  mg/l  
Exposure time: 48 h  
Toxicity to algae/aquatic plants : ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l  
Exposure time: 72 h  
EC10 (Chlorella vulgaris (Fresh water algae)): 11,5 mg/l

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



ORGANON

## Estradiol Gel Formulation

Version 3.0      Revision Date: 06.04.2024      SDS Number: 10608803-00007      Date of last issue: 30.09.2023  
Date of first issue: 08.02.2022

	Exposure time: 72 h
Toxicity to microorganisms	: EC50 (Pseudomonas putida): 6.500 mg/l Exposure time: 16 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 9,6 mg/l Exposure time: 9 d Species: Daphnia magna (Water flea)
<b>Estradiol:</b>	
Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): 3,9 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 2,7 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): 1,7 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	EC50 (Pseudokirchneriella subcapitata (green algae)): > 1,7 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC50 : > 100 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
	NOEC : 100 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
Toxicity to fish (Chronic toxicity)	: NOEC: 0,000003 mg/l Exposure time: 160 d Species: Oryzias latipes (Japanese medaka) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0,2 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 1.000

### 12.2 Persistence and degradability

#### Components:

**Ethanol:**



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Estradiol Gel Formulation

Version 3.0      Revision Date: 06.04.2024      SDS Number: 10608803-00007      Date of last issue: 30.09.2023  
Date of first issue: 08.02.2022

---

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 84 %  
Exposure time: 20 d

### Estradiol:

Biodegradability : Result: rapidly degradable  
Biodegradation: 84 %  
Exposure time: 24 hrs

### 12.3 Bioaccumulative potential

#### Components:

##### Ethanol:

Partition coefficient: n-octanol/water : log Pow: -0,35

##### Estradiol:

Partition coefficient: n-octanol/water : log Pow: 4,01

### 12.4 Mobility in soil

#### Components:

##### Estradiol:

Distribution among environmental compartments : log Koc: 3,81

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.0	06.04.2024	10608803-00007	Date of first issue: 08.02.2022

Contaminated packaging : According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer. Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADN	:	UN 1170
ADR	:	UN 1170
RID	:	UN 1170
IMDG	:	UN 1170
IATA	:	UN 1170

#### 14.2 UN proper shipping name

ADN	:	ETHANOL SOLUTION
ADR	:	ETHANOL SOLUTION
RID	:	ETHANOL SOLUTION
IMDG II	:	ETHANOL SOLUTION (Estradiol)
IATA	:	Ethanol solution

#### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	3
ADR	:	3
RID	:	3
IMDG	:	3
IATA	:	3

#### 14.4 Packing group

ADN	:	
Packing group	:	II
Classification Code	:	F1
Hazard Identification Number	:	33
Labels	:	3

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.0	06.04.2024	10608803-00007	Date of first issue: 08.02.2022

---

### ADR

Packing group : II  
Classification Code : F1  
Hazard Identification Number : 33  
Labels : 3  
Tunnel restriction code : (D/E)

### RID

Packing group : II  
Classification Code : F1  
Hazard Identification Number : 33  
Labels : 3

### IMDG

Packing group : II  
Labels : 3  
EmS Code : F-E, S-D

### IATA (Cargo)

Packing instruction (cargo aircraft) : 364  
Packing instruction (LQ) : Y341  
Packing group : II  
Labels : Flammable Liquids

### IATA (Passenger)

Packing instruction (passenger aircraft) : 353  
Packing instruction (LQ) : Y341  
Packing group : II  
Labels : Flammable Liquids

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Estradiol Gel Formulation

Version 3.0      Revision Date: 06.04.2024      SDS Number: 10608803-00007      Date of last issue: 30.09.2023  
Date of first issue: 08.02.2022

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75, 3

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
P5c	FLAMMABLE LIQUIDS	5.000 t	50.000 t
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

#### Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

#### The components of this product are reported in the following inventories:

AICS : not determined

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



ORGANON

## Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.0	06.04.2024	10608803-00007	Date of first issue: 08.02.2022

DSL : not determined

IECSC : not determined

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

#### Full text of H-Statements

H225 : Highly flammable liquid and vapour.  
H319 : Causes serious eye irritation.  
H350 : May cause cancer.  
H360FD : May damage fertility. May damage the unborn child.  
H372 : Causes damage to organs through prolonged or repeated exposure.  
H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard  
Carc. : Carcinogenicity  
Eye Irrit. : Eye irritation  
Flam. Liq. : Flammable liquids  
Repr. : Reproductive toxicity  
STOT RE : Specific target organ toxicity - repeated exposure  
FOR-2011-12-06-1358 : Norway. Occupational Exposure limits  
FOR-2011-12-06-1358 / TWA : Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified;

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



ORGANON

## Estradiol Gel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.0	06.04.2024	10608803-00007	Date of first issue: 08.02.2022

NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Flam. Liq. 2	H225
Eye Irrit. 2	H319
Carc. 1A	H350
Repr. 1A	H360FD
STOT RE 1	H372
Aquatic Chronic 1	H410

### Classification procedure:

Based on product data or assessment
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN