according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.09.2023

 4.0
 06.04.2024
 16628-00027
 Date of first issue: 29.09.2014

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Etonogestrel Formulation

Product code : NEXPLANON

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

: Pharmaceutical

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company : Organon & Co.

30 Hudson Street, 33nd floor

07302 Jersey City, New Jersey, U.S.A

Telephone : +1-551-430-6000

E-mail address of person

responsible for the SDS

: EHSSTEWARD@organon.com

#### 1.4 Emergency telephone number

+1-215-631-6999

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Reproductive toxicity, Category 1A H360F: May damage fertility.

Long-term (chronic) aquatic hazard, Cat- H410: Very toxic to aquatic life with long lasting

egory 1 effects.

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

\*

Signal word : Danger

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

Version Revision Date: SDS Number: Date of last issue: 26.09.2023 4.0 06.04.2024 16628-00027 Date of first issue: 29.09.2014

Hazard statements : H360F May damage fertility.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention

P391 Collect spillage.

Storage:

P405 Store locked up.

#### Hazardous components which must be listed on the label:

 $(17\alpha)$ -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
(17α)-13-Ethyl-17-hydroxy-11- methylene-18,19-dinorpregn-4-en- 20-yn-3-one	54048-10-1 258-936-2	Repr. 1A; H360F Aquatic Chronic 1; H410 M-Factor (Chronic	>= 30 - < 50

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

Version Revision Date: SDS Number: Date of last issue: 26.09.2023 4.0 06.04.2024 16628-00027 Date of first issue: 29.09.2014

		aquatic toxicity): 10,000			
Substances with a workplace exposure limit :					
Barium sulfate	7727-43-7 231-784-4		>= 10 - < 20		

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : May damage fertility.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

Version Revision Date: SDS Number: Date of last issue: 26.09.2023 4.0 06.04.2024 16628-00027 Date of first issue: 29.09.2014

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Metal oxides Sulphur oxides

Carbon oxides

#### 5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.09.2023

 4.0
 06.04.2024
 16628-00027
 Date of first issue: 29.09.2014

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust. Do not breathe vapours.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national

regulations.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.09.2023

 4.0
 06.04.2024
 16628-00027
 Date of first issue: 29.09.2014

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
(17α)-13-Ethyl-17- hydroxy-11- methylene-18,19- dinorpregn-4-en- 20-yn-3-one	54048-10-1	TWA	0.05 μg/m3 (OEB 5)	Internal
		Wipe limit	0.5 μg/100 cm <sup>2</sup>	Internal
Barium sulfate	7727-43-7	OELV - 8 hrs (TWA) (Respira- ble dust)	5 mg/m3	IE OEL
		TWA	0.5 mg/m3 (Barium)	2006/15/EC
	Further information: Indicative			

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Barium sulfate	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Workers	Inhalation	Long-term systemic effects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	10 mg/m3
	Consumers	Ingestion	Long-term systemic effects	13000 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

		-
Substance name	Environmental Compartment	Value
Barium sulfate	Fresh water	0.115 mg/l
	Sewage treatment plant	62.2 mg/l
	Fresh water sediment	600.4 mg/kg dry
		weight (d.w.)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

Version Revision Date: SDS Number: Date of last issue: 26.09.2023 4.0 06.04.2024 16628-00027 Date of first issue: 29.09.2014

Soil 207.7 mg/kg dry weight (d.w.)

#### 8.2 Exposure controls

#### **Engineering measures**

Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. No open handling permitted.

Totally enclosed processes and materials transport systems are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

#### Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Equipment should conform to I.S. EN 143

Filter type : Particulates type (P)

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state : Solid form

Colour : No data available

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.09.2023

 4.0
 06.04.2024
 16628-00027
 Date of first issue: 29.09.2014

range

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

Relative density : No data available

Density : 1 g/cm<sup>3</sup>

Relative vapour density : No data available

Particle characteristics

Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.09.2023

 4.0
 06.04.2024
 16628-00027
 Date of first issue: 29.09.2014

Molecular weight : No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

#### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of:

exposure

Inhalation Skin contact Ingestion

Eye contact

#### **Acute toxicity**

Not classified based on available information.

#### **Components:**

#### $(17\alpha)$ -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

LD50 (Mouse): > 2,000 mg/kg

Barium sulfate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.09.2023

 4.0
 06.04.2024
 16628-00027
 Date of first issue: 29.09.2014

#### **Components:**

### $(17\alpha)$ -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Species : Mouse

Result : No skin irritation

Species : Guinea pig Result : No skin irritation

#### Barium sulfate:

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 439

Remarks : Based on data from similar materials

Result : No skin irritation

#### Serious eye damage/eye irritation

Not classified based on available information.

#### **Components:**

#### Barium sulfate:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

## Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

### Respiratory sensitisation

Not classified based on available information.

#### **Components:**

#### **Barium sulfate:**

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Remarks : Based on data from similar materials

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

#### (17α)-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella typhimurium

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.09.2023

 4.0
 06.04.2024
 16628-00027
 Date of first issue: 29.09.2014

Result: negative

Test Type: in vitro assay

Test system: Chinese hamster ovary cells

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Application Route: Oral

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

**Barium sulfate:** 

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

#### Carcinogenicity

Not classified based on available information.

#### **Components:**

#### $(17\alpha)$ -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Species : Rat
Application Route : Oral
Activity duration : 2 yr

: 0.5 mg/kg body weight

Result : negative

Species : Rat

Application Route : Subcutaneous

Activity duration : 2 yr

: 0.02 mg/kg body weight

Result : negative

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

**Barium sulfate:** 

Species : Rat

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.09.2023

 4.0
 06.04.2024
 16628-00027
 Date of first issue: 29.09.2014

Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

#### Reproductive toxicity

May damage fertility.

#### **Components:**

#### (17α)-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Effects on fertility : Test Type: Fertility

Species: Rat, female Application Route: Oral

Fertility: LOAEL: 0.012 mg/kg body weight

Result: Effects on fertility

Test Type: Fertility Species: Rabbit, female Application Route: Oral

Dose: 0.05 milligram per kilogram

Result: Effects on fertility

Effects on foetal develop-

ment

Species: Rat, female

Duration of Single Treatment: 14 d

General Toxicity Maternal: NOAEL: 1.8 mg/kg body weight

Result: No teratogenic effects

Reproductive toxicity - As-

sessment

: Positive evidence of adverse effects on sexual function and

fertility from human epidemiological studies.

#### **Barium sulfate:**

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Remarks: Based on data from similar materials

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.09.2023

 4.0
 06.04.2024
 16628-00027
 Date of first issue: 29.09.2014

#### **Components:**

#### Barium sulfate:

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

#### Repeated dose toxicity

#### Components:

### $(17\alpha)$ -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Species : Rat
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 1 yr

Target Organs : Reproductive organs, Endocrine system

Species : Dog

LOAEL : 0.625 mg/kg

Application Route : Oral
Exposure time : 26 Weeks

Target Organs : Reproductive organs, Endocrine system

### Barium sulfate:

Species : Rat

NOAEL : 61.1 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials

#### **Aspiration toxicity**

Not classified based on available information.

#### 11.2 Information on other hazards

### **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### **Experience with human exposure**

#### **Components:**

### $(17\alpha)$ -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Inhalation : Symptoms: Headache, Dizziness, Abdominal pain, Nausea,

Skin disorders, effects on menstruation, vaginitis, breast tenderness, mood swings, male reproductive effects, Sweating

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

Version Revision Date: SDS Number: Date of last issue: 26.09.2023 06.04.2024 16628-00027 Date of first issue: 29.09.2014 4.0

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

(17α)-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 4.0 mg/l

> Exposure time: 96 h Method: FDA 4.11

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 1.3 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 3.9 mg/l

Exposure time: 48 h Method: FDA 4.08

Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms NOEC: 70.8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

EC50 : > 1,000 mg/lExposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.059 mg/l

Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

NOEC: 0.0000027 mg/l Exposure time: 183 d

Species: Oryzias latipes (Japanese medaka)

Method: OECD Test Guideline 229

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC: 1.2 mg/l

Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

: 10,000

Barium sulfate:

Toxicity to fish LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.09.2023

 4.0
 06.04.2024
 16628-00027
 Date of first issue: 29.09.2014

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l

aquatic invertebrates Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic : NOEC (Pseudokirchneriella subcapitata (green algae)): > 1

plants mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 : > 600 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

NOEC: > 600 mg/l Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: > 1 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Remarks: Based on data from similar materials

### 12.2 Persistence and degradability

#### **Components:**

(17α)-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Stability in water : Hydrolysis: < 10 %(5 d)

Method: FDA 3.09

#### 12.3 Bioaccumulative potential

#### **Components:**

(17α)-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 128 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

: log Pow: 3.5

Barium sulfate:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.09.2023

 4.0
 06.04.2024
 16628-00027
 Date of first issue: 29.09.2014

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): < 500

Partition coefficient: n-

octanol/water

: log Pow: -1.03 Remarks: Calculation

#### 12.4 Mobility in soil

#### **Components:**

#### $(17\alpha)$ -13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-en-20-yn-3-one:

Distribution among environ: log Koc: 2.84

mental compartments

log Koc: 2.84 Method: FDA 3.08

#### 12.5 Results of PBT and vPvB assessment

### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

### 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

### **SECTION 14: Transport information**

## 14.1 UN number or ID number

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
4.0	06.04.2024	16628-00027	Date of first issue: 29.09.2014

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

 $((17\alpha)-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-$ 

en-20-yn-3-one)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

 $((17\alpha)-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-$ 

en-20-yn-3-one)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

 $((17\alpha)-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-$ 

en-20-yn-3-one)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

 $((17\alpha)-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-$ 

en-20-yn-3-one)

IATA : Environmentally hazardous substance, solid, n.o.s.

((17α)-13-Ethyl-17-hydroxy-11-methylene-18,19-dinorpregn-4-

en-20-yn-3-one)

#### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN :	9	
ADR :	9	

9

IMDG : 9
IATA : 9

14.4 Packing group

ADN

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III Classification Code : M7

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

Version Revision Date: SDS Number: Date of last issue: 26.09.2023 4.0 06.04.2024 16628-00027 Date of first issue: 29.09.2014

Hazard Identification Number : 90 Labels : 9 Tunnel restriction code : (-)

**RID** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**IMDG** 

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

**ADN** 

Environmentally hazardous : yes

**ADR** 

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

# 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.09.2023

 4.0
 06.04.2024
 16628-00027
 Date of first issue: 29.09.2014

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 75

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or

not.

If you intend to use this product as tattoo ink, please contact your ven-

dor.

Not applicable

Not applicable

Not applicable

Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2

E1 ENVIRONMENTAL 100 t 200 t

**HAZARDS** 

### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.09.2023

 4.0
 06.04.2024
 16628-00027
 Date of first issue: 29.09.2014

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

**Full text of H-Statements** 

H360F : May damage fertility.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard

Repr. : Reproductive toxicity

2006/15/EC : Europe. Indicative occupational exposure limit values

IE OEL : Ireland. List of Chemical Agents and Carcinogens with Occu-

pational Exposure Limit Values - Code of Practice, Schedule 1

and 2

2006/15/EC / TWA : Limit Value - eight hours

IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Etonogestrel Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.09.2023

 4.0
 06.04.2024
 16628-00027
 Date of first issue: 29.09.2014

Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Sheet

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Repr. 1A H360F Calculation method Aquatic Chronic 1 H410 Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN