

SAFETY DATA SHEET



Ezetimibe Granules Formulation



Version 4.1 Revision Date: 2023/09/30 SDS Number: 1563965-00015 Date of last issue: 2023/04/04
Date of first issue: 2017/04/18

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Ezetimibe Granules Formulation

Manufacturer or supplier's details

Company : Organon & Co.

Address : JL Raya Pandaan KM. 48
Pandaan, Jawa Timur - Indonesia

Telephone : +1-551-430-6000

Emergency telephone number : +1-215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS Classification

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Hazard pictograms :



Signal word : None

Hazard statements : H411 Toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SAFETY DATA SHEET



Ezetimibe Granules Formulation



Version 4.1 Revision Date: 2023/09/30 SDS Number: 1563965-00015 Date of last issue: 2023/04/04
Date of first issue: 2017/04/18

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.
May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 10 -< 30
Ezetimibe	163222-33-1	>= 2.5 -< 10
Sodium n-dodecyl sulfate	151-21-3	>= 1 -< 2.5

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Ezetimibe Granules Formulation

Version 4.1	Revision Date: 2023/09/30	SDS Number: 1563965-00015	Date of last issue: 2023/04/04 Date of first issue: 2017/04/18
----------------	------------------------------	------------------------------	---

ucts	Nitrogen oxides (NO _x) Fluorine compounds Metal oxides Sulphur oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures	: Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Do not get on skin or clothing. Do not breathe dust. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety

Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	1563965-00015	Date of first issue: 2017/04/18

practice, based on the results of the workplace exposure assessment
 Minimize dust generation and accumulation.
 Keep container closed when not in use.
 Keep away from heat and sources of ignition.
 Take precautionary measures against static discharges.
 Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.
 Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	NAB	10 mg/m ³	ID OEL
		TWA	10 mg/m ³	ACGIH
Ezetimibe	163222-33-1	TWA	25 µg/m ³ (OEB 3)	Internal
		Wipe limit	250 µg/100 cm ²	Internal

Engineering measures : Ensure adequate ventilation, especially in confined areas.
 Minimize workplace exposure concentrations.
 Apply measures to prevent dust explosions.
 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:

SAFETY DATA SHEET



Ezetimibe Granules Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	1563965-00015	Date of first issue: 2017/04/18

Skin and body protection	: Safety goggles
Hygiene measures	: Skin should be washed after contact.
	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
	When using do not eat, drink or smoke.
	Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: granular
Colour	: white
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available

Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	1563965-00015	Date of first issue: 2017/04/18

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:**Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

SAFETY DATA SHEET



Ezetimibe Granules Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	1563965-00015	Date of first issue: 2017/04/18

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Ezetimibe:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
LD50 (Mouse): > 5,000 mg/kg
LD50 (Dog): > 3,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): > 2,000 mg/kg
Application Route: Intraperitoneal
LD50 (Mouse): > 1,000 - < 2,000 mg/kg
Application Route: Intraperitoneal

Sodium n-dodecyl sulfate:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

Ezetimibe:

Species : Rabbit
Result : No skin irritation

Sodium n-dodecyl sulfate:

Species : Rabbit
Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Ezetimibe:

Species : Rabbit
Result : No eye irritation

Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	1563965-00015	Date of first issue: 2017/04/18

Sodium n-dodecyl sulfate:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Ezetimibe:**

Test Type	:	Maximisation Test
Species	:	Guinea pig
Result	:	negative

Sodium n-dodecyl sulfate:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:**Cellulose:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative

Ezetimibe:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Metabolic activation: with and without metabolic activation Result: negative
-----------------------	---	---

Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	1563965-00015	Date of first issue: 2017/04/18

Test Type: Chromosomal aberration
 Test system: Human lymphocytes
 Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
 Species: Mouse
 Cell type: Bone marrow
 Application Route: Oral
 Result: negative

Sodium n-dodecyl sulfate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Method: OECD Test Guideline 471
 Result: negative

Test Type: In vitro mammalian cell gene mutation test
 Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
 Species: Mouse
 Application Route: Ingestion
 Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Cellulose:**

Species : Rat
 Application Route : Ingestion
 Exposure time : 72 weeks
 Result : negative

Ezetimibe:

Species : Rat, female
 Application Route : oral (feed)
 Exposure time : 104 weeks
 Result : negative

Species : Rat, male
 Application Route : oral (feed)
 Exposure time : 104 weeks
 Result : negative

Species : Mouse
 Application Route : oral (feed)
 Exposure time : 104 weeks
 Result : negative

Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	1563965-00015	Date of first issue: 2017/04/18

Sodium n-dodecyl sulfate:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Method	:	OECD Test Guideline 453
Result	:	negative
Remarks	:	Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:**Cellulose:**

Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
----------------------	---	---

Effects on foetal development	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative
-------------------------------	---	--

Ezetimibe:

Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rat, male and female Fertility: NOAEL: > 1,000 mg/kg body weight Result: No effects on fertility, No fetotoxicity
----------------------	---	--

Effects on foetal development	:	Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: > 1,000 mg/kg body weight Result: No adverse effects
-------------------------------	---	---

	:	Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: > 1,000 mg/kg body weight Result: No adverse effects
--	---	--

Sodium n-dodecyl sulfate:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials
----------------------	---	---

Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	1563965-00015	Date of first issue: 2017/04/18

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****Cellulose:**

Species : Rat
 NOAEL : $\geq 9,000$ mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days

Ezetimibe:

Species : Dog
 NOAEL : 1,000 mg/kg
 Application Route : Oral
 Exposure time : 90 d
 Remarks : No significant adverse effects were reported

Species : Rat
 NOAEL : 1,500 mg/kg
 Application Route : Oral
 Exposure time : 90 d
 Remarks : No significant adverse effects were reported

Species : Mouse
 NOAEL : 500 mg/kg
 Application Route : Oral
 Exposure time : 90 d
 Remarks : No significant adverse effects were reported

Species : Dog
 NOAEL : 300 mg/kg
 Application Route : Oral
 Exposure time : 1 yr
 Remarks : No significant adverse effects were reported

Sodium n-dodecyl sulfate:

Species : Rat
 NOAEL : 488 mg/kg
 Application Route : Ingestion

Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	1563965-00015	Date of first issue: 2017/04/18

Exposure time : 90 Days
Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Components:**Ezetimibe:**

Not applicable

Experience with human exposure**Components:****Ezetimibe:**

Ingestion : Symptoms: Headache, Nausea, Vomiting, Diarrhoea, flatulence, muscle pain, upper respiratory tract infection, Back pain, joint pain

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Cellulose:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Ezetimibe:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.125 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 4 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.317 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.317 mg/l
Exposure time: 96 h

Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	1563965-00015	Date of first issue: 2017/04/18

		Method: OECD Test Guideline 201
		Remarks: No toxicity at the limit of solubility
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.051 mg/l Exposure time: 33 d Method: OECD Test Guideline 210
		NOEC (Cyprinodon variegatus (sheepshead minnow)): 4 mg/l Exposure time: 7 d Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.282 mg/l Exposure time: 21 d Remarks: No toxicity at the limit of solubility
M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC50: > 4.4 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 Remarks: No toxicity at the limit of solubility
		NOEC: 4.4 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 Remarks: No toxicity at the limit of solubility
Sodium n-dodecyl sulfate:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 29 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 5.55 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 120 mg/l Exposure time: 72 h
		NOEC (Desmodesmus subspicatus (green algae)): 30 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): >= 1.357 mg/l Exposure time: 42 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l Exposure time: 7 d
Toxicity to microorganisms	:	EC50: 135 mg/l Exposure time: 3 h

Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	1563965-00015	Date of first issue: 2017/04/18

Persistence and degradability**Components:****Cellulose:**

Biodegradability : Result: Readily biodegradable.

Ezetimibe:Biodegradability : Result: Not readily biodegradable.
Biodegradation: 6.8 %
Exposure time: 28 dStability in water : Hydrolysis: 50 %(4.5 d)
Method: OECD Test Guideline 111**Sodium n-dodecyl sulfate:**Biodegradability : Result: Readily biodegradable.
Biodegradation: 95 %
Exposure time: 28 d
Method: OECD Test Guideline 301B**Bioaccumulative potential****Components:****Ezetimibe:**Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 173
Exposure time: 97 d
Method: OECD Test Guideline 305Partition coefficient: n-
octanol/water : log Pow: 4.36**Sodium n-dodecyl sulfate:**Partition coefficient: n-
octanol/water : log Pow: 0.83**Mobility in soil****Components:****Ezetimibe:**Distribution among environ-
mental compartments : log Koc: 4.35
Method: OECD Test Guideline 106**Other adverse effects**

No data available

Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	1563965-00015	Date of first issue: 2017/04/18

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Ezetimibe)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Ezetimibe)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 956

Packing instruction (passenger aircraft) : 956

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Ezetimibe)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based on the properties of the unpackaged material as it is described within this Safety Data

Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
4.1	2023/09/30	1563965-00015	2023/04/04
			Date of first issue: 2017/04/18

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2023/09/30

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

SAFETY DATA SHEET



Ezetimibe Granules Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	1563965-00015	Date of first issue: 2017/04/18

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average
ID OEL / NAB : Long term exposure limit

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN