

SAFETY DATA SHEET



Ezetimibe Granules Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 1563970-00015 Date of last issue: 04.04.2023
Date of first issue: 18.04.2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Ezetimibe Granules Formulation

Manufacturer or supplier's details

Company name of supplier : Organon & Co.
Address : Avenida 16 de Septiembre No. 301
Xaltocan - Xochimilco Mexico 16090
Telephone : +52 55 57284444
Emergency telephone : 1-215-631-6999
E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion/irritation : Category 3

GHS label elements

Signal Word : Warning

Hazard Statements : H316 Causes mild skin irritation.

Precautionary Statements : **Response:**
P332 + P313 If skin irritation occurs: Get medical advice/ attention.

Other hazards

Dust contact with the eyes can lead to mechanical irritation.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 20 -< 30
Ezetimibe	163222-33-1	>= 5 -< 10
Sodium n-dodecyl sulfate	151-21-3	>= 1 -< 3

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

SAFETY DATA SHEET



Ezetimibe Granules Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 1563970-00015 Date of last issue: 04.04.2023
Date of first issue: 18.04.2017

- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes mild skin irritation.
Dust contact with the eyes can lead to mechanical irritation.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.
-

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Fluorine compounds
Metal oxides
Sulfur oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
-

Ezetimibe Granules Formulation

Version 3.1	Revision Date: 30.09.2023	SDS Number: 1563970-00015	Date of last issue: 04.04.2023 Date of first issue: 18.04.2017
----------------	------------------------------	------------------------------	---

Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

Conditions for safe storage : Keep in properly labeled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of)	Control parameters / Permissible	Basis
------------	---------	-------------------------	----------------------------------	-------

SAFETY DATA SHEET



Ezetimibe Granules Formulation



Version 3.1 Revision Date: 30.09.2023 SDS Number: 1563970-00015 Date of last issue: 04.04.2023
Date of first issue: 18.04.2017

		exposure)	concentration	
Cellulose	9004-34-6	VLE-PPT	10 mg/m ³	NOM-010-STPS-2014
		TWA	10 mg/m ³	ACGIH
Ezetimibe	163222-33-1	TWA	25 µg/m ³ (OEB 3)	Internal
		Wipe limit	250 µg/100 cm ²	Internal

Engineering measures : Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.
Apply measures to prevent dust explosions.
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often!
For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
Safety goggles

Skin and body protection : Skin should be washed after contact.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granular

Color : white

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1563970-00015	Date of first issue: 18.04.2017

Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1563970-00015	Date of first issue: 18.04.2017

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:**Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Ezetimibe:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
LD50 (Mouse): > 5,000 mg/kg
LD50 (Dog): > 3,000 mg/kg
Acute inhalation toxicity : Remarks: No data available
Acute dermal toxicity : Remarks: No data available
Acute toxicity (other routes of administration) : LD50 (Rat): > 2,000 mg/kg
Application Route: Intraperitoneal
LD50 (Mouse): > 1,000 - < 2,000 mg/kg
Application Route: Intraperitoneal

Sodium n-dodecyl sulfate:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg
Method: OECD Test Guideline 401
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1563970-00015	Date of first issue: 18.04.2017

Skin corrosion/irritation

Causes mild skin irritation.

Components:

Ezetimibe:

Species	:	Rabbit
Result	:	No skin irritation

Sodium n-dodecyl sulfate:

Species	:	Rabbit
Result	:	Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Ezetimibe:

Species	:	Rabbit
Result	:	No eye irritation

Sodium n-dodecyl sulfate:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Ezetimibe:

Test Type	:	Maximization Test
Species	:	Guinea pig
Result	:	negative

Sodium n-dodecyl sulfate:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1563970-00015	Date of first issue: 18.04.2017

Components:

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Ezetimibe:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: Chromosomal aberration
Test system: Human lymphocytes
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Oral
Result: negative

Sodium n-dodecyl sulfate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Application Route: Ingestion
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1563970-00015	Date of first issue: 18.04.2017

Ezetimibe:

Species : Rat, female
 Application Route : oral (feed)
 Exposure time : 104 weeks
 Result : negative

Species : Rat, male
 Application Route : oral (feed)
 Exposure time : 104 weeks
 Result : negative

Species : Mouse
 Application Route : oral (feed)
 Exposure time : 104 weeks
 Result : negative

Sodium n-dodecyl sulfate:

Species : Rat
 Application Route : Ingestion
 Exposure time : 2 Years
 Method : OECD Test Guideline 453
 Result : negative
 Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:**Cellulose:**

Effects on fertility : Test Type: One-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development
 Species: Rat
 Application Route: Ingestion
 Result: negative

Ezetimibe:

Effects on fertility : Test Type: Fertility/early embryonic development
 Species: Rat, male and female
 Fertility: NOAEL: > 1,000 mg/kg body weight
 Result: No effects on fertility., No fetotoxicity.

Effects on fetal development : Test Type: Development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: NOAEL: > 1,000 mg/kg body weight
 Result: No adverse effects.

Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1563970-00015	Date of first issue: 18.04.2017

Test Type: Development
 Species: Rabbit
 Application Route: Oral
 Developmental Toxicity: NOAEL: > 1,000 mg/kg body weight
 Result: No adverse effects.

Sodium n-dodecyl sulfate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 416
 Result: negative
 Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****Cellulose:**

Species : Rat
 NOAEL : >= 9,000 mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days

Ezetimibe:

Species : Dog
 NOAEL : 1,000 mg/kg
 Application Route : Oral
 Exposure time : 90 d
 Remarks : No significant adverse effects were reported

Species : Rat
 NOAEL : 1,500 mg/kg
 Application Route : Oral
 Exposure time : 90 d
 Remarks : No significant adverse effects were reported

Species : Mouse
 NOAEL : 500 mg/kg
 Application Route : Oral
 Exposure time : 90 d

SAFETY DATA SHEET



Ezetimibe Granules Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 1563970-00015 Date of last issue: 04.04.2023
Date of first issue: 18.04.2017

Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 300 mg/kg
Application Route : Oral
Exposure time : 1 y
Remarks : No significant adverse effects were reported

Sodium n-dodecyl sulfate:

Species : Rat
NOAEL : 488 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Components:

Ezetimibe:

Not applicable

Experience with human exposure

Components:

Ezetimibe:

Ingestion : Symptoms: Headache, Nausea, Vomiting, Diarrhea, flatulence, muscle pain, upper respiratory tract infection, Back pain, joint pain

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Ezetimibe:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.125 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 4 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility.

Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1563970-00015	Date of first issue: 18.04.2017

- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.317 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility.
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0.317 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility.
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.051 mg/l
Exposure time: 33 d
Method: OECD Test Guideline 210
- NOEC (Cyprinodon variegatus (sheepshead minnow)): 4 mg/l
Exposure time: 7 d
Remarks: No toxicity at the limit of solubility.
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.282 mg/l
Exposure time: 21 d
Remarks: No toxicity at the limit of solubility.
- Toxicity to microorganisms : EC50: > 4.4 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
Remarks: No toxicity at the limit of solubility.
- NOEC: 4.4 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
Remarks: No toxicity at the limit of solubility.
- Sodium n-dodecyl sulfate:**
- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 29 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 5.55 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 120 mg/l
Exposure time: 72 h
- NOEC (Desmodesmus subspicatus (green algae)): 30 mg/l
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): >= 1.357 mg/l
Exposure time: 42 d

Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1563970-00015	Date of first issue: 18.04.2017

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l
Exposure time: 7 d

Toxicity to microorganisms : EC50: 135 mg/l
Exposure time: 3 h

Persistence and degradability**Components:****Cellulose:**

Biodegradability : Result: Readily biodegradable.

Ezetimibe:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 6.8 %
Exposure time: 28 d

Stability in water : Hydrolysis: 50 %(4.5 d)
Method: OECD Test Guideline 111

Sodium n-dodecyl sulfate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 95 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential**Components:****Ezetimibe:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 173
Exposure time: 97 d
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.36

Sodium n-dodecyl sulfate:

Partition coefficient: n-octanol/water : log Pow: 0.83

Mobility in soil**Components:****Ezetimibe:**

Distribution among environmental compartments : log Koc: 4.35
Method: OECD Test Guideline 106

Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1563970-00015	Date of first issue: 18.04.2017

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Ezetimibe)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Ezetimibe)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passenger aircraft)	:	956
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Ezetimibe)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

SAFETY DATA SHEET



Ezetimibe Granules Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1563970-00015	Date of first issue: 18.04.2017

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Ezetimibe)
Class : 9
Packing group : III
Labels : 9

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 30.09.2023
Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits
ACGIH / TWA : 8-hour, time-weighted average
NOM-010-STPS-2014 / VLE- : Time weighted average limit value
PPT

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

SAFETY DATA SHEET



Ezetimibe Granules Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1563970-00015	Date of first issue: 18.04.2017

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8