

Felbamate Solid Formulation

| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
|---------|----------------|---------------|---------------------------------|
| 2.1 | 30.09.2023 | 2338747-00015 | Date of first issue: 13.12.2017 |

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| | roduct identifier Trade name | : | Felbamate Solid Formulation |
|--------|-----------------------------------|------|---|
| 1.2 Re | elevant identified uses of the | e s | ubstance or mixture and uses advised against |
| - | Jse of the Sub- tance/Mixture | : | Pharmaceutical |
| | Recommended restrictions n use | : | Not applicable |
| 1.3 De | etails of the supplier of the s | safe | ety data sheet |
| С | Company | : | Organon & Co. 30 Hudson Street, 33nd floor 07302 Jersey City, New Jersey, U.S.A |
| Т | elephone | : | +1-551-430-6000 |
| | | | |

1.4 Emergency telephone number

E-mail address of person

responsible for the SDS

+1-215-631-6999

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

: EHSSTEWARD@organon.com

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Felbamate Solid Formulation

| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
|---------|----------------|---------------|---------------------------------|
| 2.1 | 30.09.2023 | 2338747-00015 | Date of first issue: 13.12.2017 |

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form combustible dust concentrations in air.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chamical name | | Classification | Concentration |
|---------------------------------|---------------------|----------------|---------------|
| Chemical name | CAS-No. | Classification | Concentration |
| | EC-No. | | (% w/w) |
| | Index-No. | | · · · · |
| | Deviation number | | |
| | Registration number | | |
| 2-phenylpropane-1,3-diyl dicar- | 25451-15-4 | | >= 50 - < 70 |
| bamate | 247-001-4 | | |
| Samato | | | |
| | | | |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

| General advice | : | In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice. |
|----------------------------|---|--|
| Protection of first-aiders | : | No special precautions are necessary for first aid responders. |
| If inhaled | : | If inhaled, remove to fresh air. Get medical attention if symptoms occur. |
| In case of skin contact | : | Wash with water and soap. Get medical attention if symptoms occur. |
| In case of eye contact | : | If in eyes, rinse well with water. Get medical attention if irritation develops and persists. |
| If swallowed | : | If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water. |

4.2 Most important symptoms and effects, both acute and delayed

| Risks | : | Contact with dust can cause mechanical irritation or drying of | |
|-------|---|--|--|
|-------|---|--|--|

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Felbamate Solid Formulation

| Version 2.1 | Revision Date: 30.09.2023 | | S Number: 38747-00015 | Date of last issue: 04.04.2023 Date of first issue: 13.12.2017 |
|-----------------------------|------------------------------|----------|--|---|
| | | | the skin. Dust contact with | n the eyes can lead to mechanical irritation. |
| 4.3 Indica Treati | • | meo : | | d special treatment needed tically and supportively. |
| SECTION | 1 5: Firefighting meas | sur | es | |
| 5.1 Exting | uishing media | | | |
| Suital | ble extinguishing media | : | Water spray Alcohol-resistant Carbon dioxide (Dry chemical | |
| Unsui media | itable extinguishing a | : | High volume wat | er jet |
| 5.2 Specia | al hazards arising from | the | substance or m | ixture |
| - | fic hazards during fire- | : | Avoid generating concentrations, a potential dust ex Do not use a soli fire. | dust; fine dust dispersed in air in sufficient and in the presence of an ignition source is a |
| Haza ucts | rdous combustion prod- | : | Carbon oxides Nitrogen oxides Metal oxides | (NOx) |
| 5.3 Advice | e for firefighters | | | |
| Speci | - | : | | ned breathing apparatus for firefighting if nec- sonal protective equipment. |
| Speci ods | fic extinguishing meth- | : | cumstances and Use water spray | g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. aged containers from fire area if it is safe to do |

6.1 Personal precautions, protective equipment and emergency procedures

| Personal precautions | : | Follow safe handling advice (see section 7) and personal pro- |
|----------------------|---|---|
| | | tective equipment recommendations (see section 8). |

6.2 Environmental precautions

- Environmental precautions :
- : Avoid release to the environment.



Felbamate Solid Formulation

| Version 2.1 | Revision Date: 30.09.2023 | SDS Number: 2338747-00015 | Date of last issue: 04.04.2023 Date of first issue: 13.12.2017 | |
|----------------|---------------------------|--|---|--|
| | | Retain and dispo Local authorities | Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. | |
| 6.3 Method | is and material for co | ntainment and cleani | ing up | |
| Metho | ds for cleaning up | tainer for disposa Avoid dispersal of with compressed Dust deposits shifted es, as these may leased into the at Local or national posal of this mate employed in the of mine which regul Sections 13 and | of dust in the air (i.e., clearing dust surfaces | |

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling **Technical measures** Static electricity may accumulate and ignite suspended dust : causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Local/Total ventilation Use only with adequate ventilation. Advice on safe handling Do not breathe dust. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment. Hygiene measures If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.



Felbamate Solid Formulation

| Version 2.1 | Revision Date: 30.09.2023 | | DS Number: 338747-00015 | Date of last issue: 04.04.2023 Date of first issue: 13.12.2017 | | |
|--|--|---|---|---|--|--|
| 7.2 Condi | 7.2 Conditions for safe storage, including any incompatibilities | | | | | |
| Requirements for storage areas and containers | | : | Keep in properly labelled containers. Store in accordance with the particular national regulations. | | | |
| Advic | e on common storage | : | Do not store with Strong oxidizing | the following product types: agents | | |
| - | ic end use(s) fic use(s) | : | No data available | | | |

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| dusts non-specific | 4 mg/m3 Value type (Form of exposure): OELV - 8 hrs (TWA) (Respirable dust) Basis: IE OEL |
|--------------------|--|
| | 10 mg/m3 Value type (Form of exposure): OELV - 8 hrs (TWA) (inhalable |

Value type (Form of exposure): OELV - 8 hrs (TWA) (inhalable dust) Basis: IE OEL

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis | |
|---|--|-------------------------------|--------------------|----------|--|
| 2-phenylpropane- 1,3-diyl dicarba- mate | 25451-15-4 | TWA | 400 μg/m3 (OEB 2) | Internal | |
| Starch, oxidized | 65996-62-5 | OELV - 8 hrs (TWA) (Dust) | 1 mg/m3 | IE OEL | |
| | Further information: Chemical agents which following exposure may cause sensitisation of the respiratory tract and lead to asthma, rhinitis or extrinsic allergic alveolitis | | | | |
| Cellulose | 9004-34-6 | OELV - 8 hrs (TWA) | 10 mg/m3 | IE OEL | |

8.2 Exposure controls

Engineering measures

Use feasible engineering controls to minimize exposure to compound. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

| | - | |
|---------------------|---|--|
| Eye/face protection | : | Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a |
| | | |



Felbamate Solid Formulation

| Version 2.1 | Revision Date: 30.09.2023 | | DS Number: 38747-00015 | Date of last issue: 04.04.2023 Date of first issue: 13.12.2017 |
|----------------|---|---|----------------------------------|---|
| | | | potential for direc aerosols. | t contact to the face with dusts, mists, or |
| | protection terial | : | Chemical-resista | nt gloves |
| | nd body protection ratory protection | : | sure assessment ommended guide | aboratory coat. exhaust ventilation is not available or expo- demonstrates exposures outside the rec- lines, use respiratory protection. d conform to I.S. EN 143 |
| Filt | er type | : | Particulates type | |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state | : | powder |
|---|---|--|
| Colour | : | No data available |
| Odour | : | No data available |
| Odour Threshold | : | No data available |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flammability (solid, gas) | : | May form combustible dust concentrations in air. |
| Flammability (liquids) | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Flash point | : | Not applicable |
| Auto-ignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| рН | : | No data available |
| Viscosity Viscosity, kinematic | : | Not applicable |
| Solubility(ies) | | |

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Felbamate Solid Formulation

| Vers 2.1 | sion | Revision Date: 30.09.2023 | | S Number: 38747-00015 | Date of last issue: 04.04.2023 Date of first issue: 13.12.2017 |
|--|----------|---------------------------------|----------------|--------------------------|---|
| | Wat | ter solubility | : | No data availabl | 9 |
| Partition coefficient: n- octanol/water | | : | Not applicable | | |
| | Vapou | r pressure | : | Not applicable | |
| | Relativ | e density | : | No data available | 9 |
| | Density | Ý | : | No data available | 9 |
| | Relativ | e vapour density | : | Not applicable | |
| | | e characteristics ticle size | : | No data available | e |
| 9.2 | Other in | nformation | | | |
| | Explos | ives | : | Not explosive | |
| | Oxidizi | ng properties | : | The substance of | r mixture is not classified as oxidizing. |
| | Dust de | eflagration index (Kst) | : | 192 m.b_/s | |
| | Evapor | ration rate | : | Not applicable | |
| | Minimu | im ignition energy | : | 3 - 5 mJ | |

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

| 10.3 Possibility of hazardous rea | actic | ns | |
|-----------------------------------|-------|---|--|
| Hazardous reactions | : | May form combustible dust concentrations in air. Can react with strong oxidizing agents. | |
| 10.4 Conditions to avoid | | | |
| Conditions to avoid | : | Heat, flames and sparks. Avoid dust formation. | |

10.5 Incompatible materials

| Materials to avoid | : Oxidizing agents |
|--------------------|--------------------|
|--------------------|--------------------|

10.6 Hazardous decomposition products

No hazardous decomposition products are known.



Felbamate Solid Formulation

| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
|---------|----------------|---------------|---------------------------------|
| 2.1 | 30.09.2023 | 2338747-00015 | Date of first issue: 13.12.2017 |

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inf exposure Sk

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

2-phenylpropane-1,3-diyl dicarbamate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

LD50 (Mouse): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

:

Components:

2-phenylpropane-1,3-diyl dicarbamate:

Genotoxicity in vitro

Test Type: Bacterial reverse mutation assay (AMES) Result: negative

Test Type: Chromosomal aberration Result: negative

Carcinogenicity

Not classified based on available information.

Components:

2-phenylpropane-1,3-diyl dicarbamate:

| Species | : | Mouse |
|-------------------|---|----------|
| Application Route | : | Oral |
| Exposure time | : | 92 weeks |

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Felbamate Solid Formulation

| /ersion 2.1 | Revision Date: 30.09.2023 | | OS Number: 38747-00015 | Date of last issue: 04.04.2023 Date of first issue: 13.12.2017 | |
|-------------------|---------------------------|---------|---------------------------|---|--|
| LOAE | EL | : | 300 mg/kg bod | y weight | |
| Targe | et Organs | : Liver | | | |
| Speci | ies | : | Rat | | |
| Application Route | | : | Oral | | |
| Exposure time | | : | : 104 weeks | | |
| NÓAEL | | : | : 30 mg/kg body weight | | |
| Target Organs | | : | : Liver, Testes | | |
| Rema | narks | | Benign tumor(s |) | |

Reproductive toxicity

Not classified based on available information.

Components:

| 2-phenylpropane-1,3-diyl dicarl | bamate: |
|-----------------------------------|--|
| Effects on fertility : | Test Type: Fertility Species: Rat Application Route: Oral Fertility: NOAEL: 1,000 mg/kg body weight Remarks: No significant adverse effects were reported |
| Effects on foetal develop- : ment | Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 500 mg/kg body weight Result: Reduced foetal weight, Embryotoxic effects and ad- verse effects on the offspring were detected only at high ma- ternally toxic doses |
| | Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 300 mg/kg body weight Result: Embryotoxic effects and adverse effects on the off- spring were detected only at high maternally toxic doses |

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

2-phenylpropane-1,3-diyl dicarbamate:

| Species | : Rat | |
|-------------------|-------------|--|
| NOAEL | : 100 mg/kg | |
| Application Route | : Oral | |
| Exposure time | : 3 Months | |
| Target Organs | : Liver | |

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Felbamate Solid Formulation

| Version 2.1 | Revision Date: 30.09.2023 | | S Number: 38747-00015 | Date of last issue: 04.04.2023 Date of first issue: 13.12.2017 |
|----------------|--|----|--|---|
| Rema | arks | : | May cause dan | hage to organs. |
| Expo | | :: | Dog 280 mg/kg Oral 3 Months Liver, Central n | ervous system |
| Expo | EL cation Route sure time et Organs | | Rat 30 mg/kg Oral 1 yr Liver May cause dan | nage to organs. |
| Expo | EL cation Route sure time et Organs | | Dog 30 mg/kg Oral 1 yr Liver, Central n May cause dan | |

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Experience with human exposure

Components:

2-phenylpropane-1,3-diyl dicarbamate:

2

Ingestion

Target Organs: Liver Symptoms: anorexia, Nausea, Vomiting, Headache, Dizziness, insomnia, Drowsiness

SECTION 12: Ecological information

12.1 Toxicity

Components:

2-phenylpropane-1,3-diyl dicarbamate:



Felbamate Solid Formulation

| Version 2.1 | Revision Date: 30.09.2023 | |)S Number: 38747-00015 | Date of last issue: 04.04.2023 Date of first issue: 13.12.2017 |
|----------------|---|---|---------------------------|--|
| Τοχία | ity to fish | : | Exposure time: 9 | chus mykiss (rainbow trout)): > 100 mg/l 6 h est Guideline 203 |
| | ity to daphnia and other tic invertebrates | : | Exposure time: 4 | nagna (Water flea)): > 100 mg/l 8 h est Guideline 202 |

12.2 Persistence and degradability

Components:

| 2-phenylpropane-1,3-diyl dicarbamate: | | | | |
|---------------------------------------|---|-------------------------|--|--|
| Stability in water | : | Hydrolysis: < 10 %(5 d) | | |

12.3 Bioaccumulative potential

Components:

2-phenylpropane-1,3-diyl dicarbamate:

Partition coefficient: n- : log Pow: 0.381 octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes

:



Felbamate Solid Formulation

| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
|---------|--------------------|---|---|
| 2.1 | 30.09.2023 | 2338747-00015 | Date of first issue: 13.12.2017 |
| Conta | aminated packaging | Waste codes s discussion with Do not dispose Empty containe dling site for re | specific, but application specific. hould be assigned by the user, preferably in the waste disposal authorities. of waste into sewer. ers should be taken to an approved waste han- cycling or disposal. e specified: Dispose of as unused product. |

SECTION 14: Transport information

14.1 UN number or ID number

| ADN | : | Not regulated as a dangerous good |
|---------------------------------|---|-----------------------------------|
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| ΙΑΤΑ | : | Not regulated as a dangerous good |
| 14.2 UN proper shipping name | | |
| ADN | : | Not regulated as a dangerous good |
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| ΙΑΤΑ | : | Not regulated as a dangerous good |
| 14.3 Transport hazard class(es) | | |
| ADN | : | Not regulated as a dangerous good |
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| ΙΑΤΑ | : | Not regulated as a dangerous good |
| 14.4 Packing group | | |
| ADN | : | Not regulated as a dangerous good |
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| IATA (Cargo) | : | Not regulated as a dangerous good |
| IATA (Passenger) | : | Not regulated as a dangerous good |
| 14 5 Environmental hazards | | |

14.5 Environmental hazards

Not regulated as a dangerous good



Felbamate Solid Formulation

| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
|---------|----------------|---------------|---------------------------------|
| 2.1 | 30.09.2023 | 2338747-00015 | Date of first issue: 13.12.2017 |

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks :

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) | : | Not applicable | |
|--|---|----------------|--|
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). | : | Not applicable | |
| Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer | : | Not applicable | |
| Regulation (EU) 2019/1021 on persistent organic pollu- | : | Not applicable | |
| tants (recast) Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import | : | Not applicable | |
| of dangerous chemicals REACH - List of substances subject to authorisation (Annex XIV) | : | Not applicable | |
| | | | |

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

The components of this product are reported in the following inventories:

| AICS | ÷ | not determined |
|-------|---|----------------|
| DSL | : | not determined |
| IECSC | : | not determined |

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

:

SECTION 16: Other information

Full text of H-Statements

Full text of other abbreviations

IE OEL

List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2



Felbamate Solid Formulation

| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
|---------|----------------|---------------|---------------------------------|
| 2.1 | 30.09.2023 | 2338747-00015 | Date of first issue: 13.12.2017 |

IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

| Sources of key data used to | : | Internal technical data, data from raw material SDSs, OECD |
|-----------------------------|---|--|
| compile the Safety Data | | eChem Portal search results and European Chemicals Agen- |
| Sheet | | cy, http://echa.europa.eu/ |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN