according to the Globally Harmonized System



### **Felbamate Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.0	30.09.2023	2338746-00012	Date of first issue: 13.12.2017

#### **1. PRODUCT AND COMPANY IDENTIFICATION**

Product name	:	Felbamate Solid Formulation						
Manufacturer or supplier's de	Manufacturer or supplier's details							
Company	:	Organon & Co.						
Address	:	30 Hudson Street, 33nd floor Jersey City, New Jersey, U.S.A 07302						
Telephone	:	+1-551-430-6000						
Emergency telephone number	:	+1-215-631-6999						
E-mail address	:	EHSSTEWARD@organon.com						
Recommended use of the ch	em	ical and restrictions on use						
Recommended use Restrictions on use	:	Pharmaceutical Not applicable						

#### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

#### Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

#### **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS** label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form combustible dust concentrations in air.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
2-phenylpropane-1,3-diyl dicarbamate	25451-15-4	>= 50 - < 70
Starch, oxidized	65996-62-5	>= 10 - < 20

according to the Globally Harmonized System



# Felbamate Solid Formulation

Version 3.0	Revision Date: 30.09.2023	SDS Number: 2338746-00012	Date of last issu Date of first issu				
Cellu	llose		9004-34-6		>= 5 - < 10		
4. FIRST	AID MEASURES						
Gene	eral advice	vice immediate	accident or if you fee ely. ms persist or in all ca				
lf inh	aled		ove to fresh air.				
In ca	se of skin contact	: Wash with wa	ttention if symptoms ter and soap. ttention if symptoms				
In ca	se of eye contact	: If in eyes, rins	e well with water. ttention if irritation de		l persists		
If sw	allowed	: If swallowed, I Get medical a	iting. occur.				
	important symptoms effects, both acute and ved	<ul> <li>Rinse mouth thoroughly with water.</li> <li>Contact with dust can cause mechanical irritation or dry the skin.</li> <li>Dust contact with the eyes can lead to mechanical irritation</li> </ul>					
Prote	ection of first-aiders s to physician		aid responders.				
5. FIREFI	GHTING MEASURES						
	ble extinguishing media	: Water spray Alcohol-resista Carbon dioxid Dry chemical	e (CO2)				
Unsu medi	uitable extinguishing a	: High volume v	High volume water jet				
Spec fighti	ific hazards during fire- ng	concentrations, and in the presence of an ignition source potential dust explosion hazard. Do not use a solid water stream as it may scatter and sp fire. Exposure to combustion products may be a hazard to he					
Haza ucts	ardous combustion prod-						
Spec ods	ific extinguishing meth-	cumstances a Use water spr Remove unda so.	ning measures that a nd the surrounding e ay to cool unopened maged containers fro	nvironmen containers	t.		
	cial protective equipment refighters	essary.	a ained breathing app protective equipment		irefighting if nec-		

### 6. ACCIDENTAL RELEASE MEASURES

according to the Globally Harmonized System



# Felbamate Solid Formulation

Vers 3.0	sion	Revision Date: 30.09.2023		S Number: 38746-00012	Date of last issue: 04.04.2023 Date of first issue: 13.12.2017
	tive equ	al precautions, protec- upment and emer- procedures	:		ng advice (see section 7) and personal pro- recommendations (see section 8).
	Environ	mental precautions	:	Retain and dispos	akage or spillage if safe to do so. e of contaminated wash water. hould be advised if significant spillages
		ls and materials for ment and cleaning up	:	tainer for disposal Avoid dispersal of with compressed a Dust deposits sho es, as these may leased into the atr Local or national r posal of this mater employed in the cl mine which regula Sections 13 and 1	dust in the air (i.e., clearing dust surfaces

#### 7. HANDLING AND STORAGE

Technical measures	ca Pi	tatic electricity may accumulate and ignite suspended dust ausing an explosion. rovide adequate precautions, such as electrical grounding nd bonding, or inert atmospheres.
Local/Total ventilation Advice on safe handling	: U : D H pr se M K K K T T	se only with adequate ventilation. o not breathe dust. andle in accordance with good industrial hygiene and safety ractice, based on the results of the workplace exposure as- essment linimize dust generation and accumulation. eep container closed when not in use. eep away from heat and sources of ignition. ake precautionary measures against static discharges. ake care to prevent spills, waste and minimize release to the nvironment.
Conditions for safe storage		eep in properly labelled containers. tore in accordance with the particular national regulations.
Materials to avoid	: D	o not store with the following product types: trong oxidizing agents

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
			oonoonnation	





# Felbamate Solid Formulation

Version 3.0	Revision Date: 30.09.2023	-	DS Number: 338746-00012	Date of last issue: 04.04.2023 Date of first issue: 13.12.2017				
	enylpropane-1,3-diyl di- amate		25451-15-4	TWA	400 μg/m3 (OEB 2)	Internal		
Starc	h, oxidized		65996-62-5	TWA (inhal- able dust)	0.5 mg/m3	ACGIH		
Cellu	lose		9004-34-6	TWA	10 mg/m3	ACGIH		
Engineering measures		:	Use feasible engineering controls to minimize exposure to compound. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.					
Pers	onal protective equipr	nen	t					
	iratory protection Iter type	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Particulates type					
	protection aterial	:	: Chemical-resistant gloves					
Eye ç	protection	:	If the work en mists or aeros Wear a facesh	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.				
Skin	and body protection	:	Work uniform or laboratory coat.					
Hygie	ene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.					

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling	:	No data available

according to the Globally Harmonized System



# Felbamate Solid Formulation

Ver 3.0	sion	Revision Date: 30.09.2023		S Number: 38746-00012	Date of last issue: 04.04.2023 Date of first issue: 13.12.2017
	range				
	Flash p	point	:	Not applicable	
	Evapor	ation rate	:	Not applicable	
	Flamm	ability (solid, gas)	:	May form combu	stible dust concentrations in air.
	Flamm	ability (liquids)	:	No data available	e
		explosion limit / Upper ability limit	:	No data available	9
		explosion limit / Lower ability limit	:	No data available	e
	Vapou	rpressure	:	Not applicable	
	Relativ	e vapour density	:	Not applicable	
	Relativ	e density	:	No data available	e
	Density	/	:	No data available	e
	Solubili Wat	ity(ies) ier solubility	:	No data available	e
		n coefficient: n-	:	Not applicable	
	octano Auto-ig	nition temperature	:	No data available	e
	Decom	position temperature	:	No data available	e
	Viscosi Visc	ity cosity, kinematic	:	Not applicable	
	Explos	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Dust de	eflagration index (Kst)	:	192 m.b_/s	
	Minimu	im ignition energy	:	3 - 5 mJ	
	Particle	e size	:	No data available	e

#### **10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	May form combustible dust concentrations in air.
tions		Can react with strong oxidizing agents.

# SAFETY DATA SHEET according to the Globally Harmonized System



# Felbamate Solid Formulation

Version 3.0	Revision Date: 30.09.2023	SDS Number: 2338746-00012	Date of last issue: 04.04.2023 Date of first issue: 13.12.2017						
Incom Hazar produ	Conditions to avoid       : Heat, flames and sparks. Avoid dust formation.         Incompatible materials       : Oxidizing agents         Hazardous decomposition products       : No hazardous decomposition products are known.								
	11. TOXICOLOGICAL INFORMATION								
	Information on likely routes of : Inhalation exposure Skin contact Ingestion Eye contact								
Acute	e toxicity								
Not cl	assified based on availa	able information.							
<u>Comp</u>	oonents:								
	nylpropane-1,3-diyl di								
Acute	oral toxicity	: LD50 (Rat): >	> 5,000 mg/kg						
		LD50 (Mouse	e): > 5,000 mg/kg						
II Cellui	lose.								
	oral toxicity	: LD50 (Rat): >	> 5,000 mg/kg						
Acute	inhalation toxicity	: LC50 (Rat): : Exposure tim Test atmospl							
Acute	dermal toxicity	: LD50 (Rabbi	t): > 2,000 mg/kg						
Not cl Serio	corrosion/irritation assified based on availa us eye damage/eye irr assified based on availa	itation							
Respi	iratory or skin sensitis	ation							
Not cl	sensitisation assified based on availa iratory sensitisation	able information.							
-	assified based on availa	able information.							
	cell mutagenicity assified based on availa	able information.							
Comp	oonents:								
	nylpropane-1,3-diyl di toxicity in vitro		acterial reverse mutation assay (AMES) tive						
		6 / -							

according to the Globally Harmonized System



# Felbamate Solid Formulation

Version 3.0	Revision Date: 30.09.2023	SDS Number: 2338746-00012	Date of last issue: 04.04.2023 Date of first issue: 13.12.2017		
		Test Type: Result: neg	Chromosomal aberration ative		
Cellu	llose:				
Geno	otoxicity in vitro	: Test Type: Result: neg	Bacterial reverse mutation assay (AMES) ative		
		Test Type: Result: neg	In vitro mammalian cell gene mutation test ative		
Genc	otoxicity in vivo	cytogenetic Species: M	ouse Route: Ingestion		
	<b>inogenicity</b> lassified based on ava	ailable information.			
	ponents:				
2-ph	enylpropane-1,3-diyl	dicarbamate:			
Spec Appli Expo LOAE	ies cation Route sure time	: Mouse : Oral : 92 weeks	body weight		
Spec Appli	ies cation Route	: Rat : Oral			

, application reduce	-	Olui
Exposure time	:	104 weeks
NOAEL	:	30 mg/kg body weight
Target Organs	:	Liver, Testes
Remarks	:	Benign tumor(s)

#### Cellulose:

:	Rat
:	Ingestion
:	72 weeks
:	negative
	:

#### **Reproductive toxicity**

Not classified based on available information.

#### Components:

#### 2-phenylpropane-1,3-diyl dicarbamate:

Effects on fertility	:	Test Type: Fertility Species: Rat
		Application Route: Oral

according to the Globally Harmonized System



### **Felbamate Solid Formulation**

ersion 0	Revision Date: 30.09.2023	SDS Number: 2338746-00012	Date of last issue: 04.04.2023 Date of first issue: 13.12.2017
			1,000 mg/kg body weight gnificant adverse effects were reported
Effect ment	s on foetal develop-	Result: Reduce	ite: Oral Toxicity: NOAEL: 500 mg/kg body weight d foetal weight, Embryotoxic effects and ad the offspring were detected only at high ma
		Result: Embryc	t
Cellu	lose:		
Effect	s on fertility	: Test Type: One Species: Rat Application Rou Result: negativ	
Effect ment	s on foetal develop-	: Test Type: Fert Species: Rat Application Rou Result: negativ	•

#### STOT - single exposure

Not classified based on available information.

#### **STOT - repeated exposure**

Not classified based on available information.

#### **Repeated dose toxicity**

#### **Components:**

#### 2-phenylpropane-1,3-diyl dicarbamate:

Species NOAEL Application Route Exposure time Target Organs Remarks	: Rat : 100 mg/kg : Oral : 3 Months : Liver : May cause damage to organs.
Species NOAEL Application Route Exposure time Target Organs	<ul> <li>Dog</li> <li>280 mg/kg</li> <li>Oral</li> <li>3 Months</li> <li>Liver, Central nervous system</li> </ul>
Species	: Rat

according to the Globally Harmonized System



# Felbamate Solid Formulation

Version 3.0	Revision Date: 30.09.2023	SDS Number: 2338746-00012	Date of last issue: 04.04.2023 Date of first issue: 13.12.2017
Expo	cation Route sure time et Organs	: 30 mg/kg : Oral : 1 yr : Liver : May cause dar	nage to organs.
Expo	EL cation Route sure time et Organs	: Dog : 30 mg/kg : Oral : 1 yr : Liver, Central r : May cause dar	nervous system nage to organs.
Spec NOA Appli		: Rat : 22,500 mg/kg : Ingestion : 90 Days	
Spec NOA Appli		: Rat : >= 9,000 mg/kg : Ingestion : 90 Days	g
-	ration toxicity lassified based on ava	ilable information.	
Expe	rience with human e	xposure	
Com	ponents:		
2-ph	enylpropane-1,3-diyl	dicarbamate:	
Inges	stion	: Target Organs Symptoms: an ness, insomnia	orexia, Nausea, Vomiting, Headache, Dizzi-
12. ECOL	OGICAL INFORMATI	ON	
Ecot	oxicity		
	ponents:		
		diaarbamata	
	enylpropane-1,3-diyl aity to fish	: LC50 (Oncorhy Exposure time	vnchus mykiss (rainbow trout)): > 100 mg/l : 96 h ) Test Guideline 203

Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l
aquatic invertebrates		Exposure time: 48 h
		Method: OECD Test Guideline 202

according to the Globally Harmonized System



### Felbamate Solid Formulation

ersion 0	Revision Date: 30.09.2023	SDS Nun 2338746-		Date of last issue: 04.04.2023 Date of first issue: 13.12.2017	
Cellu	lose <sup>.</sup>				
Toxicity to fish		Expos	<ul> <li>LC50 (Oryzias latipes (Japanese medaka)): &gt; 100 mg/ Exposure time: 48 h Remarks: Based on data from similar materials</li> </ul>		
Persi	stence and degrada	bility			
Com	oonents:				
2-phe	enylpropane-1,3-diyl	dicarbamate	<b>):</b>		
Stability in water		: Hydro			
Cellu	lose:				
Biodegradability		: Resul	: Result: Readily biodegradable.		
Bioad	cumulative potentia	l			
<u>Com</u>	oonents:				
2-phe	enylpropane-1,3-diyl	dicarbamate	):		
	on coefficient: n- ol/water	: log Po	ow: 0.381		
 Mobi	lity in soil				
	ata available				
Othe	adverse effects				
Nia da	ata available				

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

#### **14. TRANSPORT INFORMATION**

#### **International Regulations**

UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

according to the Globally Harmonized System



### **Felbamate Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.0	30.09.2023	2338746-00012	Date of first issue: 13.12.2017

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

#### 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

#### **16. OTHER INFORMATION**

Revision Date	:	30.09.2023
Further information Sources of key data used to compile the Safety Data	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	dd.mm.yyyy
Full text of other abbreviatio		
ACGIH	•	USA. ACGIH Threshold Limit Values (TLV)

#### ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median

according to the Globally Harmonized System



### Felbamate Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.0	30.09.2023	2338746-00012	Date of first issue: 13.12.2017

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN