

# SAFETY DATA SHEET



## Gentamicin (8%) Injection Formulation



Version 2.9      Revision Date: 30.09.2023      SDS Number: 1847016-00013      Date of last issue: 04.04.2023  
Date of first issue: 25.07.2017

---

### SECTION 1. IDENTIFICATION

Product name : Gentamicin (8%) Injection Formulation

#### Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33rd floor  
Jersey City, New Jersey, U.S.A 07302

Telephone : 1-551-430-6000

Emergency telephone : 1-215-631-6999

E-mail address : EHSSTEWARD@organon.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Reproductive toxicity : Category 1A

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Kidney, inner ear)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 2

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H360D May damage the unborn child.  
H373 May cause damage to organs (Kidney, inner ear) through prolonged or repeated exposure if swallowed.  
H400 Very toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.

## Gentamicin (8%) Injection Formulation

Version            Revision Date:            SDS Number:            Date of last issue: 04.04.2023  
2.9                    30.09.2023                1847016-00013            Date of first issue: 25.07.2017

Precautionary Statements            :            **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapors.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture            : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Gentamicin	1403-66-3	8
Benzyl alcohol	100-51-6	1,5

**SECTION 4. FIRST AID MEASURES**

General advice            : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled                : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact            : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact            : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed                : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

## Gentamicin (8%) Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.9	30.09.2023	1847016-00013	Date of first issue: 25.07.2017

Most important symptoms and effects, both acute and delayed	:	May damage the unborn child. May cause damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

# SAFETY DATA SHEET



## Gentamicin (8%) Injection Formulation



Version 2.9      Revision Date: 30.09.2023      SDS Number: 1847016-00013      Date of last issue: 04.04.2023  
Date of first issue: 25.07.2017

determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapors.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Gentamicin	1403-66-3	TWA	0.1 mg/m <sup>3</sup> (OEB 2)	Internal
Further information: OTO				

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Laboratory operations do not require special containment.

**Gentamicin (8%) Injection Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.9	30.09.2023	1847016-00013	Date of first issue: 25.07.2017

---

**Personal protective equipment**

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapor type
- Hand protection  
Material : Chemical-resistant gloves
- Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance : liquid
- Color : colorless
- Odor : No data available
- Odor Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : > 93,3 °C
- Evaporation rate : No data available
- Flammability (solid, gas) : Not applicable
- Flammability (liquids) : Not applicable
- Upper explosion limit / Upper flammability limit : No data available

# SAFETY DATA SHEET



## Gentamicin (8%) Injection Formulation



Version 2.9      Revision Date: 30.09.2023      SDS Number: 1847016-00013      Date of last issue: 04.04.2023  
Date of first issue: 25.07.2017

---

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Vapors may form explosive mixture with air.  
Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

**Gentamicin (8%) Injection Formulation**

Version 2.9      Revision Date: 30.09.2023      SDS Number: 1847016-00013      Date of last issue: 04.04.2023  
Date of first issue: 25.07.2017

---

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

**Components:****Gentamicin:**

Acute oral toxicity : LD50 (Rat): 8.000 - 10.000 mg/kg  
LD50 (Mouse): 10.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0,2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: No mortality observed at this dose.

Acute toxicity (other routes of administration) : LD50 (Rat): 67 - 96 mg/kg  
Application Route: Intravenous  
LD50 (Rat): 371 - 384 mg/kg  
Application Route: Intramuscular  
LDLo (Monkey): 30 mg/kg  
Application Route: Intravenous

**Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1.620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4,178 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Gentamicin:**

Species : Rabbit  
Result : Mild skin irritation

**Benzyl alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

## Gentamicin (8%) Injection Formulation

Version 2.9      Revision Date: 30.09.2023      SDS Number: 1847016-00013      Date of last issue: 04.04.2023  
Date of first issue: 25.07.2017

---

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Gentamicin:**

Species : Rabbit  
Result : Mild eye irritation

**Benzyl alcohol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Gentamicin:**

Remarks : No data available

**Benzyl alcohol:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Gentamicin:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intravenous injection  
Result: negative

**Benzyl alcohol:**



## Gentamicin (8%) Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.9	30.09.2023	1847016-00013	Date of first issue: 25.07.2017

---

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Gentamicin:**

Carcinogenicity - Assessment	:	No data available
------------------------------	---	-------------------

**Benzyl alcohol:**

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

**Reproductive toxicity**

May damage the unborn child.

**Components:****Gentamicin:**

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Fertility: NOAEL: 20 mg/kg body weight Result: No significant adverse effects were reported
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rabbit Developmental Toxicity: NOAEL: 3,6 mg/kg body weight Result: No embryo-fetal toxicity.
		Test Type: Embryo-fetal development Species: Rat Application Route: Intraperitoneal Developmental Toxicity: LOAEL: 75 mg/kg body weight Result: Embryo-fetal toxicity.
		Test Type: Embryo-fetal development Species: Mouse Application Route: Intraperitoneal Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: Fetal mortality., No malformations were observed.
		Test Type: Embryo-fetal development Species: Rat

## Gentamicin (8%) Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.9	30.09.2023	1847016-00013	Date of first issue: 25.07.2017

---

Application Route: Intraperitoneal  
 Developmental Toxicity: LOAEL: 50 mg/kg body weight  
 Result: Fetal mortality., No malformations were observed.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

**Benzyl alcohol:**

Effects on fertility : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Mouse  
 Application Route: Ingestion  
 Result: negative

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

May cause damage to organs (Kidney, inner ear) through prolonged or repeated exposure if swallowed.

**Components:****Gentamicin:**

Target Organs : Kidney, inner ear  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Gentamicin:**

Species : Dog  
 LOAEL : 3 mg/kg  
 Application Route : Intramuscular  
 Exposure time : 12 Months  
 Target Organs : Kidney  
 Symptoms : Vomiting, Salivation

Species : Monkey  
 LOAEL : 50 mg/kg  
 Application Route : Subcutaneous  
 Exposure time : 3 Weeks  
 Target Organs : Kidney, inner ear

Species : Monkey  
 LOAEL : 6 mg/kg  
 Application Route : Intramuscular

# SAFETY DATA SHEET



## Gentamicin (8%) Injection Formulation



Version 2.9      Revision Date: 30.09.2023      SDS Number: 1847016-00013      Date of last issue: 04.04.2023  
Date of first issue: 25.07.2017

---

Exposure time : 3 Weeks  
Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat  
NOAEL : 5 mg/kg  
LOAEL : 10 mg/kg  
Application Route : Intramuscular  
Exposure time : 52 Weeks  
Target Organs : Kidney, Blood

Species : Rat  
NOAEL : 12,5 mg/kg  
LOAEL : 50 mg/kg  
Application Route : Intramuscular  
Exposure time : 13 Weeks  
Target Organs : Kidney

### **Benzyl alcohol:**

Species : Rat  
NOAEL : 1,072 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 28 Days  
Method : OECD Test Guideline 412

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

### **Components:**

#### **Gentamicin:**

Ingestion : Target Organs: Kidney  
Target Organs: inner ear  
Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### **Components:**

#### **Gentamicin:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 86 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

LC50 (Americamysis): 30 mg/l  
Exposure time: 96 h  
Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l  
Exposure time: 72 h

---

## Gentamicin (8%) Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.9	30.09.2023	1847016-00013	Date of first issue: 25.07.2017

---

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1,5 µg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 4,7 µg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 1,6 µg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50: 288,7 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

**Benzyl alcohol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

**Persistence and degradability****Components:****Gentamicin:**

Biodegradability : Result: rapidly degradable  
Biodegradation: 100 %  
Exposure time: 28 d

# SAFETY DATA SHEET



## Gentamicin (8%) Injection Formulation



Version 2.9      Revision Date: 30.09.2023      SDS Number: 1847016-00013      Date of last issue: 04.04.2023  
Date of first issue: 25.07.2017

---

Method: OECD Test Guideline 314

### Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

### Bioaccumulative potential

#### Components:

#### Gentamicin:

Partition coefficient: n-octanol/water : log Pow: < -2

#### Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1,05

#### Mobility in soil

No data available

#### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Gentamicin)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Gentamicin)  
Class : 9  
Packing group : III

# SAFETY DATA SHEET



## Gentamicin (8%) Injection Formulation



Version            Revision Date:            SDS Number:            Date of last issue: 04.04.2023  
2.9                30.09.2023                1847016-00013            Date of first issue: 25.07.2017

---

Labels                                : Miscellaneous  
Packing instruction (cargo        : 964  
aircraft)  
Packing instruction (passen-       : 964  
ger aircraft)  
Environmentally hazardous        : yes

### IMDG-Code

UN number                            : UN 3082  
Proper shipping name                : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Gentamicin)  
Class                                    : 9  
Packing group                        : III  
Labels                                    : 9  
EmS Code                                : F-A, S-F  
Marine pollutant                      : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents            : Not applicable  
Registry.

Control of precursors and essential chemicals for the        : Not applicable  
preparation of drugs.

### The ingredients of this product are reported in the following inventories:

AICS                                      : not determined  
DSL                                        : not determined  
IECSC                                     : not determined

---

## SECTION 16. OTHER INFORMATION

Revision Date                         : 30.09.2023  
Date format                            : dd.mm.yyyy

### Further information

Sources of key data used to        : Internal technical data, data from raw material SDSs, OECD  
compile the Material Safety        eChem Portal search results and European Chemicals Agen-

---

# SAFETY DATA SHEET



## Gentamicin (8%) Injection Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.9	30.09.2023	1847016-00013	Date of first issue: 25.07.2017

---

Data Sheet cy, <http://echa.europa.eu/>

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8