according to the OSHA Hazard Communication Standard



# **Gentamicin (8%) Injection Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.10	09/30/2023	1845025-00014	Date of first issue: 07/25/2017

#### **SECTION 1. IDENTIFICATION**

Product name	:	Gentamicin (8%) Injection Formulation			
Manufacturer or supplier's	deta	ails			
Company name of supplier	:	- 3			
Address	÷	30 Hudson Street, 33nd floor Jersey City, New Jersey, U.S.A 07302			
Telephone	:	1-551-430-6000			
Emergency telephone	:	1-215-631-6999			
E-mail address	:	EHSSTEWARD@organon.com			
Recommended use of the chemical and restrictions on use					
Recommended use	:	Pharmaceutical			
Restrictions on use	:	Not applicable			

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)				
Reproductive toxicity	:	Category 1A		
Specific target organ toxicity - repeated exposure (Oral)	:	Category 1 (Kidney, inner ear)		
GHS label elements				
Hazard pictograms	:			
Signal Word	:	Danger		
Hazard Statements	:	H360D May damage the unborn child. H372 Causes damage to organs (Kidney, inner ear) through prolonged or repeated exposure if swallowed.		
Precautionary Statements	:	<ul> <li>Prevention:</li> <li>P201 Obtain special instructions before use.</li> <li>P202 Do not handle until all safety precautions have been read and understood.</li> <li>P260 Do not breathe mist or vapors.</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P270 Do not eat, drink or smoke when using this product.</li> <li>P280 Wear protective gloves, protective clothing, eye protection and face protection.</li> </ul>		
		<b>Response:</b> P308 + P313 IF exposed or concerned: Get medical attention.		
		Storage:		

according to the OSHA Hazard Communication Standard



## **Gentamicin (8%) Injection Formulation**

Version 3.10	Revision Date: 09/30/2023	SDS Number: 1845025-00014	Date of last issue: 04/04/2023 Date of first issue: 07/25/2017		
		P405 Store lock	ed up.		
		Disposal:			
		-	f contents and container to an approved waste		
Othe	er hazards				
None	e known.				
SECTION	I 3. COMPOSITION/INF	ORMATION ON ING	REDIENTS		
Subs	stance / Mixture	: Mixture			
Com	ponents				
Cher	nical name	CAS-No.	Concentration (% w/w)		
Gent	amicin	1403-66-3	8		
Benz	yl alcohol	100-51-6	1.5		
Gene	eral advice	advice immedia	ccident or if you feel unwell, seek medical tely. s persist or in all cases of doubt seek medical		
lf inh	aled	: If inhaled, remo			
In ca	se of skin contact	: In case of conta of water. Remove contan Get medical atte Wash clothing b	Get medical attention. In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.		
In ca	se of eye contact	: Flush eyes with	water as a precaution. ention if irritation develops and persists.		
If sw	allowed	: If swallowed, D Get medical atte	<ul> <li>If swallowed, DO NOT induce vomiting.</li> <li>Get medical attention.</li> <li>Rinse mouth thoroughly with water.</li> </ul>		
and e delay	important symptoms effects, both acute and /ed ection of first-aiders	<ul> <li>May damage th Causes damage exposure if swa</li> <li>First Aid respon and use the rec</li> </ul>	<ul> <li>May damage the unborn child.</li> <li>Causes damage to organs through prolonged or repeated exposure if swallowed.</li> <li>First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment</li> </ul>		
Note	s to physician		when the potential for exposure exists (see section 8). Treat symptomatically and supportively.		

#### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray
		Alcohol-resistant foam
		Carbon dioxide (CO2)
		Dry chemical
Unsuitable extinguishing	:	None known.

according to the OSHA Hazard Communication Standard



# Gentamicin (8%) Injection Formulation

Vers 3.10		Revision Date: 09/30/2023		9S Number: 45025-00014	Date of last issue: 04/04/2023 Date of first issue: 07/25/2017
media Specific hazards during fire fighting		:	Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.		
	Hazardous combustion prod- ucts		:	Carbon oxides	
Specific extinguishing meth- ods		:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to o so. Evacuate area.		
	Special protective equipment for fire-fighters		:	In the event of fire	e, wear self-contained breathing apparatus. tective equipment.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

#### SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Do not breathe mist or vapors. Do not swallow.

according to the OSHA Hazard Communication Standard



# **Gentamicin (8%) Injection Formulation**

Version 3.10	Revision Date: 09/30/2023	SDS Number: 1845025-00014	Date of last issue: 04/04/2023 Date of first issue: 07/25/2017	
		Handle in accord practice, based o assessment Keep container ti Do not eat, drink	ughly after handling. lance with good industrial hygiene and safety on the results of the workplace exposure	
Conditions for safe storage		: Keep in properly labeled containers. Store locked up. Keep tightly closed.		
Materials to avoid		<ul> <li>Store in accordance with the particular national regulations.</li> <li>Do not store with the following product types: Strong oxidizing agents</li> <li>Self-reactive substances and mixtures</li> <li>Organic peroxides</li> <li>Explosives</li> <li>Gases</li> </ul>		

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
Gentamicin	1403-66-3	TWA	0.1 mg/m3 (OEB 2)	Internal	
	Further information: OTO				
Benzyl alcohol	100-51-6	TWA	10 ppm	US WEEL	

#### Ingredients with workplace control parameters

Engineering measures :	Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.
Personal protective equipment	
Respiratory protection :	General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

according to the OSHA Hazard Communication Standard



# Gentamicin (8%) Injection Formulation

Version 3.10	Revision Date: 09/30/2023	SDS Number: 1845025-00014	Date of last issue: 04/04/2023 Date of first issue: 07/25/2017		
Hand protection Material		: Chemical-resista	ant gloves		
Eye protection		: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.			
Skin and body protection Hygiene measures		eye flushing syst working place. When using do r Wash contamina The effective op engineering cont appropriate dego	nemical is likely during typical use, provide tems and safety showers close to the not eat, drink or smoke. ated clothing before re-use. eration of a facility should include review of trols, proper personal protective equipment, owning and decontamination procedures, e monitoring, medical surveillance and the		

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color		colorless
Odor	:	No data available
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	> 199.9 °F / > 93.3 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available

according to the OSHA Hazard Communication Standard



### **Gentamicin (8%) Injection Formulation**

Version 3.10	Revision Date: 09/30/2023		S Number: ŧ5025-00014	Date of last issue: 04/04/2023 Date of first issue: 07/25/2017
Relativ	e vapor density	:	No data available	9
Relativ	e density	:	No data available	9
Density	ý	:	No data available	9
Solubil Wa	ity(ies) ter solubility	:	No data available	9
	n coefficient: n-	:	No data available	9
octano Autoigi	nition temperature	:	No data available	9
Decom	position temperature	:	No data available	9
Viscos Visc	ity cosity, kinematic	:	No data available	9
Explos	ive properties	:	Not explosive	
	ng properties	:		r mixture is not classified as oxidizing.
Molecu	ılar weight	:	No data available	2
Particle	e size	:	No data available	9

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products	:	None known. Oxidizing agents No hazardous decomposition products are known.

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

according to the OSHA Hazard Communication Standard



Vers 3.10	-	Revision Date: 09/30/2023		S Number: 45025-00014	Date of last issue: 04/04/2023 Date of first issue: 07/25/2017
	Acute or	ral toxicity	:	Acute toxicity estir Method: Calculation	mate: > 5,000 mg/kg on method
	Acute in	halation toxicity	:	Acute toxicity estir Exposure time: 4 I Test atmosphere: Method: Calculatio	h dust/mist
	Compo	nents:			
	Gentam	nicin:			
	Acute or	ral toxicity	:	LD50 (Rat): 8,000	- 10,000 mg/kg
				LD50 (Mouse): 10	,000 mg/kg
	Acute in	halation toxicity	:	LC50 (Rat): > 0.2 Exposure time: 4 I Test atmosphere: Remarks: No more	h
	Acute to administ	oxicity (other routes of tration)	:	LD50 (Rat): 67 - 9 Application Route	
				LD50 (Rat): 371 - Application Route	
				LDLo (Monkey): 3 Application Route	
	Benzvla	alcohol:			
	•	ral toxicity	:	LD50 (Rat): 1,620	mg/kg
	Acute in	halation toxicity	:	LC50 (Rat): > 4.17 Exposure time: 4 I Test atmosphere: Method: OECD Te	h dust/mist
	Skin co	rrosion/irritation			
	Not clas	sified based on availa	ble	information.	
	Compo	nents:			
	Gentam	nicin:			
	Species Result		:	Rabbit Mild skin irritation	
	Benzyl a	alcohol:			
	Species		:	Rabbit	
	Method Result		:	OECD Test Guide No skin irritation	line 404

according to the OSHA Hazard Communication Standard



ersion .10	Revision Date: 09/30/2023		0S Number: 45025-00014	Date of last issue: 04/04/2023 Date of first issue: 07/25/2017
Seriou	ıs eye damage/eye i	irritati	on	
Not cla	assified based on ava	ailable	information.	
<u>Comp</u>	onents:			
Genta	micin:			
Specie Result		:	Rabbit Mild eye irritation	
Benzy	l alcohol:			
Specie	es	:	Rabbit	
Result		:		reversing within 21 days
Metho	d	•	OECD Test Guid	eline 405
Respi	ratory or skin sensi	tizatio	n	
Skin s	ensitization			
Not cla	assified based on ava	ailable	information.	
Respir	ratory sensitization			
Not cla	assified based on ava	ailable	information.	
<u>Comp</u>	<u>onents:</u>			
Genta	micin:			
Remar	rks	:	No data available	
Benzy	l alcohol:			
Test T		:	Maximization Tes	st
	s of exposure	:	Skin contact	
Specie		:	Guinea pig	
Metho Result		:	OECD Test Guide	eline 406
Result		•	negative	
Germ	cell mutagenicity			
Not cla	assified based on ava	ailable	information.	
Comp	<u>onents:</u>			
Genta	micin:			
Genote	oxicity in vitro	:	Test Type: In vitro Result: negative	o mammalian cell gene mutation test
			Test Type: Chron Result: equivocal	nosome aberration test in vitro
Genoto	oxicity in vivo	:	cytogenetic assay Species: Mouse	nalian erythrocyte micronucleus test (in vivo y) e: Intravenous injection

according to the OSHA Hazard Communication Standard



ersion .10	Revision Date: 09/30/2023	SDS Number: 1845025-00014	Date of last issue: 04/04/2023 Date of first issue: 07/25/2017
Benz	yl alcohol:		
Geno	toxicity in vitro	: Test Type: Ba Result: negat	acterial reverse mutation assay (AMES) ive
Geno	toxicity in vivo	cytogenetic a Species: Mou	use oute: Intraperitoneal injection
Not c	nogenicity lassified based on ava	ilable information.	
	ponents:		
	amicin: nogenicity - Assess-	: No data avail	able
Speci Applio	cation Route sure time od	: Mouse : Ingestion : 103 weeks : OECD Test 0 : negative	Guideline 451
IARC	5		esent at levels greater than or equal to 0.1% is or confirmed human carcinogen by IARC.
OSH/		ent of this product p list of regulated carc	resent at levels greater than or equal to 0.1% is inogens.
NTP			esent at levels greater than or equal to 0.1% is ated carcinogen by NTP.
May o	oductive toxicity damage the unborn ch	ild.	
	<u>ponents:</u>		
	amicin: ts on fertility	Species: Rat Fertility: NOA	wo-generation reproduction toxicity study EL: 20 mg/kg body weight gnificant adverse effects were reported
Effect	ts on fetal developmer	Species: Rab Development	mbryo-fetal development bit al Toxicity: NOAEL: 3.6 mg/kg body weight nbryo-fetal toxicity.
		Test Type: Ei Species: Rat	mbryo-fetal development

according to the OSHA Hazard Communication Standard



### **Gentamicin (8%) Injection Formulation**

Version 3.10	Revision Date: 09/30/2023		OS Number: 45025-00014	Date of last issue: 04/04/2023 Date of first issue: 07/25/2017
			Application Route Developmental Te Result: Embryo-fe	oxicity: LOAEL: 75 mg/kg body weight
			Species: Mouse Application Route Developmental To	vo-fetal development e: Intraperitoneal oxicity: LOAEL: 10 mg/kg body weight tality., No malformations were observed.
			Species: Rat Application Route Developmental To	vo-fetal development e: Intraperitoneal oxicity: LOAEL: 50 mg/kg body weight tality., No malformations were observed.
	productive toxicity - As- ssment	:	Positive evidence human epidemiol	of adverse effects on development from ogical studies.
Ве	nzyl alcohol:			
Eff	ects on fertility	:	Species: Rat Application Route Result: negative	y/early embryonic development :: Ingestion on data from similar materials
Eff	ects on fetal development	:	Test Type: Embry Species: Mouse Application Route Result: negative	vo-fetal development : Ingestion
ет	OT-single expessive			

#### STOT-single exposure

Not classified based on available information.

#### **STOT-repeated exposure**

Causes damage to organs (Kidney, inner ear) through prolonged or repeated exposure if swallowed.

#### Components:

#### Gentamicin:

Target Organs	:	Kidney, inner ear
Assessment	:	Causes damage to organs through prolonged or repeated
		exposure.

#### Repeated dose toxicity

#### **Components:**

#### Gentamicin:

Species	:	Dog
LOAEL	:	3 mg/kg
Application Route	:	Intramuscular

according to the OSHA Hazard Communication Standard



Version 3.10	Revision Date: 09/30/2023	SDS Number: 1845025-00014	Date of last issue: 04/04/2023 Date of first issue: 07/25/2017
	ure time t Organs toms	: 12 Months : Kidney : Vomiting, Sal	ivation
Expos		: Monkey : 50 mg/kg : Subcutaneou : 3 Weeks : Kidney, inner	
Expos		: Monkey : 6 mg/kg : Intramuscula : 3 Weeks : Blood, Kidney	r y, inner ear, Liver
Expos	L	: Rat : 5 mg/kg : 10 mg/kg : Intramuscula : 52 Weeks : Kidney, Blood	
Expos	E	: Rat : 12.5 mg/kg : 50 mg/kg : Intramuscula : 13 Weeks : Kidney	r
Benzy	/l alcohol:		
Specie NOAE Applic	es L ation Route ure time	: Rat : 1.072 mg/l : inhalation (du : 28 Days : OECD Test C	
-	ation toxicity assified based on ava	ailable information.	
Exper	ience with human e	exposure	
<u>Comp</u>	onents:		
Genta	imicin:		
Ingest	ion	: Target Orgar Target Orgar Symptoms: D deafness	

according to the OSHA Hazard Communication Standard



# Gentamicin (8%) Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023	
3.10	09/30/2023	1845025-00014	Date of first issue: 07/25/2017	

#### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Components:
-------------

Gentamicin:		
Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): 86 mg/l
aquatic invertebrates		Exposure time: 48 h
		Method: OECD Test Guideline 202
		LC50 (Americamysis): 30 mg/l
		Exposure time: 96 h
		Method: US-EPA OPPTS 850.1035
Toxicity to algae/aquatic	•	EC50 (Pseudokirchneriella subcapitata (green algae)): 10 μg/l
plants		Exposure time: 72 h Method: OECD Test Guideline 201
		Method. OLOD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5
		μg/l
		Exposure time: 72 h
		Method: OECD Test Guideline 201
		EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 μg/l
		Exposure time: 72 h
		Method: OECD Test Guideline 201
		NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l
		Exposure time: 72 h
		Method: OECD Test Guideline 201
Tovicity to microorgonicmo		$\Gamma(F_{0}, 288.7 m_{\pi})$
Toxicity to microorganisms	•	EC50: 288.7 mg/l Exposure time: 3 h
		Test Type: Respiration inhibition
		Method: OECD Test Guideline 209
Benzyl alcohol:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
		Exposure time: 96 h
Toxicity to daphnia and other		EC50 (Daphnia magna (Water flea)): 230 mg/l
aquatic invertebrates	•	Exposure time: 48 h
		Method: OECD Test Guideline 202
Toxicity to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 770
plants		mg/l Exposure time: 72 h
		Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 310
		mg/l Exposure time: 72 h

Exposure time: 72 h

according to the OSHA Hazard Communication Standard



# Gentamicin (8%) Injection Formulation

Version 3.10	Revision Date: 09/30/2023	-	OS Number: 45025-00014	Date of last issue: 04/04/2023 Date of first issue: 07/25/2017
			Method: OECD	Test Guideline 201
	ity to daphnia and oth ic invertebrates (Chro icity)		Exposure time: 2	i magna (Water flea)): 51 mg/l 21 d Test Guideline 211
Persi	stence and degradal	oility		
Com	oonents:			
	amicin: gradability	:	Result: rapidly d Biodegradation: Exposure time: 2 Method: OECD	100 %
	<b>yl alcohol:</b> gradability	:	Result: Readily Biodegradation: Exposure time:	92 - 96 %
Bioad	cumulative potentia	I		
Com	oonents:			
Partit	amicin: ion coefficient: n- ol/water	:	log Pow: < -2	
Benz	yl alcohol:			
	ion coefficient: n- ol/water	:	log Pow: 1.05	
	<b>lity in soil</b> ata available			
	r <b>adverse effects</b> ata available			

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
	Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste
	handling site for recycling or disposal.
	If not otherwise specified: Dispose of as unused product.

#### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

according to the OSHA Hazard Communication Standard



Version 3.10	Revision Date: 09/30/2023	SDS Number 1845025-000	
	<b>TDG</b> umber er shipping name	N.O.S.	IMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
Label	ng group	(Gentam : 9 : III : 9 : yes	
UN/IE	<b>-DGR</b> ) No. er shipping name	: UN 3082 : Environm (Gentam	entally hazardous substance, liquid, n.o.s. icin)
Label Packi aircra	ng group s ng instruction (cargo	: 9 : III : Miscellan : 964 : 964	
ger a	ircraft) onmentally hazardous	: yes	
UN n	<b>6-Code</b> umber er shipping name	: UN 3082 : ENVIRON N.O.S. (Gentami	IMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
Label EmS	ng group s	: 9 : III : 9 : F-A, S-F : yes	
			f MARPOL 73/78 and the IBC Code
	pplicable for product as estic regulation	supplied.	
<b>49 CI</b> UN/IE	-		entally hazardous substance, liquid, n.o.s.
Label ERG	ng group s Code ie pollutant	liters. Shipment may be sl	

according to the OSHA Hazard Communication Standard



### Gentamicin (8%) Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.10	09/30/2023	1845025-00014	Date of first issue: 07/25/2017

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA** Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Reproductive toxicity Specific target organ toxicity (single or repeated exposure)
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **US State Regulations**

#### Pennsylvania Right To Know

Water	7732-18-5
Gentamicin	1403-66-3
Benzyl alcohol	100-51-6
Sodium hydrogensulfite	7631-90-5

#### California Prop. 65

WARNING: This product can expose you to chemicals including Gentamicin, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### The ingredients of this product are reported in the following inventories:


AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**



# Gentamicin (8%) Injection Formulation



#### Full text of other abbreviations

US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System: GLP - Good Laboratory Practice: HMIS - Hazardous Materials Identification System: IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance

according to the OSHA Hazard Communication Standard



### Gentamicin (8%) Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.10	09/30/2023	1845025-00014	Date of first issue: 07/25/2017

Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

Revision Date : 09/30/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8