

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
4.2	09/30/2023	1832923-00014	Date of first issue: 07/13/2017

SECTION 1. IDENTIFICATION

Product name Other means of identification	:	Gentamicin / Betamethasone Cream Formulation No data available
Manufacturer or supplier's d	leta	ails

Company name of supplier:Organon & Co.Address:30 Hudson Street, 33nd floor
Jersey City, New Jersey, U.S.A 07302Telephone:1-551-430-6000Emergency telephone:1-215-631-6999E-mail address:EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use	:	Pharmaceutical
Restrictions on use	:	Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accord Reproductive toxicity	lan :	ce with the Hazardous Products Regulations Category 1A
Specific target organ toxicity - repeated exposure	:	Category 1 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland)
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H360D May damage the unborn child. H372 Causes damage to organs (Pituitary gland, Immune sys- tem, muscle, thymus gland, Blood, Adrenal gland) through pro- longed or repeated exposure.
Precautionary Statements	:	 Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust, fume, gas, mist, vapors or spray. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves, protective clothing, eye protection and face protection.

according to the Hazardous Products Regulations



Gentamicin / Betamethasone Cream Formulation

VersionRevision Date:SDS Number:Date of last issue: 04/04/20234.209/30/20231832923-00014Date of first issue: 07/13/2017

Response:

P308 + P313 IF exposed or concerned: Get medical attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Petrolatum	White Vaseline	8009-03-8	>= 10 - < 30 *
Paraffin oil	No data availa- ble	8012-95-1	>= 5 - < 10 *
Gentamicin	No data availa- ble	1403-66-3	>= 0.1 - < 1 *
Betamethasone	No data availa- ble	378-44-9	>= 0.01 - < 0.1 *

^{*} Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms	:	May damage the unborn child.



Versio 4.2		evision Date: 9/30/2023		9S Number: 32923-00014	Date of last issue: 04/04/2023 Date of first issue: 07/13/2017		
	nd effect elayed	s, both acute and		Causes damage t exposure.	o organs through prolonged or repeated		
		of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).			
N	lotes to p	ohysician	:		cally and supportively.		
SECTI	ION 5. F	IRE-FIGHTING ME	\SU	IRES			
Su	uitable e	extinguishing media	:	Water spray Alcohol-resistant f Carbon dioxide (C Dry chemical			
	Insuitable nedia	e extinguishing	:	None known.			
	pecific h ghting	azards during fire	:	: Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.			
	lazardou cts	s combustion prod-	:	Carbon oxides			
	pecific e ds	xtinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do		
	pecial pr or fire-fig	otective equipment	:	In the event of fire	e, wear self-contained breathing apparatus. ective equipment.		

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE



Version 4.2	Revision Date: 09/30/2023	SDS Number: 1832923-00014	Date of last issue: 04/04/2023 Date of first issue: 07/13/2017			
Technical measures		CONTROLS/ : If sufficient ve	ing measures under EXPOSURE PERSONAL PROTECTION section. entilation is unavailable, use with local exhaust			
Advi	ce on safe handling	: Do not get on Do not breath Do not swallo Avoid contact Wash skin the Handle in acc practice, base assessment Keep contain Do not eat, de	 ventilation. Do not get on skin or clothing. Do not breathe dust, fume, gas, mist, vapors or spray. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the 			
Con	ditions for safe storage	Store locked Keep tightly c				
Mate	erials to avoid	: Do not store Strong oxidiz	with the following product types: ng agents substances and mixtures			

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Petrolatum	8009-03-8	TWA (Mist)	5 mg/m ³	CA AB OEL
		STEL (Mist)	10 mg/m ³	CA AB OEL
		TWA (Mist)	1 mg/m ³	CA BC OEL
		TWAEV (Mist	5 mg/m ³	CA QC OEL
		- Inhalable		
		dust)		
		TWA	5 mg/m³	ACGIH
		(Inhalable		
		particulate matter)		
Paraffin oil	8012-95-1	TWA (Mist)	5 mg/m ³	CA AB OEL
		STEL (Mist)	10 mg/m ³	CA AB OEL
		TWA (Mist)	1 mg/m ³	CA BC OEL
		TWAEV (Mist	5 mg/m ³	CA QC OEL
		- Inhalable		
		dust)		
		TWA	5 mg/m³	ACGIH

according to the Hazardous Products Regulations



sion	Revision Date: 09/30/2023		DS Number: 332923-00014		ast issue: 04/04/2023 irst issue: 07/13/2017		
				(Inhalable particulate matter)			
Genta	amicin		1403-66-3	TWA	0.1 mg/m3 (OEB 2)	Internal	
			Further information	ation: OTO			
Betar	nethasone		378-44-9	TWA	1 µg/m3 (OEB 4)	Internal	
			Further information			-	
				Wipe limit	10 µg/100 cm ²	Internal	
Engir	neering measures	:	are required to the compound from a closed stationary con All engineerin design and op protect produc Essentially no	o control at so d to uncontroll system, pack ttainer, ventila g controls sho perated in acco cts, workers, a open handlin	suitable for controlling ource and to prevent m ed areas (e.g., vacuum out head with inflatabl ted enclosure, etc.). ould be implemented b ordance with GMP prin and the environment. g permitted. ems or containment te	igration of n conveying e seal from y facility nciples to	
Perso	onal protective equip	ment	:				
Respiratory protection : Filter type : Hand protection		:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Combined particulates and organic vapor type				
Ма	aterial	:	Chemical-resi	stant gloves			
Remarks : Eye protection : Skin and body protection :			Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.				

according to the Hazardous Products Regulations



Version 4.2	Revision Date: 09/30/2023		S Number: 32923-00014	Date of last issue: 04/04/2023 Date of first issue: 07/13/2017
			use of administrat	tive controls.
SECTION	I 9. PHYSICAL AND CH	EMIC	CAL PROPERTIES	S
Арре	earance	:	cream	
Colo	r	:	No data available	9
Odor		:	No data available	9
Odor	Threshold	:	No data available	9
рН		:	No data available	9
Melti	ng point/freezing point	:	No data available	9
Initia rang	l boiling point and boiling e	:	No data available	9
Flash	n point	:	> 93.3 °C	
Evap	poration rate	:	No data available	9
Flam	mability (solid, gas)	:	Not classified as	a flammability hazard
Flam	mability (liquids)	:	No data available	9
	er explosion limit / Upper mability limit	:	No data available	e
	er explosion limit / Lower mability limit	:	No data available	9
Vapo	or pressure	:	No data available	9
Rela	tive vapor density	:	No data available	9
Rela	tive density	:	No data available	9
Dens	sity	:	No data available	9
	bility(ies) /ater solubility	:	No data available	9
octar	tion coefficient: n- nol/water	:	No data available	
	ignition temperature	:	No data available	
	omposition temperature	:	No data available	9
Visco V	osity iscosity, kinematic	:	No data available	e

SAFETY DATA SHEET according to the Hazardous Products Regulations



Gentamicin / Betamethasone Cream Formulation

Version 4.2	Revision Date: 09/30/2023	SDS Number: 1832923-00014	Date of last issue: 04/04/2023 Date of first issue: 07/13/2017
Explo	sive properties	: Not explosive	
Oxidiz	zing properties	: The substand	ce or mixture is not classified as oxidizing.
Molec	cular weight	: No data avail	able
Partic	le size	: No data avail	able

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products		None known. Oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Petrolatum:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials
Paraffin oil:		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal

-



Gentamicin / Betamethasone Cream Formulation

Vers 4.2	sion	Revision Date: 09/30/2023		0S Number: 32923-00014	Date of last issue: 04/04/2023 Date of first issue: 07/13/2017
				toxicity	
	Gentar	nicin:			
	Acute c	oral toxicity	:	LD50 (Rat): 8,000	- 10,000 mg/kg
				LD50 (Mouse): 10),000 mg/kg
	Acute in	nhalation toxicity	:	LC50 (Rat): > 0.2 Exposure time: 4 Test atmosphere: Remarks: No mor	h
		oxicity (other routes of stration)	:	LD50 (Rat): 67 - 9 Application Route	
				LD50 (Rat): 371 - Application Route	
				LDLo (Monkey): 3 Application Route	
	Betame	ethasone:			
	Acute c	oral toxicity	:	LD50 (Rat): > 5,00	00 mg/kg
				LD50 (Mouse): > -	4,500 mg/kg
	Acute in	nhalation toxicity	:	LC50 (Rat): 0.4 m Exposure time: 4	
	Skin co	orrosion/irritation			
	Not clas	ssified based on availa	ble	information.	
	<u>Compo</u>	onents:			
	Petrola	itum:			
	Species Method		:	Rabbit OECD Test Guide	
	Result		÷	No skin irritation	
	Remark	s	:		m similar materials
	Paraffi	n oil:			
	Species Result	5	:	Rabbit No skin irritation	
	Gentar	nicin:			
	Species Result	5	:	Rabbit Mild skin irritation	
	Betame	ethasone:			

Betamethasone:

according to the Hazardous Products Regulations



Vers 4.2	sion	Revision Date: 09/30/2023)S Number: 32923-00014	Date of last issue: 04/04/2023 Date of first issue: 07/13/2017
	Species Result	5	:	Rabbit Mild skin irritation	
		s eye damage/eye irri ssified based on availa			
	Compo	onents:			
	Petrola	itum:			
	Species	6	:	Rabbit	
	Result Method	1	:	No eye irritation OECD Test Guide	Nino 405
	Remark		:		m similar materials
	Paraffi	n oil:			
	Species	6	:	Rabbit	
	Result		:	No eye irritation	
	Gentar	nicin:			
	Species	6	:	Rabbit	
	Result		:	Mild eye irritation	
	Betam	ethasone:			
	Species Result	5	:	Rabbit No eye irritation	
	Respir	atory or skin sensitiz	atio	'n	
	Skin se	ensitization			
	Not cla	ssified based on availa	ble	information.	
	Respira	atory sensitization			
	Not cla	ssified based on availa	ble	information.	
	Compo	onents:			
	Petrola	itum:			
	Test Ty		:	Buehler Test	
		of exposure	:	Skin contact	
	Species Result	5	÷	Guinea pig negative	
	Remark	s	:		m similar materials
	Gentar	nicin:			
	Remark	<s< td=""><td>:</td><td>No data available</td><td></td></s<>	:	No data available	
	Betam	ethasone:			
	Routes	of exposure	:	Dermal	
				9/20	

₽ublic -;;--ORGANON

according to the Hazardous Products Regulations

Version 4.2	Revision Date: 09/30/2023	SDS Number: 1832923-0001	Date of last issue: 04/04/2023 Date of first issue: 07/13/2017
Spec Rest		: Guinea pig : Weak sens	
	n cell mutagenicity classified based on ava	ilable information.	
Com	<u>iponents:</u>		
Petr	olatum:		
Gene	otoxicity in vitro	Result: neg	Chromosome aberration test in vitro gative Based on data from similar materials
Gene	otoxicity in vivo	cytogenetic Species: M Application Method: O Result: neg	ouse Route: Intraperitoneal injection ECD Test Guideline 474
Gen	tamicin:		
Gene	otoxicity in vitro	: Test Type: Result: neg	In vitro mammalian cell gene mutation test gative
		Test Type: Result: equ	Chromosome aberration test in vitro ivocal
Gene	otoxicity in vivo	cytogenetic Species: M	ouse Route: Intravenous injection
Beta	amethasone:		
	otoxicity in vitro	: Test Type: Result: neg	Bacterial reverse mutation assay (AMES) pative
		Test Type: Result: neg	In vitro mammalian cell gene mutation test gative
		Test Type: Result: pos	Chromosome aberration test in vitro itive
Gen	otoxicity in vivo	cytogenetic Species: M	ouse Route: Oral
Gern	n cell mutagenicity -	: Weight of e	evidence does not support classification as a germ

according to the Hazardous Products Regulations



ersion 2	Revision Date: 09/30/2023		S Number: 32923-00014	Date of last issue: 04/04/2023 Date of first issue: 07/13/2017
Asses	sment		cell mutagen.	
Carci	nogenicity			
Not cl	assified based on availa	able	information.	
Comp	onents:			
Petro	latum:			
Speci		:	Rat	
	ation Route	:	Ingestion	
Expos Resul	sure time	÷	2 Years	
Resul	L	•	negative	
Genta	micin:			
Carcir ment	nogenicity - Assess-	:	No data available	9
Repro	oductive toxicity			
May d	amage the unborn child	ł.		
<u>Comp</u>	oonents:			
Petro	latum:			
Effect	s on fertility	:	Test Type: Repro	oduction/Developmental toxicity screenin
			test	
			Species: Rat Application Route	e: Indestion
			Result: negative	e. Ingestion
				on data from similar materials
Effect	s on fetal development	:	Test Type: Embr	yo-fetal development
			Species: Rat	
			Application Route	e: Skin contact
			Result: negative	on data from similar materials
			Remarks. Dased	
Genta	micin:			
Effect	s on fertility	:		generation reproduction toxicity study
			Species: Rat	00
				20 mg/kg body weight
			Result. NO SIGNI	cant adverse effects were reported
Effect	s on fetal development	:		yo-fetal development
			Species: Rabbit	
			Result: No embry	oxicity: NOAEL: 3.6 mg/kg body weight /o-fetal toxicity.
			Species: Rat	yo-fetal development
			Application Route	e: Intraperitoneal

according to the Hazardous Products Regulations



Gentamicin / Betamethasone Cream Formulation

Vers 4.2	sion	Revision Date: 09/30/2023		OS Number: 32923-00014	Date of last issue: 04/04/2023 Date of first issue: 07/13/2017			
				Result: Embryo-fe	etal toxicity.			
				Test Type: Embryo-fetal development Species: Mouse Application Route: Intraperitoneal Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: Fetal mortality., No malformations were observed.				
				Species: Rat Application Route Developmental To	vo-fetal development e: Intraperitoneal oxicity: LOAEL: 50 mg/kg body weight tality., No malformations were observed.			
	Reproc sessme	luctive toxicity - As- ent	:	Positive evidence human epidemiol	of adverse effects on development from ogical studies.			
	Betam	ethasone:						
	Effects	on fetal development	:		e: Intramuscular oxicity: LOAEL: 0.05 mg/kg body weight ty., Malformations were observed.			
					e: Subcutaneous oxicity: LOAEL: 0.42 mg/kg body weight iions were observed.			
					: Intramuscular oxicity: LOAEL: 1 mg/kg body weight ions were observed.			
	Reproc sessme	luctive toxicity - As- ent	:	Clear evidence of animal experimer	adverse effects on development, based on its.			

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.

Components:

Gentamicin:

Target Organs	:	Kidney, inner ear
Assessment	:	Causes damage to organs through prolonged or repeated
		exposure.



Vers 4.2	ion	Revision Date: 09/30/2023	SDS Nun 1832923-		Date of last issue: 04/04/2023 Date of first issue: 07/13/2017
	Betam	ethasone:			
		Organs		ary gland, Im al gland	mune system, muscle, thymus gland, Blood,
	Assess	ment		es damage to	o organs through prolonged or repeated
	Repeat	ted dose toxicity			
	Compo	onents:			
	Petrola	atum:			
	Species		: Rat		
	NOAEL			mg/kg	
		tion Route	: Inges	tion	
	Exposu	ire time	: 2 y		
	Paraffi	n oil:			
	Species	S	: Rat, f	emale	
	LOAEL		: 161 m		
		tion Route	: Inges		
	Exposu	ire time	: 90 Da	iys	
	Gentar	nicin:			
	Species	S	: Dog		
	LÖAEL		: 3 mg/		
		tion Route		nuscular	
		Ire time	: 12 Mo		
	Sympto	Organs	: Kidne	y ing, Salivatio	n
	Sympto	5115	. vonn	ing, Salivatio	11
	Species		: Monk		
	LOAEL		: 50 mg		
		ition Route ire time	: Subci	utaneous	
		Organs		y, inner ear	
	Ũ	C C		-	
	Species		: Monk		
		tion Route	: 6 mg/	кg nuscular	
		ire time	: 3 We		
		Organs			er ear, Liver
	Species	S	: Rat		
	NOAEL		: 5 mg/	kg	
	LOAEL		: 10 mg	g∕kg	
		tion Route		nuscular	
		Ire time	: 52 W		
	rarget	Organs		y, Blood	
	Species	S	: Rat		

according to the Hazardous Products Regulations



Gentamicin / Betamethasone Cream Formulation

Version 4.2	Revision Date: 09/30/2023	SDS Number: 1832923-00014	Date of last issue: 04/04/2023 Date of first issue: 07/13/2017
Expos		: 12.5 mg/kg : 50 mg/kg : Intramuscular : 13 Weeks : Kidney	r
Betan	nethasone:		
Expos		: Rabbit : 0.05 % : Skin contact : 10 - 30 d : Pituitary glan	d, Immune system, muscle
Expos		: Rat : 0.05 % : Skin contact : 8 Weeks : thymus gland	
Expos		: Mouse : 0.1 % : Skin contact : 8 Weeks : thymus gland	
Expos		: Dog : 0.05 mg/kg : Oral : 28 d : Blood, thymu	s gland, Adrenal gland

Aspiration toxicity

Not classified based on available information.

:

Components:

Paraffin oil:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure

Components:

Gentamicin:

Ingestion

Target Organs: Kidney Target Organs: inner ear Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness

Betamethasone:

▶^{Public} -∲* ORGANON

according to the Hazardous Products Regulations

Inhalation Skin contact : Target Organs: Adrenal gland : Symptoms: Redness, pruritis, Irritation SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity Components: Petrolatum: Toxicity to fish Toxicity to fish : LL50 (Pimephales promelas (fathead minnow Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar material Toxicity to daphnia and other aquatic invertebrates : Toxicity to algae/aquatic plants : NOEL (Pseudokirchneriella subcapitata (green 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar material Toxicity to algae/aquatic plants : NOEL (Pseudokirchneriella subcapitata (green 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar material Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar material	
EcotoxicityComponents:Petrolatum:Toxicity to fish: LL50 (Pimephales promelas (fathead minnow Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materialToxicity to daphnia and other aquatic invertebrates: EC50 (Daphnia magna (Water flea)): > 10,000 Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materialToxicity to algae/aquatic plants: NOEL (Pseudokirchneriella subcapitata (green 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materialToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity): NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar material	
Components: Petrolatum: Toxicity to fish : LL50 (Pimephales promelas (fathead minnow Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar material Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar material Toxicity to algae/aquatic plants : NOEL (Pseudokirchneriella subcapitata (green 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar material Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar material	
Petrolatum:Toxicity to fish: LL50 (Pimephales promelas (fathead minnow Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materialToxicity to daphnia and other aquatic invertebrates: EC50 (Daphnia magna (Water flea)): > 10,000 Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materialToxicity to algae/aquatic plants: NOEL (Pseudokirchneriella subcapitata (green 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materialToxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity): NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar material	
 Toxicity to fish LL50 (Pimephales promelas (fathead minnow Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar material Toxicity to daphnia and other aquatic invertebrates EC50 (Daphnia magna (Water flea)): > 10,000 Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar material Toxicity to algae/aquatic plants NOEL (Pseudokirchneriella subcapitata (green 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar material NOEL (Pseudokirchneriella subcapitata (green 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar material NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Method: 21 d 	
 Toxicity to daphnia and other aquatic invertebrates EC50 (Daphnia magna (Water flea)): > 10,000 Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar material Toxicity to algae/aquatic plants NOEL (Pseudokirchneriella subcapitata (green 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar material Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar material 	
plants100 mg/lExposure time: 72 hTest substance: Water Accommodated FractionMethod: OECD Test Guideline 201Remarks: Based on data from similar materialToxicity to daphnia and otheraquatic invertebrates (Chronic toxicity)NOEC (Daphnia magna (Water flea)): 10 mg/lExposure time: 21 dTest substance: Water Accommodated Fraction	0 mg/l on
aquatic invertebrates (Chron- ic toxicity) Exposure time: 21 d Test substance: Water Accommodated Fraction	on
	on
Paraffin oil:	
Toxicity to fish: LL50 (Scophthalmus maximus (turbot)): > 100Exposure time: 96 hTest substance: Water Accommodated FractionRemarks: Based on data from similar material	on
Toxicity to daphnia and other : EL50 (Acartia tonsa (Calanoid copepod)): > 10 aquatic invertebrates Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar material	on
Toxicity to algae/aquatic : EL50 (Skeletonema costatum (marine diatom) plants : Exposure time: 72 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar material	on
NOELR (Skeletonema costatum (marine diato Exposure time: 72 h Test substance: Water Accommodated Fractio	



Version 4.2	Revision Date: 09/30/2023		S Number: 32923-00014	Date of last issue: 04/04/2023 Date of first issue: 07/13/2017
			Remarks: Based	d on data from similar materials
Тох	Gentamicin: Toxicity to daphnia and other aquatic invertebrates		Exposure time:	magna (Water flea)): 86 mg/l 48 h Test Guideline 202
			LC50 (American Exposure time: Method: US-EP	
Tox plai	ricity to algae/aquatic nts	:	Exposure time:	irchneriella subcapitata (green algae)): 10 μg/l 72 h Test Guideline 201
			µg/l Exposure time:	kirchneriella subcapitata (green algae)): 1.5 72 h Test Guideline 201
			Exposure time:	a flos-aquae (cyanobacterium)): 4.7 μg/l 72 h Test Guideline 201
			Exposure time:	na flos-aquae (cyanobacterium)): 1.6 μg/l 72 h Test Guideline 201
Тох	cicity to microorganisms	:		
Bet	amethasone:			
	icity to daphnia and other atic invertebrates	:	EC50 (Americar Exposure time:	nysis): > 50 mg/l 96 h
Tox plai	ricity to algae/aquatic nts	:	mg/l Exposure time: Method: OECD	irchneriella subcapitata (green algae)): > 34 72 h Test Guideline 201 xicity at the limit of solubility.
			mg/l Exposure time: Method: OECD	kirchneriella subcapitata (green algae)): 34 72 h Test Guideline 201 kicity at the limit of solubility.
Tox icity	ticity to fish (Chronic tox- /)	:	NOEC (Pimepha Exposure time: 3	ales promelas (fathead minnow)): 0.052 mg/l 32 d



Vers 4.2	ion	Revision Date: 09/30/2023		9S Number: 32923-00014	Date of last issue: 04/04/2023 Date of first issue: 07/13/2017
				Method: OECD To	est Guideline 210
				NOEC (Oryzias la Exposure time: 21 Method: OECD Te	
		to daphnia and other invertebrates (Chron- ty)	:	NOEC (Daphnia r Exposure time: 21 Method: OECD To	
	Persist	ence and degradabili	ity		
	Compo	nents:			
	Petrola	tum:			
	Biodegr	adability	:		31 %
	Gentan	nicin:			
		adability	:	Result: rapidly de Biodegradation: 7 Exposure time: 28 Method: OECD To	100 % 3 d
	Bioacc	umulative potential			
	Compo	nents:			
	Paraffi	n oil:			
	Partition octanol	n coefficient: n- /water	:	log Pow: > 4 Remarks: Calcula	tion
	Gentan	nicin:			
	Partition octanol	n coefficient: n- /water	:	log Pow: < -2	
	Betame	ethasone:			
	Partition octanol	n coefficient: n- /water	:	log Pow: 2.11	
		y in soil a available			
		idverse effects a available			

according to the Hazardous Products Regulations



Gentamicin / Betamethasone Cream Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023	
4.2	09/30/2023	1832923-00014	Date of first issue: 07/13/2017	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal	methods
----------	---------

Waste from residues		Do not dispose of waste into sewer.
		Dispose of in accordance with local regulations.
Contaminated packaging		Empty containers should be taken to an approved waste
		handling site for recycling or disposal.
		If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations	
UNRTDG UN number Proper shipping name	 UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (betamethasone, Gentamicin)
Class Packing group Labels Environmentally hazardous	: 9 : III : 9 : yes
IATA-DGR UN/ID No. Proper shipping name	 : UN 3077 : Environmentally hazardous substance, solid, n.o.s. (Betamethasone, Gentamicin)
Class Packing group Labels Packing instruction (cargo aircraft)	: 9 : III : Miscellaneous : 956
Packing instruction (passen- ger aircraft) Environmentally hazardous	: 956 : yes
IMDG-Code UN number Proper shipping name	 UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Betamethasone, Gentamicin)
Class Packing group Labels EmS Code Marine pollutant	 Betamethasone, Gentamicin) 9 III 9 F-A, S-F yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG



Version 4.2	Revision Date: 09/30/2023		S Number: 32923-00014	Date of last issue: 04/04/2023 Date of first issue: 07/13/2017
UN nu		:	UN 3077	
Proper shipping name		:	ENVIRONMENT N.O.S. (Betamethasone	ALLY HAZARDOUS SUBSTANCE, SOLID,
Class		:	9	
Packi	ng group	:	111	
Labels	S	:	9	
ERG	Code	:	171	
Marin	e pollutant	:	yes(Betamethas	one, Gentamicin)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:				
AICS	:	not determined		
DSL	:	not determined		

: not determined

SECTION 16. OTHER INFORMATION

IECSC

Full text of other abbreviations					
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)			
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)			
CA BC OEL	:	Canada. British Columbia OEL			
CA QC OEL	:	Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants			
ACGIH / TWA	:	8-hour, time-weighted average			
CA AB OEL / TWA	:	8-hour Occupational exposure limit			
CA AB OEL / STEL	:	15-minute occupational exposure limit			
CA BC OEL / TWA	:	8-hour time weighted average			
CA QC OEL / TWAEV	:	Time-weighted average exposure value			

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA



Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
4.2	09/30/2023	1832923-00014	Date of first issue: 07/13/2017

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date Date format	:	09/30/2023 mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8