

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.2	30.09.2023	1832936-00014	Date of first issue: 13.07.2017

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	: Gentamicin / Betamethasone Cream Formulation				
Manufacturer or supplier's de	tails				
Company name of supplier Address	<ul> <li>Organon &amp; Co.</li> <li>Avenida 16 de Septiembre No. 301</li> <li>Xaltocan - Xochimilco Mexico 16090</li> </ul>				
Telephone	: +52 55 57284444				
Emergency telephone	: 1-215-631-6999				
E-mail address	: EHSSTEWARD@organon.com				
Recommended use of the chemical and restrictions on use					
Recommended use Restrictions on use	: Pharmaceutical : Not applicable				

#### SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Reproductive toxicity	:	Category 1A
Specific target organ toxicity - repeated exposure	:	Category 1 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland)
GHS label elements Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H360D May damage the unborn child. H372 Causes damage to organs (Pituitary gland, Immune sys- tem, muscle, thymus gland, Blood, Adrenal gland) through pro- longed or repeated exposure.
Precautionary Statements	:	<ul> <li>Prevention:</li> <li>P201 Obtain special instructions before use.</li> <li>P202 Do not handle until all safety precautions have been read and understood.</li> <li>P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P270 Do not eat, drink or smoke when using this product.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>Response:</li> <li>P308 + P313 IF exposed or concerned: Get medical advice/ attention.</li> </ul>



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.2	30.09.2023	1832936-00014	Date of first issue: 13.07.2017

#### Storage:

P405 Store locked up.

#### **Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Petrolatum	8009-03-8	>= 10 -< 20
Paraffin oil	8012-95-1	>= 5 -< 10
Gentamicin	1403-66-3	>= 0.1 -< 1
Betamethasone	378-44-9	>= 0.01 -< 0.1

#### **SECTION 4. FIRST AID MEASURES**

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed Protection of first-aiders	:	May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. First Aid responders should pay attention to self-protection,
Notes to physician	:	and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**



### Gentamicin / Betamethasone Cream Formulation

Vers 3.2	sion	Revision Date: 30.09.2023		9S Number: 32936-00014	Date of last issue: 04.04.2023 Date of first issue: 13.07.2017
	Unsuita media Specific fighting Hazard	e extinguishing media ble extinguishing c hazards during fire ous combustion prod-	:		
	ucts Specific extinguishing meth- ods Special protective equipment for fire-fighters		:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.	
SEC	TION 6	ACCIDENTAL RELE	ASI	EMEASURES	
	tive equ	al precautions, protec- ipment and emer- procedures	:		ective equipment. ng advice (see section 7) and personal ent recommendations (see section 8).
	Environ	mental precautions	:	Retain and dispos	akage or spillage if safe to do so. e of contaminated wash water. hould be advised if significant spillages
		s and materials for ment and cleaning up	:	container for dispo Local or national r disposal of this ma employed in the c determine which r Sections 13 and 1	um up spillage and collect in suitable osal. egulations may apply to releases and aterial, as well as those materials and items leanup of releases. You will need to egulations are applicable. 5 of this SDS provide information regarding tional requirements.

#### SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Do not breathe dust, fume, gas, mist, vapors or spray. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling.



### Gentamicin / Betamethasone Cream Formulation

Version 3.2	Revision Date: 30.09.2023	SDS Number: 1832936-00014	Date of last issue: 04.04.2023 Date of first issue: 13.07.2017		
Hygid	ene measures	<ul> <li>practice, based of assessment</li> <li>Keep container ti Do not eat, drink</li> <li>Take care to prevenvironment.</li> <li>If exposure to ch flushing systems place.</li> <li>When using do n Wash contamina</li> <li>The effective operation</li> </ul>	Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment. If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working		
Conditions for safe storage		industrial hygiene use of administra	wwning and decontamination procedures, e monitoring, medical surveillance and the ative controls. labeled containers.		
Keep tightly closed.		nce with the particular national regulations. the following product types: agents stances and mixtures			

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Petrolatum	8009-03-8	VLE-PPT (Mist)	5 mg/m³	NOM-010- STPS-2014
		TWA (Inhalable particulate matter)	5 mg/m³	ACGIH
Paraffin oil	8012-95-1	VLE-PPT (Mist)	5 mg/m³	NOM-010- STPS-2014
		TWA (Inhalable particulate matter)	5 mg/m³	ACGIH
Gentamicin	1403-66-3	TWA	0.1 mg/m3 (OEB 2)	Internal
	Further inform	Further information: OTO		
Betamethasone	378-44-9	TWA	1 µg/m3 (OEB 4)	Internal
	Further inform	Further information: Skin		



Version 3.2	Revision Date: 30.09.2023	SDS Number: 1832936-00014				
			Wipe limit	10 µg/100 cm²	Internal	
Engineering measures		are required the compour from a close stationary co All engineeri design and c protect produ Essentially r	to control at so d to uncontrolled d system, packed ntainer, ventilat ng controls sho perated in acco ucts, workers, a o open handling	uitable for controlling urce and to prevent i ed areas (e.g., vacuu out head with inflatat ted enclosure, etc.). uld be implemented ordance with GMP pr nd the environment. g permitted. ems or containment	migration of im conveying ble seal from by facility rinciples to	
Pers	onal protective equip	ment				
Fi	iratory protection Iter type I protection	exposure as recommende	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Combined particulates and organic vapor type			
	•					
М	aterial	: Chemical-re	sistant gloves			
	emarks protection	: Wear safety If the work e mists or aero Wear a face potential for	<ul> <li>Consider double gloving.</li> <li>Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or</li> </ul>		v conditions, there is a	
Skin	and body protection	Additional bo task being p disposable s	erformed (e.g., s uits) to avoid ex ate degowning	coat. hould be used based sleevelets, apron, ga (posed skin surfaces techniques to remov	auntlets,	

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	cream
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available



### Gentamicin / Betamethasone Cream Formulation

Vers 3.2	ion	Revision Date: 30.09.2023		S Number: 32936-00014	Date of last issue: 04.04.2023 Date of first issue: 13.07.2017			
	Flash point		:	> 93.3 °C				
	Evaporation rate		:	No data available	9			
	Flammability (solid, gas)		:	Not classified as a flammability hazard				
	Flamm	ability (liquids)	:	No data available	)			
		explosion limit / Upper ability limit	:	No data available				
		explosion limit / Lower ability limit	:	No data available				
	Vapor p	oressure	:	No data available	)			
	Relative vapor density		:	No data available	)			
	Relative density		:	No data available	)			
	Density	/	:	No data available				
	Solubili Wat	ity(ies) er solubility	:	No data available	9			
	Partitio octanol	n coefficient: n-	:	No data available	9			
		nition temperature	:	No data available	9			
	Decom	position temperature	:	No data available				
	Viscosi Visc	ty cosity, kinematic	:	No data available	)			
	Explosi	ive properties	:	Not explosive				
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.			
	Molecu	llar weight	:	No data available	3			
	Particle	e size	:	No data available	9			

### SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	None known.



Version 3.2	Revision Date: 30.09.2023		S Number: 32936-00014	Date of last issue: 04.04.2023 Date of first issue: 13.07.2017
	npatible materials rdous decomposition rcts	:		nts decomposition products are known.
SECTION	11. TOXICOLOGICAL	. INFO	ORMATION	
Skin o Inges	<b>nation on likely route</b> contact tion ontact	es of e	exposure	
	e toxicity lassified based on avai	lable	information.	
Com	oonents:			
Petro	latum:			
Acute	oral toxicity	:		5,000 mg/kg 9 Test Guideline 401 ed on data from similar materials
Acute	dermal toxicity	:	Assessment: T toxicity	2,000 mg/kg Test Guideline 402 he substance or mixture has no acute dermal ed on data from similar materials
Paraf	fin oil:			
Acute	oral toxicity	:	LD50 (Rat): > 5	5,000 mg/kg
Acute	e dermal toxicity	:	LD50 (Rabbit): Assessment: T toxicity	> 2,000 mg/kg he substance or mixture has no acute dermal
Genta	amicin:			
Acute	oral toxicity	:	LD50 (Rat): 8,0	000 - 10,000 mg/kg
			LD50 (Mouse):	10,000 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 0 Exposure time: Test atmosphe Remarks: No m	4 h
	toxicity (other routes c	of :	LD50 (Rat): 67 Application Rot	- 96 mg/kg ute: Intravenous
			LD50 (Rat): 37 Application Rot	1 - 384 mg/kg ute: Intramuscular
			LDLo (Monkey) Application Ro	): 30 mg/kg ute: Intravenous



Versi 3.2	ion	Revision Date: 30.09.2023		DS Number: 32936-00014	Date of last issue: 04.04.2023 Date of first issue: 13.07.2017		
	Betam	ethasone:					
		oral toxicity	:	LD50 (Rat): > 5,0	00 mg/kg		
				LD50 (Mouse): >	4,500 mg/kg		
	Acute inhalation toxicity			LC50 (Rat): 0.4 mg/l Exposure time: 4 h			
:	Skin co	orrosion/irritation					
		ssified based on availa	able	information.			
	Compo	onents:					
l	Petrola	atum:					
	Specie		:	Rabbit			
	Methoc Result	1	:	OECD Test Guide No skin irritation	eline 404		
	Remarl	ks	:		m similar materials		
	Paraffi	n oil:					
	Specie	S	:	Rabbit			
	Result		:	No skin irritation			
(	Gentar	nicin:					
	Specie	S	:	Rabbit			
I	Result		·	Mild skin irritation			
I	Betam	ethasone:					
	Specie	S	:	Rabbit			
	Result		:	Mild skin irritation			
:	Seriou	s eye damage/eye irr	itati	ion			
I	Not cla	ssified based on availa	able	information.			
<u>(</u>	Compo	onents:					
l	Petrola	atum:					
	Specie	S	:	Rabbit			
	Result Methoc	1	:	No eye irritation OECD Test Guide	line 405		
	Remarl		:		m similar materials		
l	Paraffi	n oil:					
	Specie		:	Rabbit			
	Result		:	No eye irritation			



sion	Revision Date: 30.09.2023	SDS Number: 1832936-00014	Date of last issue: 04.04.2023 Date of first issue: 13.07.2017
Genta	micin:		
Specie	25	: Rabbit	
Result		: Mild eye irri	tation
Betam	nethasone:		
Specie	es	: Rabbit	
Result		: No eye irrita	ation
Respi	ratory or skin sens	itization	
Skin s	ensitization		
	assified based on av	ailable information.	
Respi	ratory sensitizatior	1	
-	assified based on av		
<u>Comp</u>	<u>onents:</u>		
Petrol	atum:		
Test T	vpe	: Buehler Tes	st
	s of exposure	: Skin contac	
Specie		: Guinea pig	
Result		: negative	
Remar	rks	: Based on d	ata from similar materials
Genta	micin:		
Remar	rks	: No data ava	hilable
Betarr	ethasone:		
	s of exposure	: Dermal	
Specie		: Guinea pig	
Result		: Weak sensi	tizer
rtooun		. Weak condi	
Germ	cell mutagenicity		
Not cla	assified based on av	ailable information.	
<u>Comp</u>	onents:		
Petrol	atum:		
Genote	oxicity in vitro	: Test Type:	Chromosome aberration test in vitro
	-	Result: neg	
			ased on data from similar materials
Genot	oxicity in vivo	: Test Tvpe: I	Mammalian erythrocyte micronucleus test (in vi
	,	cytogenetic	
		Species: Mo	
			Route: Intraperitoneal injection
			CD Test Guideline 474
		<b>D</b> 1/	
		Result: neg	ative ased on data from similar materials



Version 3.2	Revision Date: 30.09.2023	-	DS Number: 32936-00014	Date of last issue: 04.04.2023 Date of first issue: 13.07.2017		
Genta	amicin:					
	Genotoxicity in vitro		: Test Type: In vitro mammalian cell gene mutation test Result: negative			
			Test Type: Chror Result: equivocal	nosome aberration test in vitro		
Geno	toxicity in vivo	:	cytogenetic assa Species: Mouse	nalian erythrocyte micronucleus test (in vivo y) e: Intravenous injection		
Betar	nethasone:					
_ • • • • •	toxicity in vitro	:	Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)		
			Test Type: In vitr Result: negative	o mammalian cell gene mutation test		
			Test Type: Chror Result: positive	nosome aberration test in vitro		
Geno	toxicity in vivo	:	Test Type: Mamr cytogenetic assa Species: Mouse Application Route Result: equivocal	e: Oral		
	cell mutagenicity -	:	Weight of eviden cell mutagen.	ce does not support classification as a germ		
	<b>nogenicity</b> assified based on avail	able	information.			
Comp	oonents:					
Petro	latum:					
	cation Route sure time	: :	Rat Ingestion 2 Years negative			

#### Gentamicin:

Carcinogenicity - Assess-	:	No data available
ment		

### Reproductive toxicity

May damage the unborn child.



Version 3.2		Revision Date: 30.09.2023	-	S Number: 32936-00014	Date of last issue: 04.04.2023 Date of first issue: 13.07.2017
<u>Cc</u>	ompo	nents:			
Ре	etrolat	um:			
Eff	fects o	on fertility	:	test Species: Rat Application Route Result: negative	duction/Developmental toxicity screening : Ingestion on data from similar materials
Eff	fects o	on fetal development	:	Species: Rat Application Route Result: negative	ro-fetal development : Skin contact on data from similar materials
Ge	entam	licin:			
Eff	fects o	on fertility	:	Species: Rat Fertility: NOAEL: 2	eneration reproduction toxicity study 20 mg/kg body weight cant adverse effects were reported
Eff	fects o	on fetal development	:	Species: Rabbit	ro-fetal development oxicity: NOAEL: 3.6 mg/kg body weight o-fetal toxicity.
				Species: Rat Application Route	oxicity: LOAEL: 75 mg/kg body weight
				Species: Mouse Application Route Developmental To	ro-fetal development : Intraperitoneal oxicity: LOAEL: 10 mg/kg body weight tality., No malformations were observed.
				Species: Rat Application Route Developmental To	ro-fetal development : Intraperitoneal oxicity: LOAEL: 50 mg/kg body weight tality., No malformations were observed.
	eprodu ssmei	uctive toxicity - As- nt	:	Positive evidence human epidemiolo	of adverse effects on development from ogical studies.
Ве	etame	thasone:			
Eff	fects o	on fetal development	:	Species: Rabbit Application Route Developmental To	: Intramuscular oxicity: LOAEL: 0.05 mg/kg body weight



rsion 2	Revision Date: 30.09.2023		0S Number: 32936-00014	Date of last issue: 04.04.2023 Date of first issue: 13.07.2017
			Result: Fetotox	icity., Malformations were observed.
			Developmental	ite: Subcutaneous Toxicity: LOAEL: 0.42 mg/kg body weight iations were observed.
			Developmental	e ite: Intramuscular Toxicity: LOAEL: 1 mg/kg body weight lations were observed.
Repro sessn	oductive toxicity - As- nent	:	Clear evidence animal experim	of adverse effects on development, based on ents.
	-single exposure assified based on ava	ailable	information.	
STOT	-repeated exposure			
Cause				ne system, muscle, thymus gland, Blood, Ad- ure.
Comp	<u>oonents:</u>			
•				
Genta	amicin:			
Targe	amicin: et Organs ssment	:	Kidney, inner ea Causes damag exposure.	ar e to organs through prolonged or repeated
Targe Asses	et Organs ssment	:	Causes damag	
Targe Asses <b>Betar</b>	t Organs	:	Causes damag exposure. Pituitary gland,	e to organs through prolonged or repeated
Targe Asses <b>Betar</b> Targe	et Organs ssment nethasone:	::	Causes damage exposure. Pituitary gland, Adrenal gland	e to organs through prolonged or repeated
Targe Asses <b>Betar</b> Targe Asses	et Organs ssment <b>nethasone:</b> et Organs	::	Causes damage exposure. Pituitary gland, Adrenal gland Causes damage	e to organs through prolonged or repeated Immune system, muscle, thymus gland, Blood,
Targe Asses Betar Targe Asses Repe	et Organs ssment <b>nethasone:</b> et Organs ssment	:	Causes damage exposure. Pituitary gland, Adrenal gland Causes damage	e to organs through prolonged or repeated Immune system, muscle, thymus gland, Blood,
Targe Asses Betar Targe Asses Repe	et Organs ssment methasone: et Organs ssment ated dose toxicity	::	Causes damage exposure. Pituitary gland, Adrenal gland Causes damage	e to organs through prolonged or repeated Immune system, muscle, thymus gland, Blood,
Targe Asses Betar Targe Asses Repe Comp Petro Speci	et Organs ssment nethasone: et Organs ssment ated dose toxicity ponents: latum: es	: :	Causes damag exposure. Pituitary gland, Adrenal gland Causes damag exposure. Rat	e to organs through prolonged or repeated Immune system, muscle, thymus gland, Blood,
Targe Asses Betar Targe Asses Repe Comp Petro Speci NOAE	et Organs ssment nethasone: et Organs ssment ated dose toxicity ponents: latum: es EL	: :	Causes damag exposure. Pituitary gland, Adrenal gland Causes damag exposure. Rat 5,000 mg/kg	e to organs through prolonged or repeated Immune system, muscle, thymus gland, Blood,
Targe Asses Betar Targe Asses Repea Comp Petro Speci NOAE Applic	et Organs ssment nethasone: et Organs ssment ated dose toxicity ponents: latum: es		Causes damag exposure. Pituitary gland, Adrenal gland Causes damag exposure. Rat	e to organs through prolonged or repeated Immune system, muscle, thymus gland, Blood,
Targe Asses Betar Targe Asses Repe Comp Petro Speci NOAE Applic Expos	es Examples Anethasone: Anetha		Causes damage exposure. Pituitary gland, Adrenal gland Causes damage exposure. Rat 5,000 mg/kg Ingestion	e to organs through prolonged or repeated Immune system, muscle, thymus gland, Blood,
Targe Asses Betar Targe Asses Repea Comp Petro Speci NOAE Applic Expos Paraf Speci	et Organs ssment methasone: et Organs ssment ated dose toxicity ponents: latum: es EL cation Route sure time fin oil: es		Causes damage exposure. Pituitary gland, Adrenal gland Causes damage exposure. Rat 5,000 mg/kg Ingestion 2 y Rat, female	e to organs through prolonged or repeated Immune system, muscle, thymus gland, Blood,
Targe Asses Betar Targe Asses Repea Comp Petro Speci NOAE Applic Expos Paraf Speci LOAE	et Organs ssment methasone: et Organs ssment ated dose toxicity ponents: latum: es EL cation Route sure time fin oil: es		Causes damage exposure. Pituitary gland, Adrenal gland Causes damage exposure. Rat 5,000 mg/kg Ingestion 2 y	e to organs through prolonged or repeated Immune system, muscle, thymus gland, Blood,



Vers 3.2	ion	Revision Date: 30.09.2023	SDS Number: 1832936-00014	Date of last issue: 04.04.2023 Date of first issue: 13.07.2017
	Gentar	nicin:		
	Species	5	: Dog	
	LÖAEL		: 3 mg/kg	
	Applica	tion Route	: Intramuscular	
	Exposu	ire time	: 12 Months	
	Target	Organs	: Kidney	
	Sympto	oms	: Vomiting, Sali	vation
	Species		: Monkey	
	LOAEL		: 50 mg/kg	
		tion Route	: Subcutaneous	3
	Exposu		: 3 Weeks	
	Target	Organs	: Kidney, inner	ear
	Species		: Monkey	
	LOAEL		: 6 mg/kg	
		tion Route	: Intramuscular	
	Exposu		: 3 Weeks	inner een Liver
	Target	Organs	: Blood, Klaney	, inner ear, Liver
	Species	S	: Rat	
	NOAEL		: 5 mg/kg	
	LOAEL		: 10 mg/kg	
		tion Route	: Intramuscular	
	Exposu		: 52 Weeks	
	Target	Organs	: Kidney, Blood	
	Species		: Rat	
	NOAEL	-	: 12.5 mg/kg	
	LOAEL		: 50 mg/kg	
		tion Route	: Intramuscular	
	Exposu		: 13 Weeks	
	Target	Organs	: Kidney	
	Betame	ethasone:		
	Species	5	: Rabbit	
	LOAEL		: 0.05 %	
		tion Route	: Skin contact	
	Exposu		: 10 - 30 d	
		Organs		d, Immune system, muscle
	Species	6	: Rat	
	LÖAEL		: 0.05 %	
	Applica	tion Route	: Skin contact	
	Exposu	ire time	: 8 Weeks	
	Target	Organs	: thymus gland	
	Species		: Mouse	
	LÖAEL		: 0.1 %	
		tion Route	: Skin contact	
	Exposu		: 8 Weeks	
	Target	Organs	: thymus gland	



Version	Revision Date: 30.09.2023	SDS Number:	Date of last issue: 04.04.2023
3.2		1832936-00014	Date of first issue: 13.07.2017
Expo		: Dog : 0.05 mg/kg : Oral : 28 d : Blood, thymus	gland, Adrenal gland

#### Aspiration toxicity

Not classified based on available information.

#### Components:

#### Paraffin oil:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### Experience with human exposure

#### **Components:**

Gentamicin:	
Ingestion	<ul> <li>Target Organs: Kidney</li> <li>Target Organs: inner ear</li> <li>Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness</li> </ul>
Betamethasone:	
Inhalation Skin contact	<ul><li>Target Organs: Adrenal gland</li><li>Symptoms: Redness, pruritis, Irritation</li></ul>

#### **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity	
Components:	
Petrolatum:	
Toxicity to fish	<ul> <li>LL50 (Pimephales promelas (fathead minnow)): &gt; 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials</li> </ul>
Toxicity to daphnia and other aquatic invertebrates	<ul> <li>EC50 (Daphnia magna (Water flea)): &gt; 10,000 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials</li> </ul>
Toxicity to algae/aquatic plants	<ul> <li>NOEL (Pseudokirchneriella subcapitata (green algae)): &gt;= 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials</li> </ul>



Versi 3.2	on	Revision Date: 30.09.2023		0S Number: 32936-00014	Date of last issue: 04.04.2023 Date of first issue: 13.07.2017
a	Toxicity to daphnia and other aquatic invertebrates (Chron-ic toxicity)		:	Exposure time: 21 Test substance: W	nagna (Water flea)): 10 mg/l d Vater Accommodated Fraction on data from similar materials
F	Paraffir	n oil:			
-	Toxicity	to fish	:	Exposure time: 96 Test substance: V	nus maximus (turbot)): > 100 mg/l 5 h Vater Accommodated Fraction on data from similar materials
		to daphnia and other invertebrates	:	Exposure time: 48 Test substance: W	sa (Calanoid copepod)): > 100 mg/l s h Vater Accommodated Fraction on data from similar materials
	Toxicity plants	to algae/aquatic	:	Exposure time: 72 Test substance: V	na costatum (marine diatom)): > 100 mg/l ? h /ater Accommodated Fraction on data from similar materials
				Exposure time: 72 Test substance: W	ema costatum (marine diatom)): > 1 mg/l ? h /ater Accommodated Fraction on data from similar materials
(	Gentan	nicin:			
		to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
				LC50 (Americamy Exposure time: 96 Method: US-EPA	5 h
	Toxicity plants	to algae/aquatic	:	EC50 (Pseudokiro Exposure time: 72 Method: OECD Te	
				NOEC (Pseudokir µg/l Exposure time: 72 Method: OECD Te	
				EC50 (Anabaena Exposure time: 72 Method: OECD Te	
				NOEC (Anabaena Exposure time: 72 Method: OECD Te	n flos-aquae (cyanobacterium)): 1.6 μg/l ? h est Guideline 201



Versi 3.2	on	Revision Date: 30.09.2023		S Number: 32936-00014	Date of last issue: 04.04.2023 Date of first issue: 13.07.2017
٢	Toxicity	to microorganisms	:	EC50: 288.7 mg/l Exposure time: 3 Test Type: Respir Method: OECD Te	ation inhibition
E	Betame	ethasone:			
		to daphnia and other invertebrates	:	EC50 (Americamy Exposure time: 96	
	Toxicity plants	to algae/aquatic	:	mg/l Exposure time: 72 Method: OECD Te	
				mg/l Exposure time: 72 Method: OECD Te	
	Toxicity city)	to fish (Chronic tox-	:	NOEC (Pimephale Exposure time: 32 Method: OECD Te	
				NOEC (Oryzias la Exposure time: 21 Method: OECD Te	
a		to daphnia and other invertebrates (Chron- ty)	:	NOEC (Daphnia r Exposure time: 21 Method: OECD Te	
F	Persist	ence and degradabili	ity		
<u>(</u>	Compo	nents:			
F	Petrola	tum:			
E	Biodegr	adability	:		31 %
-	<b>Gentan</b> Biodegr	<b>nicin:</b> adability	:	Result: rapidly de Biodegradation: 1 Exposure time: 28 Method: OECD Te	00 % 3 d



Version 3.2	Revision Date: 30.09.2023	SDS Number: 1832936-00014	Date of last issue: 04.04.2023 Date of first issue: 13.07.2017	
Bioa	ccumulative potentia	I		
Com	ponents:			
Para	ffin oil:			
	ion coefficient: n- ol/water	: log Pow: > 4 Remarks: Calo	ulation	
Gent	amicin:			
	ion coefficient: n- ol/water	: log Pow: < -2		
Beta	methasone:			
	ion coefficient: n- ol/water	: log Pow: 2.11		
Mobi	lity in soil			
No da	ata available			
Othe	r adverse effects			
No da	ata available			

#### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Do not dispose of waste into sewer.
	Dispose of in accordance with local regulations.
Contaminated packaging	<ul> <li>Empty containers should be taken to an approved waste handling site for recycling or disposal.</li> <li>If not otherwise specified: Dispose of as unused product.</li> </ul>
	in hot otherwise specifica. Dispose of as unused product.

#### SECTION 14. TRANSPORT INFORMATION

#### **International Regulations**

<b>UNRTDG</b> UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (betamethasone, Gentamicin)
Class		9
Packing group	:	
Labels	:	9
Environmentally hazardous	:	yes
IATA-DGR		
UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Betamethasone, Gentamicin)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo	:	956



Version 3.2	Revision Date: 30.09.2023	SDS Number:Date of last issue: 04.04.20231832936-00014Date of first issue: 13.07.2017			
ger a	lft) ng instruction (passen- ircraft) onmentally hazardous	: 956 : yes			
UN n	<b>-Code</b> umber er shipping name	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Betamethasone, Gentamicin)			
Label EmS	ng group	<ul> <li>9</li> <li>III</li> <li>9</li> <li>F-A, S-F</li> <li>yes</li> </ul>			
Not a	sport in bulk accordin pplicable for product as estic regulation	I to Annex II of MARPOL 73/78 and the IBC Code supplied.			
<b>NOM</b> UN n	-002-SCT umber er shipping name	: UN 3077 : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLI N.O.S.	ID,		
Class Packi Label	ng group	<ul><li>(Betamethasone, Gentamicin)</li><li>9</li><li>III</li><li>9</li></ul>			
Special precautions for user The transport classification(s) provided herein are for informational purposes only, and sole based upon the properties of the unpackaged material as it is described within this Safety I Sheet. Transportation classifications may vary by mode of transportation, package sizes, an variations in regional or country regulations.					

#### SECTION 15. REGULATORY INFORMATION

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, : Not applicable essential chemical products and machinery for producing capsules, tablets and pills.

#### The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

#### SECTION 16. OTHER INFORMATION



Version 3.2	Revision Date: 30.09.2023		DS Number: 32936-00014	Date of last issue: 04.04.2023 Date of first issue: 13.07.2017
	sion Date format	:	30.09.2023 dd.mm.yyyy	
Full t	ext of other abbreviati	ons		
NOM-010-STPS-2014 : Mexico. the Work			Mexico. Norm NC the Work Environ	eshold Limit Values (TLV) DM-010-STPS-2014 on Chemicals Polluting ment - Identification, Assessment and Con- Occupational Exposure Limits
	IH / TWA -010-STPS-2014 / VLE-	:	8-hour, time-weig Time weighted av	hted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical d cy, http://echa.euro

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.



VersionRevision Date:SDS Number:Date of last issue: 04.04.2023.230.09.20231832936-00014Date of first issue: 13.07.207	
---	--

MX / Z8