

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Ointment Formulation



Version 10.0      Revision Date: 2024/04/06      SDS Number: 1841315-00016      Date of last issue: 2023/09/30  
Date of first issue: 2017/07/19

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Gentamicin / Betamethasone Ointment Formulation

#### Supplier's company name, address and phone number

Company name of supplier : Organon & Co.

Address : 30 Hudson Street, 33rd floor  
Jersey City, New Jersey, U.S.A 07302

Telephone : +1-551-430-6000

E-mail address : EHSSTEWARD@organon.com

Emergency telephone number : +1-215-631-6999

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### GHS classification of chemical product

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 1 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland)

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H360D May damage the unborn child.  
H372 Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through pro-

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Ointment Formulation



Version 10.0      Revision Date: 2024/04/06      SDS Number: 1841315-00016      Date of last issue: 2023/09/30  
Date of first issue: 2017/07/19

longed or repeated exposure.  
H401 Toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Petrolatum	8009-03-8	94.8	
Paraffin oil	8012-95-1	5	
Gentamicin	1403-66-3	0.1	
betamethasone	378-44-9	0.064	

### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Ointment Formulation



Version 10.0      Revision Date: 2024/04/06      SDS Number: 1841315-00016      Date of last issue: 2023/09/30  
Date of first issue: 2017/07/19

---

- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May damage the unborn child.  
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.
- 

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Ointment Formulation



Version 10.0      Revision Date: 2024/04/06      SDS Number: 1841315-00016      Date of last issue: 2023/09/30  
Date of first issue: 2017/07/19

---

cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### 7. HANDLING AND STORAGE

#### Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust, fume, gas, mist, vapours or spray.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

#### Storage

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Ointment Formulation



Version 10.0      Revision Date: 2024/04/06      SDS Number: 1841315-00016      Date of last issue: 2023/09/30  
Date of first issue: 2017/07/19

Packaging material : Unsuitable material: None known.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Threshold limit value and permissible exposure limits for each component in the work environment**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Reference concentration / Permissible concentration	Basis
Petrolatum	8009-03-8	OEL-M (Mist)	3 mg/m <sup>3</sup>	JP OEL JSOH
	Further information: Group 1: carcinogenic to humans			
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
Paraffin oil	8012-95-1	OEL-M (Mist)	3 mg/m <sup>3</sup>	JP OEL JSOH
	Further information: Group 1: carcinogenic to humans			
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
Gentamicin	1403-66-3	TWA	0.1 mg/m <sup>3</sup> (OEB 2)	Internal
	Further information: OTO			
betamethasone	378-44-9	TWA	1 µg/m <sup>3</sup> (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	10 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies.

#### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type  
Hand protection

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Ointment Formulation



Version 10.0      Revision Date: 2024/04/06      SDS Number: 1841315-00016      Date of last issue: 2023/09/30  
Date of first issue: 2017/07/19

---

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : ointment

Colour : No data available

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Boiling point, initial boiling point and boiling range : No data available

Flammability (solid, gas) : Not classified as a flammability hazard

Flammability (liquids) : No data available

Lower explosion limit and upper explosion limit / flammability limit  
Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : No data available

Decomposition temperature : No data available

pH : No data available

Evaporation rate : No data available

Auto-ignition temperature : No data available

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Ointment Formulation



Version 10.0      Revision Date: 2024/04/06      SDS Number: 1841315-00016      Date of last issue: 2023/09/30  
Date of first issue: 2017/07/19

---

Viscosity  
Viscosity, kinematic : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : No data available

Density and / or relative density  
Relative density : No data available  
Density : No data available

Relative vapour density : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics  
Particle size : No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Can react with strong oxidizing agents.  
Conditions to avoid : None known.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

# Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
10.0	2024/04/06	1841315-00016	Date of first issue: 2017/07/19

---

## Components:

### **Petrolatum:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

### **Paraffin oil:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

### **Gentamicin:**

Acute oral toxicity	:	LD50 (Rat): 8,000 - 10,000 mg/kg  LD50 (Mouse): 10,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 0.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: No mortality observed at this dose.
Acute toxicity (other routes of administration)	:	LD50 (Rat): 67 - 96 mg/kg Application Route: Intravenous  LD50 (Rat): 371 - 384 mg/kg Application Route: Intramuscular  LDLo (Monkey): 30 mg/kg Application Route: Intravenous

### **betamethasone:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg  LD50 (Mouse): > 4,500 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0.4 mg/l Exposure time: 4 h



**Gentamicin / Betamethasone Ointment Formulation**

Version 10.0      Revision Date: 2024/04/06      SDS Number: 1841315-00016      Date of last issue: 2023/09/30  
Date of first issue: 2017/07/19

---

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Petrolatum:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Paraffin oil:**

Species : Rabbit  
Result : No skin irritation

**Gentamicin:**

Species : Rabbit  
Result : Mild skin irritation

**betamethasone:**

Species : Rabbit  
Result : Mild skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Petrolatum:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

**Paraffin oil:**

Species : Rabbit  
Result : No eye irritation

**Gentamicin:**

Species : Rabbit  
Result : Mild eye irritation

**betamethasone:**

Species : Rabbit  
Result : No eye irritation

# Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
10.0	2024/04/06	1841315-00016	Date of first issue: 2017/07/19

---

## Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

### Respiratory sensitisation

Not classified based on available information.

### Components:

#### Petrolatum:

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

#### Gentamicin:

Remarks	:	No data available
---------	---	-------------------

#### betamethasone:

Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Weak sensitizer

## Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Petrolatum:

Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials

#### Gentamicin:

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
	:	Test Type: Chromosome aberration test in vitro Result: equivocal

# Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
10.0	2024/04/06	1841315-00016	Date of first issue: 2017/07/19

---

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intravenous injection  
Result: negative

### betamethasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Oral  
Result: equivocal

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Components:

#### Petrolatum:

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

#### Gentamicin:

Carcinogenicity - Assessment : No data available

### Reproductive toxicity

May damage the unborn child.

### Components:

#### Petrolatum:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat

# Gentamicin / Betamethasone Ointment Formulation

Version 10.0      Revision Date: 2024/04/06      SDS Number: 1841315-00016      Date of last issue: 2023/09/30  
 Date of first issue: 2017/07/19

Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Skin contact  
 Result: negative  
 Remarks: Based on data from similar materials

### Gentamicin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Fertility: NOAEL: 20 mg/kg body weight  
 Result: No significant adverse effects were reported

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rabbit  
 Developmental Toxicity: NOAEL: 3.6 mg/kg body weight  
 Result: No embryo-foetal toxicity

Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Intraperitoneal  
 Developmental Toxicity: LOAEL: 75 mg/kg body weight  
 Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development  
 Species: Mouse  
 Application Route: Intraperitoneal  
 Developmental Toxicity: LOAEL: 10 mg/kg body weight  
 Result: foetal mortality, No malformations were observed.

Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Intraperitoneal  
 Developmental Toxicity: LOAEL: 50 mg/kg body weight  
 Result: foetal mortality, No malformations were observed.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

### betamethasone:

Effects on foetal development : Species: Rabbit  
 Application Route: Intramuscular  
 Developmental Toxicity: LOAEL: 0.05 mg/kg body weight  
 Result: Fetotoxicity, Malformations were observed.

Species: Rat

# Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
10.0	2024/04/06	1841315-00016	Date of first issue: 2017/07/19

---

Application Route: Subcutaneous  
 Developmental Toxicity: LOAEL: 0.42 mg/kg body weight  
 Result: Malformations were observed.

Species: Mouse  
 Application Route: Intramuscular  
 Developmental Toxicity: LOAEL: 1 mg/kg body weight  
 Result: Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.

### Components:

#### Gentamicin:

Target Organs : Kidney, inner ear  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

#### betamethasone:

Target Organs : Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### Petrolatum:

Species : Rat  
 NOAEL : 5,000 mg/kg  
 Application Route : Ingestion  
 Exposure time : 2 yr

#### Paraffin oil:

Species : Rat, female  
 LOAEL : 161 mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 Days

# Gentamicin / Betamethasone Ointment Formulation

Version 10.0      Revision Date: 2024/04/06      SDS Number: 1841315-00016      Date of last issue: 2023/09/30  
 Date of first issue: 2017/07/19

---

## Gentamicin:

Species : Dog  
 LOAEL : 3 mg/kg  
 Application Route : Intramuscular  
 Exposure time : 12 Months  
 Target Organs : Kidney  
 Symptoms : Vomiting, Salivation

Species : Monkey  
 LOAEL : 50 mg/kg  
 Application Route : Subcutaneous  
 Exposure time : 3 Weeks  
 Target Organs : Kidney, inner ear

Species : Monkey  
 LOAEL : 6 mg/kg  
 Application Route : Intramuscular  
 Exposure time : 3 Weeks  
 Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat  
 NOAEL : 5 mg/kg  
 LOAEL : 10 mg/kg  
 Application Route : Intramuscular  
 Exposure time : 52 Weeks  
 Target Organs : Kidney, Blood

Species : Rat  
 NOAEL : 12.5 mg/kg  
 LOAEL : 50 mg/kg  
 Application Route : Intramuscular  
 Exposure time : 13 Weeks  
 Target Organs : Kidney

## betamethasone:

Species : Rabbit  
 LOAEL : 0.05 %  
 Application Route : Skin contact  
 Exposure time : 10 - 30 d  
 Target Organs : Pituitary gland, Immune system, muscle

Species : Rat  
 LOAEL : 0.05 %  
 Application Route : Skin contact  
 Exposure time : 8 Weeks  
 Target Organs : thymus gland

Species : Mouse  
 LOAEL : 0.1 %  
 Application Route : Skin contact

# Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
10.0	2024/04/06	1841315-00016	Date of first issue: 2017/07/19

---

Exposure time	: 8 Weeks
Target Organs	: thymus gland
Species	: Dog
LOAEL	: 0.05 mg/kg
Application Route	: Oral
Exposure time	: 28 d
Target Organs	: Blood, thymus gland, Adrenal gland

### Aspiration toxicity

Not classified based on available information.

### Components:

#### Paraffin oil:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Experience with human exposure

### Components:

#### Gentamicin:

Ingestion	: Target Organs: Kidney
	Target Organs: inner ear
	Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness

#### betamethasone:

Inhalation	: Target Organs: Adrenal gland
Skin contact	: Symptoms: Redness, pruritis, Irritation

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Components:

#### Petrolatum:

Toxicity to fish	: LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l
	Exposure time: 96 h
	Test substance: Water Accommodated Fraction
	Method: OECD Test Guideline 203
	Remarks: Based on data from similar materials
Toxicity to daphnia and other	: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

# Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
10.0	2024/04/06	1841315-00016	Date of first issue: 2017/07/19

---

aquatic invertebrates	Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

### Paraffin oil:

Toxicity to fish	: LL50 (Scophthalmus maximus (turbot)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Acartia tonsa (Calanoid copepod)): > 100 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: EL50 (Skeletonema costatum (marine diatom)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
	NOELR (Skeletonema costatum (marine diatom)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

### Gentamicin:

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 86 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
	LC50 (Americamysis): 30 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l Exposure time: 72 h Method: OECD Test Guideline 201



# Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
10.0	2024/04/06	1841315-00016	Date of first issue: 2017/07/19

		NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 100	
M-Factor (Chronic aquatic toxicity)	: 1	
Toxicity to microorganisms	: EC50: 288.7 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209	

### betamethasone:

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Americamysis): > 50 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
	: NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0.052 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
	: NOEC (Oryzias latipes (Japanese medaka)): 0.07 µg/l Exposure time: 219 d Method: OECD Test Guideline 229
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 8 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

**Gentamicin / Betamethasone Ointment Formulation**

Version 10.0      Revision Date: 2024/04/06      SDS Number: 1841315-00016      Date of last issue: 2023/09/30  
Date of first issue: 2017/07/19

---

M-Factor (Chronic aquatic toxicity) : 1,000

**Persistence and degradability****Components:****Petrolatum:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

**Gentamicin:**

Biodegradability : Result: rapidly degradable  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

**Bioaccumulative potential****Components:****Paraffin oil:**

Partition coefficient: n-octanol/water : log Pow: > 4  
Remarks: Calculation

**Gentamicin:**

Partition coefficient: n-octanol/water : log Pow: < -2

**betamethasone:**

Partition coefficient: n-octanol/water : log Pow: 2.11

**Mobility in soil**

No data available

**Hazardous to the ozone layer**

Not applicable

**Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Ointment Formulation



Version 10.0      Revision Date: 2024/04/06      SDS Number: 1841315-00016      Date of last issue: 2023/09/30  
Date of first issue: 2017/07/19

---

Contaminated packaging : Do not dispose of waste into sewer.  
: Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(betamethasone, Gentamicin)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(betamethasone, Gentamicin)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(betamethasone, Gentamicin)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

Refer to section 15 for specific national regulation.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Ointment Formulation



Version 10.0      Revision Date: 2024/04/06      SDS Number: 1841315-00016      Date of last issue: 2023/09/30  
Date of first issue: 2017/07/19

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171

### 15. REGULATORY INFORMATION

#### Related Regulations

##### Fire Service Law

Not applicable to dangerous materials / designated flammables.

##### Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

##### Industrial Safety and Health Law

##### Harmful Substances Prohibited from Manufacture

Not applicable

##### Harmful Substances Required Permission for Manufacture

Not applicable

##### Substances Prevented From Impairment of Health

Not applicable

##### Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

##### Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

#### Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Petrolatum	>=90 - <=100	From April 1st, 2026
Mineral oil	>0 - <10	-

#### Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
Petrolatum	From April 1st, 2026
Mineral oil	-

#### Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

#### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

# Gentamicin / Betamethasone Ointment Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
10.0	2024/04/06	1841315-00016	Date of first issue: 2017/07/19

---

### Ordinance on Prevention of Lead Poisoning

Not applicable

### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

### Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

### Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

### Poisonous and Deleterious Substances Control Law

Not applicable

### Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

### High Pressure Gas Safety Act

Not applicable

### Explosive Control Law

Not applicable

### Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

### Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

### Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Classified as marine pollutant

### Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

### Waste Disposal and Public Cleansing Law

Industrial waste

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Ointment Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
10.0	2024/04/06	1841315-00016	Date of first issue: 2017/07/19

### 16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

#### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average  
JP OEL JSOH / OEL-M : Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Trans-

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Ointment Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
10.0	2024/04/06	1841315-00016	Date of first issue: 2017/07/19

---

portation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN