

Version 6.2	Revision Date: 06.04.2024		S Number: 351-00023	Date of last issue: 30.09.2023 Date of first issue: 26.01.2015
SECTION	1. IDENTIFICATION			
Manu	afacturer or supplier's	s deta	ils	
Comp	bany	:	Organon & Co.	
Addre	ess	:	30 Hudson Stree Jersey City, New	et, 33nd floor 9 Jersey, U.S.A 07302
Telep	phone	:	1-551-430-6000	
Emer	gency telephone	:	1-215-631-6999	
E-ma	il address	:	EHSSTEWARD	@organon.com
Reco	mmended use of the	chem	ical and restriction	ons on use
	mmended use ictions on use	:	Pharmaceutical Not applicable	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Serious eye damage/eye irritation	:	Category 1
Skin sensitization	:	Category 1
Reproductive toxicity	:	Category 1B
Effects on or via lactation		
Specific target organ toxicity - repeated exposure (Oral)	:	Category 2 (Blood, Cardio-vascular system, Stomach, Kidney)
GHS label elements Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	 H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H360D May damage the unborn child. H362 May cause harm to breast-fed children. H373 May cause damage to organs (Blood, Cardio-vascular system, Stomach, Kidney) through prolonged or repeated exposure if swallowed.



Precautio	nary Statements		pocial instructions before use
		and understoc P260 Do not b P263 Avoid co P264 Wash sk P270 Do not e P272 Contami the workplace	preathe dust. Intact during pregnancy and while nursing. Intact during pregnancy and while nursing. Intact during after handling. Intact work clothing should not be allowed out o Intact work clothing should not be allowed out o
		P305 + P351 - water for seve and easy to do CENTER/ doc P308 + P313 attention. P333 + P313 vice/ attention	IF exposed or concerned: Get medical advice/ If skin irritation or rash occurs: Get medical ad-
		Storage: P405 Store loo	cked up.
		Disposal: P501 Dispose disposal plant.	of contents/ container to an approved waste

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

:

Substance / Mixture	:	Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 50 -< 70
Losartan	124750-99-8	>= 10 -< 20
Amlodipine Besylate	652969-01-2	>= 1 -< 2,5
Titanium dioxide	13463-67-7	>= 0,1 -< 1

SECTION 4. FIRST AID MEASURES

General advice

In the case of accident or if you feel unwell, seek medical advice immediately.



Version 6.2	Revision Date: 06.04.2024	SDS Number: 51851-00023	Date of last issue: 30.09.2023 Date of first issue: 26.01.2015			
		When sympt advice.	coms persist or in all cases of doubt seek medical			
lf inh	aled	: If inhaled, re	: If inhaled, remove to fresh air. Get medical attention.			
In ca	ase of skin contact	of water.	ontact, immediately flush skin with soap and plenty ataminated clothing and shoes.			
		Get medical Wash clothir	attention. ng before reuse.			
In ca	ase of eye contact	: In case of co for at least 1	Thoroughly clean shoes before reuse. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.			
lf cw	allowed	Get medical	, remove contact lens, if worn. attention immediately. , DO NOT induce vomiting.			
11 3 W	anowed	Get medical				
Most	t important symptoms		an allergic skin reaction.			
and	effects, both acute and		ous eye damage.			
dela	yed		e the unborn child.			
		•	narm to breast-fed children.			
		May cause of exposure if s	lamage to organs through prolonged or repeated swallowed.			
		Contact with the skin.	dust can cause mechanical irritation or drying of			
Prote	ection of first-aiders	 First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). 				
Note	es to physician		omatically and supportively.			

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Chlorine compounds Nitrogen oxides (NOx) Metal oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment	:	In the event of fire, wear self-contained breathing apparatus.



Version 6.2	Revision Date: 06.04.2024		9S Number: 851-00023	Date of last issue: 30.09.2023 Date of first issue: 26.01.2015
for	fire-fighters		Use personal prot	ective equipment.
SECTIO	ON 6. ACCIDENTAL RELE	ASI	EMEASURES	
tive	ersonal precautions, protec- e equipment and emer- ncy procedures	:		ective equipment. ing advice (see section 7) and personal ent recommendations (see section 8).
Environmental precautions		:	Retain and dispos	akage or spillage if safe to do so. e of contaminated wash water. hould be advised if significant spillages
Methods and materials for containment and cleaning up		:	container for dispo Avoid dispersal of with compressed a Dust deposits sho surfaces, as these released into the a Local or national r disposal of this ma employed in the c determine which r Sections 13 and 1	dust in the air (i.e., clearing dust surfaces

SECTION 7. HANDLING AND STORAGE

Technical measures	:	Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	Avoid contact during pregnancy and while nursing. Do not get on skin or clothing. Do not breathe dust. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.



Version 6.2	Revision Date: 06.04.2024	SDS Number: 51851-00023	Date of last issue: 30.09.2023 Date of first issue: 26.01.2015
Conditions for safe storage		Store locked up. Keep tightly clos	
Materials to avoid		Strong oxidizing	ostances and mixtures

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Cellulose	9004-34-6	CMP	10 mg/m ³	AR OEL
		TWA	10 mg/m ³	ACGIH
Losartan	124750-99-8	TWA	100 µg/m3 (OEB 2)	Internal
Amlodipine Besylate	652969-01-2	TWA	20 µg/m3 (OEB 3)	Internal
		Wipe limit	100 µg/100 cm ²	Internal
Titanium dioxide	13463-67-7	CMP	10 mg/m ³	AR OEL
	Further inform	Further information: A4 - Not classifiable as a human carcinogen		

Engineering measures :	Minimize workplace exposure concentrations. Apply measures to prevent dust explosions. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). If sufficient ventilation is unavailable, use with local exhaust ventilation.
Personal protective equipment	
Respiratory protection :	If adequate local exhaust ventilation is not available or

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type Hand protection	:	Particulates type
Material	:	Chemical-resistant gloves
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Eye protection	:	Wear the following personal protective equipment: Chemical resistant goggles must be worn.



Vers 6.2	ion Revision Date: 06.04.2024		S Number: 351-00023	Date of last issue: 30.09.2023 Date of first issue: 26.01.2015
	Skin and body protection Hygiene measures		Face-shield Select appropriate resistance data an potential. Skin contact must clothing (gloves, a If exposure to che eye flushing syste working place. When using do no Contaminated wo workplace.	ely to occur, wear: e protective clothing based on chemical nd an assessment of the local exposure t be avoided by using impervious protective aprons, boots, etc). emical is likely during typical use, provide erms and safety showers close to the ot eat, drink or smoke. rk clothing should not be allowed out of the ed clothing before re-use.
SEC	TION 9. PHYSICAL AND CHE	EMIC	CAL PROPERTIES	8
	Appearance	:	powder	
	Color	:	No data available	9
	Odor	:	No data available	9
	Odor Threshold	:	No data available	9
	рН	:	No data available	9
	Melting point/freezing point	:	No data available	9
	Initial boiling point and boiling range	:	No data available	9
	Flash point	:	Not applicable	
	Evaporation rate	:	No data available	9
	Flammability (solid, gas)	:	May form explosi handling or other	ive dust-air mixture during processing, means.
	Flammability (liquids)	:	No data available	9
	Upper explosion limit / Upper flammability limit	:	No data available	9
	Lower explosion limit / Lower flammability limit	:	No data available	9
	Vapor pressure	:	No data available	9
	Relative vapor density	:	No data available	9
	Relative density	:	No data available	9
	Density	:	No data available	9



Versio 6.2	on Revision Date: 06.04.2024	SDS Number: 51851-00023	Date of last issue: 30.09.2023 Date of first issue: 26.01.2015
Р	Solubility(ies) Water solubility Partition coefficient: n- ctanol/water	: No data availa : No data availa	
A	autoignition temperature	: No data avail	able
D	Decomposition temperature	: No data availa	able
V	iscosity Viscosity, kinematic	: No data avail	able
E	xplosive properties	: Not explosive	
0	Dxidizing properties	: The substanc	e or mixture is not classified as oxidizing.
Μ	Iolecular weight	: No data avail	able
	Particle characteristics Particle size	: No data avail	able

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions		Not classified as a reactivity hazard. Stable under normal conditions. May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact
		Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5.000 mg/kg
		Method: Expert judgment

Components:

Cellulose:

SAFETY DATA SHEET



rsion	Revision Date: 06.04.2024		DS Number: 851-00023	Date of last issue: 30.09.2023 Date of first issue: 26.01.2015
Acute	e oral toxicity	:	LD50 (Rat): > 5	5.000 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 5 Exposure time: Test atmosphe	4 h
Acute	e dermal toxicity	:	LD50 (Rabbit):	> 2.000 mg/kg
Losa	rtan:			
Acute	e oral toxicity	:	LD50 (Mouse):	1.257 - 1.590 mg/kg
			LDLo (Rat): 200) mg/kg
			LDLo (Mouse):	400 mg/kg
Amlo	dipine Besylate:			
	oral toxicity	:	LD50 (Rat): 393	3 mg/kg
Titan	ium dioxide:			
Acute	e oral toxicity	:	LD50 (Rat): > 5	.000 mg/kg
Acute	inhalation toxicity	:	Exposure time: Test atmosphe Assessment: T	4 h
			tion toxicity	
-	corrosion/irritation			
Not c	lassified based on ava	ilable		
Not c <u>Com</u>	lassified based on ava ponents:	ilable		
Not c <u>Com</u> Losa	lassified based on ava ponents: rtan:	ilable	information.	
Not c <u>Com</u>	lassified based on ava ponents: rtan: ies	ilable : :		on
Not c <u>Com</u> Losa Speci Resu	lassified based on ava ponents: rtan: ies	ilable : :	information.	on
Not c Com Losa Speci Resu Titan Speci	lassified based on ava ponents: rtan: ies lt ium dioxide: ies	ilable : :	information. Rabbit Mild skin irritatio	
Not c <u>Com</u> Losa Speci Resu Titan	lassified based on ava ponents: rtan: ies lt ium dioxide: ies	ilable : : :	information. Rabbit Mild skin irritatio	
Not c Com Losa Speci Resu Titan Speci Resu Serio	lassified based on ava ponents: rtan: ies lt ium dioxide: ies	: : : : :	information. Rabbit Mild skin irritatio Rabbit No skin irritatio	
Not c Com Losa Speci Resu Titan Speci Resu Serio Caus	lassified based on ava ponents: rtan: ies it ium dioxide: ies it ius eye damage/eye i	: : : : :	information. Rabbit Mild skin irritatio Rabbit No skin irritatio	
Not c Com Losa Speci Resu Titan Speci Resu Serio Caus	lassified based on ava ponents: rtan: ies It ium dioxide: ies It ous eye damage/eye i es serious eye damag ponents:	: : : : :	information. Rabbit Mild skin irritatio Rabbit No skin irritatio	
Not c <u>Com</u> Losa Speci Resu Titan Speci Resu Serio Caus <u>Com</u>	lassified based on ava ponents: rtan: ies it ium dioxide: ies it pus eye damage/eye i es serious eye damag ponents: rtan: ies	: : : : :	information. Rabbit Mild skin irritatio Rabbit No skin irritatio	n
Not c <u>Com</u> Losa Speci Resu Titan Speci Resu Serio Caus <u>Com</u> Losa Speci Resu	lassified based on ava ponents: rtan: ies it ium dioxide: ies it pus eye damage/eye i es serious eye damag ponents: rtan: ies	: : : : :	information. Rabbit Mild skin irritation Rabbit No skin irritation	n



ersion 2	Revision Date: 06.04.2024	SDS Number:Date of last issue: 30.09.202351851-00023Date of first issue: 26.01.2015	
Result		: Severe irritation	
Titaniu	ım dioxide:		
Specie	S	: Rabbit	
Result		: No eye irritation	
Respir	atory or skin sens	tization	
	ensitization		
May ca	iuse an allergic skir	reaction.	
Respir	atory sensitization		
Not cla	ssified based on av	ailable information.	
<u>Compo</u>	onents:		
Losart	an:		
Test Ty		: Maximization Test	
	of exposure	: Skin contact	
Specie		: Guinea pig	
Assess Result	sment	 Probability or evidence of skin sensitization in humans positive 	
Result		. positive	
Titaniu	ım dioxide:		
Test Ty		: Local lymph node assay (LLNA)	
	of exposure	: Skin contact	
Specie Result	S	: Mouse : negative	
	cell mutagenicity ssified based on av	ailable information.	
Compo	onents:		
Cellulo	ose:		
Genoto	oxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative	
		Test Type: In vitro mammalian cell gene mutation test Result: negative	
Genoto	oxicity in vivo	 Test Type: Mammalian erythrocyte micronucleus test (in v cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative 	/ivc
Losart	an.		
	an. exicity in vitro	: Test Type: in vitro test	
Genold		Result: negative	
		Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells	



ersion 2	Revision Date: 06.04.2024	SDS Number: 51851-00023	Date of last issue: 30.09.2023 Date of first issue: 26.01.2015
		Result: nega	ative
		Test Type: A Result: nega	Alkaline elution assay ative
		Test Type: C Result: nega	Chromosomal aberration ative
Geno	toxicity in vivo	: Test Type: C Result: nega	Chromosomal aberration ative
Amlo	dipine Besylate:		
Geno	toxicity in vitro	: Test Type: E Result: nega	Bacterial reverse mutation assay (AMES) ative
		Test Type: C Result: nega	Chromosome aberration test in vitro ative
Titani	ium dioxide:		
Geno	toxicity in vitro	: Test Type: E Result: nega	Bacterial reverse mutation assay (AMES) ative
Cono	toxicity in vivo	: Test Type: I	n vivo micronucleus test
Geno		Species: Mo Result: nega	
Carci	nogenicity assified based on av	Species: Mo Result: nega	
Carci Not cl	nogenicity	Species: Mo Result: nega	
Carci Not cl	nogenicity assified based on av ponents:	Species: Mo Result: nega	
Carci Not cl <u>Comr</u> Cellu Speci	nogenicity assified based on av ponents: lose: es	Species: Mo Result: nega	
Carci Not cl <u>Comr</u> Cellu Speci Applic	nogenicity assified based on av <u>ponents:</u> lose: es cation Route	Species: Mo Result: nega ailable information. : Rat : Ingestion	
Carci Not cl <u>Comr</u> Cellu Speci Applic	nogenicity assified based on av <u>ponents:</u> lose: es cation Route sure time	Species: Mo Result: nega ailable information. : Rat	
Carci Not cl <u>Comp</u> Cellu Speci Applic Expos	nogenicity assified based on av <u>ponents:</u> lose: es cation Route sure time t	Species: Mo Result: nega ailable information. : Rat : Ingestion : 72 weeks	
Carci Not cl Comr Cellul Speci Applic Expos Resul Losar Speci	nogenicity assified based on av <u>ponents:</u> lose: es cation Route sure time t t	Species: Mo Result: nega ailable information. : Rat : Ingestion : 72 weeks : negative : Mouse	
Carci Not cl Comp Cellul Speci Applic Expos Resul Losar Speci Applic	nogenicity assified based on av <u>ponents:</u> lose: es cation Route sure time t t rtan: es cation Route	Species: Mo Result: nega ailable information. : Rat : Ingestion : 72 weeks : negative : Mouse : Oral	
Carci Not cl Comr Cellul Speci Applic Expos Resul Losar Speci Applic Expos	nogenicity assified based on av <u>ponents:</u> lose: es cation Route sure time t t	Species: Mo Result: nega ailable information. : Rat : Ingestion : 72 weeks : negative : Mouse : Oral : 92 weeks	ative
Carci Not cl Comp Cellul Speci Applic Expos Resul Losar Speci Applic	nogenicity assified based on av <u>ponents:</u> lose: es cation Route sure time t t rtan: es cation Route sure time	Species: Mo Result: nega ailable information. : Rat : Ingestion : 72 weeks : negative : Mouse : Oral	ative
Carci Not cl Comp Cellul Speci Applic Expos Resul Speci Applic Expos Dose Resul	nogenicity assified based on av <u>ponents:</u> lose: es cation Route sure time t rtan: es cation Route sure time t t es	Species: Mo Result: nega ailable information. : Rat : Ingestion : 72 weeks : negative : Mouse : Oral : 92 weeks : 200 mg/kg b : negative : Rat	ative
Carci Not cl Comp Cellul Speci Applic Expos Resul Speci Applic Expos Dose Resul Speci Applic	nogenicity assified based on av <u>ponents:</u> lose: es cation Route sure time t rtan: es cation Route sure time t sure time t	Species: Mo Result: nega ailable information. : Rat : Ingestion : 72 weeks : negative : Mouse : Oral : 92 weeks : 200 mg/kg b : negative : Rat : Oral	ative
Carci Not cl Comp Cellul Speci Applic Expos Resul Speci Applic Expos Resul Speci Applic Expos Resul	nogenicity assified based on av <u>ponents:</u> lose: es cation Route sure time t rtan: es cation Route sure time t t es	Species: Mo Result: nega ailable information. : Rat : Ingestion : 72 weeks : negative : Mouse : Oral : 92 weeks : 200 mg/kg b : negative : Rat : Oral : Oral : 105 weeks	ative ody weight
Carci Not cl Comp Cellul Speci Applic Expos Resul Speci Applic Expos Dose Resul Speci Applic	nogenicity assified based on av <u>ponents:</u> lose: es cation Route sure time t rtan: es cation Route sure time t es cation Route sure time	Species: Mo Result: nega ailable information. : Rat : Ingestion : 72 weeks : negative : Mouse : Oral : 92 weeks : 200 mg/kg b : negative : Rat : Oral	ative ody weight
Carci Not cl Comp Cellul Speci Applic Expos Resul Speci Applic Expos Resul Speci Applic Expos Resul	nogenicity assified based on av <u>ponents:</u> lose: es cation Route sure time t rtan: es cation Route sure time t es cation Route sure time	Species: Mo Result: nega ailable information. : Rat : Ingestion : 72 weeks : negative : Mouse : Oral : 92 weeks : 200 mg/kg b : negative : Rat : Oral : Oral : 105 weeks : 270 mg/kg b	ative ody weight



2	Revision Date: 06.04.2024	SDS Number: 51851-00023	Date of last issue: 30.09.2023 Date of first issue: 26.01.2015			
	cation Route sure time t	: Oral : 2 Years : negative				
Speci		: Rat				
	ation Route	: Oral				
Exposure time Result		2 Years 2 negative				
Titani	ium dioxide:					
Speci		: Rat				
	cation Route sure time	: inhalation (du : 2 Years	st/mist/fume)			
Metho		: OECD Test G	uideline 453			
Resul		: positive				
Rema	irks	: The mechanis mans.	sm or mode of action may not be relevant in hu			
Carcir ment	nogenicity - Assess-	: Limited evider animals.	nce of carcinogenicity in inhalation studies with			
-	ause harm to breast-feo conents:	d children.				
May o <u>Comp</u> Cellul	oonents:	: Test Type: Or Species: Rat	ne-generation reproduction toxicity study oute: Ingestion ive			
May c <u>Comr</u> Cellul Effect	oonents: lose:	 Test Type: Or Species: Rat Application Re Result: negati Test Type: Fe Species: Rat 	oute: Ingestion ve ertility/early embryonic development oute: Ingestion			
May c <u>Comr</u> Cellul Effect	oonents: lose: s on fertility s on fetal development	 Test Type: Or Species: Rat Application Re Result: negati Test Type: Fe Species: Rat Application Re 	oute: Ingestion ve ertility/early embryonic development oute: Ingestion			
May c <u>Comp</u> Cellul Effect Effect	oonents: lose: s on fertility s on fetal development	 Test Type: Or Species: Rat Application Ro Result: negati Test Type: Fe Species: Rat Application Ro Result: negati Test Type: Fe 	oute: Ingestion ve artility/early embryonic development oute: Ingestion ve			
May c <u>Comp</u> Cellul Effect Effect	oonents: lose: s on fertility s on fetal development	 Test Type: Or Species: Rat Application Ro Result: negati Test Type: Fe Species: Rat Application Ro Result: negati Test Type: Fe Species: Rat, 	oute: Ingestion ve ertility/early embryonic development oute: Ingestion ve ertility female			
May c <u>Comp</u> Cellul Effect Effect	oonents: lose: s on fertility s on fetal development	 Test Type: Or Species: Rat Application Ro Result: negati Test Type: Fe Species: Rat Application Ro Result: negati Test Type: Fe Species: Rat, Application Ro 	oute: Ingestion ve ertility/early embryonic development oute: Ingestion ve ertility female			
May c <u>Comp</u> Cellul Effect Effect	oonents: lose: s on fertility s on fetal development	 Test Type: Or Species: Rat Application Re Result: negati Test Type: Fe Species: Rat Application Re Result: negati Test Type: Fe Species: Rat, Application Re Fertility: LOAE Result: female 	oute: Ingestion ve ertility/early embryonic development oute: Ingestion ve ertility female oute: Oral EL: 200 mg/kg body weight e reproductive effects			
May c <u>Comp</u> Cellul Effect Effect	oonents: lose: s on fertility s on fetal development	 Test Type: Or Species: Rat Application Re Result: negati Test Type: Fe Species: Rat Application Re Result: negati Test Type: Fe Species: Rat, Application Re Fertility: LOAE Result: female 	oute: Ingestion ve ertility/early embryonic development oute: Ingestion ve ertility female oute: Oral EL: 200 mg/kg body weight			
May c <u>Comp</u> Cellul Effect Effect	oonents: lose: s on fertility s on fetal development	 Test Type: Or Species: Rat Application Re Result: negati Test Type: Fe Species: Rat Application Re Result: negati Test Type: Fe Species: Rat, Application Re Fertility: LOAE Result: female Remarks: Mai Test Type: De Species: Rabi Application Re General Toxic Developmenta 	oute: Ingestion ve ertility/early embryonic development oute: Ingestion ve ertility female oute: Oral EL: 200 mg/kg body weight e reproductive effects ternal toxicity observed. evelopment bit			



Version 6.2	Revision Date: 06.04.2024		OS Number: 851-00023	Date of last issue: 30.09.2023 Date of first issue: 26.01.2015
			teratogenic effect	S.
Repro sessr	oductive toxicity - As- nent	:	Clear evidence of animal experimer	adverse effects on development, based on the adverse effects on development, based on
			Studies indicating period	a hazard to babies during the lactation
Amlo	dipine Besylate:			
Effec	ts on fertility	:	Species: Rat Application Route	10 mg/kg body weight
			Species: Rabbit Application Route	25 mg/kg body weight
Effec	ts on fetal development	:	Species: Rat Application Route Developmental To	vo-fetal development e: Ingestion oxicity: LOAEL: 10 mg/kg body weight n fetal development.
			Species: Rabbit Application Route Developmental To	vo-fetal development e: Ingestion oxicity: NOAEL: 10 mg/kg body weight s on fetal development.
			Species: Mouse Application Route Developmental To Result: Effects on	vo-fetal development e: Ingestion oxicity: LOAEL: 1,6 mg/kg body weight i fetal development. al toxicity observed.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Blood, Cardio-vascular system, Stomach, Kidney) through prolonged or repeated exposure if swallowed.



rsion	Revision Date: 06.04.2024	SDS Number: 51851-00023	Date of last issue: 30.09.2023 Date of first issue: 26.01.2015
Comp	oonents:		
Losar	tan:		
		. Increation	
	s of exposure t Organs	: Ingestion	vegeuler evetem Stomach Kidney
	sment		vascular system, Stomach, Kidney mage to organs through prolonged or repeat
A3363	Sillent	exposure.	hage to organs through protonged of repeat
Repe	ated dose toxicity		
Comp	onents:		
Cellul	ose:		
Speci	es	: Rat	
NOAE		: >= 9.000 mg/k	g
Applic	ation Route	: Ingestion	
Expos	sure time	: 90 Days	
Losar	tan:		
Speci	es	: Rat	
LOAE	L	: 15 mg/kg	
	ation Route	: Oral	
	sure time	: 309 d	
	er of exposures	: daily	
Targe	t Organs	: Blood, Kidney,	Cardio-vascular system, Stomach
Speci		: Dog	
NOAE		: 5 mg/kg	
	ation Route	: Oral	
	ure time	: 1 Months	
Symp	toms	: Salivation, Vor	niting
Speci		: Dog	
LOAE		: 25 mg/kg	
	ation Route	: Oral	
	sure time	: 53 Weeks	
	er of exposures	: daily	niting
Symp	loms	: Salivation, Vor	mung
	dipine Besylate:		
Speci		: Rat	
NOAE		: 15 mg/kg	
	ation Route	: Oral	
Expos Rema	sure time	: 90 d	adverse effects were reported
Reina	110	. NO SIGNILICANT	adverse effects were reported
	um dioxide:	_	
Speci		: Rat	
NOAE		: 24.000 mg/kg	
	ation Route	: Ingestion	
Expos	sure time	: 28 Days	



Version 6.2	Revision Date: 06.04.2024	SDS Number: 51851-00023	Date of last issue: 30.09.2023 Date of first issue: 26.01.2015			
		: Rat : 10 mg/m³ : inhalation (du : 2 y	st/mist/fume)			
Aspiration toxicity Not classified based on available information.						
<u>Com</u>	ponents:					
	r tan: spiration toxicity classif	ication				
Expe	erience with human ex	posure				
<u>Com</u>	ponents:					
Losa	irtan:					
Eye o Inges	contact stion	: Symptoms: E : Symptoms: h	ye irritation ypotension, tachycardia			
Amlo	odipine Besylate:					
Eye o Inges	contact stion		evere irritation ausea, Abdominal pain, Fatigue, Headache, tation			
SECTION 12. ECOLOGICAL INFORMATION						
Ecot	oxicity					
<u>Com</u>	ponents:					
Cellu	llose:					
Toxic	city to fish	Exposure time	s latipes (Japanese medaka)): > 100 mg/l e: 48 h			

		Exposure time: 48 h Remarks: Based on data from similar materials
Losartan:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 929 mg/l Exposure time: 96 h Method: FDA 4.11
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 331 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	NOEC (Microcystis aeruginosa (blue-green algae)): 949 mg/l Exposure time: 10 d Method: FDA 4.01
		NOEC (Selenastrum capricornutum (green algae)): 143 mg/l Exposure time: 10 d Method: FDA 4.01



ersion 2	Revision Date: 06.04.2024		0S Number: 851-00023	Date of last issue: 30.09.2023 Date of first issue: 26.01.2015		
Toxicity to fish (Chronic tox- icity)		:	: NOEC (Pimephales promelas (fathead minnow)): 10 mg/l Exposure time: 32 d Method: OECD Test Guideline 210			
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)		:	NOEC (Daphnia magna (Water flea)): 100 mg/l Exposure time: 21 d Method: OECD Test Guideline 211			
Aml	odipine Besylate:					
Toxi	city to fish	:	: LC50 (Pimephales promelas (fathead minnow)): 2,7 mg/l Exposure time: 96 h			
	city to daphnia and other atic invertebrates	:	EC50 (Daphnia magna (Water flea)): 3,2 mg/l Exposure time: 48 h			
Toxic plant	city to algae/aquatic ts	:	IC50 (Pseudokirchneriella subcapitata (green algae)): 5,6 Exposure time: 72 h Method: OECD Test Guideline 201			
Tita	nium dioxide:					
Toxi	city to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203			
	city to daphnia and other atic invertebrates	:	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h			
Toxi plant	city to algae/aquatic ts	:	: EC50 (Skeletonema costatum (marine diatom)): > 10.00 Exposure time: 72 h			
Toxi	Toxicity to microorganisms		EC50: > 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209			
Pers	sistence and degradabili	ity				
Com	ponents:					
Cell	ulose:					
Biod	egradability	:	Result: Readily bi	odegradable.		
Losa	artan:					
Stab	ility in water	:	Hydrolysis: < 10 %	%(5 d)		
Bioa	occumulative potential					
Com	ponents:					
Parti	artan: ition coefficient: n- nol/water	:	log Pow: 1,2			
Aml	odipine Besylate:					
			15 / 18			



Version 6.2	Revision Date: 06.04.2024	SDS Number: 51851-00023	Date of last issue: 30.09.2023 Date of first issue: 26.01.2015	
	ion coefficient: n- ol/water	: log Pow: 3		
	lity in soil ata available			
••	r adverse effects ata available			
SECTION 13. DISPOSAL CONSIDERATIONS				

Disposal methods	
Waste from residues	: Do not dispose of waste into sewer.
	Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste
	handling site for recycling or disposal.
	If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents: Not applicableRegistry.Control of precursors and essential chemicals for the: Not applicable

preparation of drugs.

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined



Version 6.2	Revision Date: 06.04.2024		DS Number: 851-00023	Date of last issue: 30.09.2023 Date of first issue: 26.01.2015			
SECTIO	SECTION 16. OTHER INFORMATION						
	Revision Date Date format		06.04.2024 dd.mm.yyyy				
Fur	ther information						
com	Sources of key data used to compile the Material Safety Data Sheet		Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/				
Full	text of other abbreviat	ions					
ACC AR	GIH OEL	:		eshold Limit Values (TLV) bational Exposure Limits			
	ACGIH / TWA AR OEL / CMP		8-hour, time-weig TLV (Threshold L				
Lan Car Stai x% EN0 x%	AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA						

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	06.04.2024	51851-00023	Date of first issue: 26.01.2015

SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8