

## Losartan / Amlodipine Besylate Formulation

Version 7.0      Revision Date: 06.04.2024      SDS Number: 49929-00022      Date of last issue: 30.09.2023  
Date of first issue: 26.01.2015

---

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION****Manufacturer or supplier's details**

Company : Organon & Co.  
Address : Rua Treze de Maio, 1161  
Campinas, São Paulo, Brazil 13106-054  
Telephone : +55 (19) 3758-2000  
Emergency telephone : +55 (11) 3173-4931  
E-mail address : EHSSTEWARD@organon.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification in accordance with ABNT NBR 14725 Standard**

Serious eye damage : Category 1  
Skin sensitization : Category 1  
Reproductive toxicity : Category 1B  
Effects on or via lactation  
Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Blood, Cardio-vascular system, Stomach, Kidney)

**GHS label elements in accordance with ABNT NBR 14725 Standard**

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H360D May damage the unborn child.  
H362 May cause harm to breast-fed children.  
H373 May cause damage to organs (Blood, Cardio-vascular system, Stomach, Kidney) through prolonged or repeated exposure if swallowed.

## Losartan / Amlodipine Besylate Formulation

Version 7.0      Revision Date: 06.04.2024      SDS Number: 49929-00022      Date of last issue: 30.09.2023  
Date of first issue: 26.01.2015

## Precautionary Statements

: **Prevention:**

P201 Obtain special instructions before use.  
P260 Do not breathe dust.  
P263 Avoid contact during pregnancy/ while nursing.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Other hazards which do not result in classification**

Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Cellulose	9004-34-6		>= 50 -< 70
Losartan	124750-99-8	Acute toxicity (Oral), Category 4 Serious eye damage, Category 1 Skin sensitization, Category 1 Reproductive toxicity, Category 1B Effects on or via lactation, Specific target organ toxicity - repeated exposure (Oral) (Blood, Cardiovascular system, Stomach, Kidney), Category 2	>= 10 -< 20
Amlodipine Besylate	652969-01-2	Acute toxicity (Oral), Category 4 Eye irritation, Category 2A Short-term (acute) aquatic hazard, Category 2 Long-term (chronic) aquatic hazard, Category 2	>= 1 -< 2,5

# SAFETY DATA SHEET



## Losartan / Amlodipine Besylate Formulation



Version 7.0      Revision Date: 06.04.2024      SDS Number: 49929-00022      Date of last issue: 30.09.2023  
Date of first issue: 26.01.2015

Titanium dioxide	13463-67-7	Carcinogenicity (Inhalation), Category 2	$\geq 0,1$ - $< 1$
------------------	------------	--	--------------------

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.  
Causes serious eye damage.  
May damage the unborn child.  
May cause harm to breast-fed children.  
May cause damage to organs through prolonged or repeated exposure if swallowed.  
Contact with dust can cause mechanical irritation or drying of the skin.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Chlorine compounds

## Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	06.04.2024	49929-00022	Date of first issue: 26.01.2015

---

Nitrogen oxides (NO<sub>x</sub>)  
Metal oxides

- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

**SECTION 7. HANDLING AND STORAGE**

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Avoid contact during pregnancy and while nursing.  
Do not get on skin or clothing.  
Do not breathe dust.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety

## Losartan / Amlodipine Besylate Formulation

Version 7.0      Revision Date: 06.04.2024      SDS Number: 49929-00022      Date of last issue: 30.09.2023  
Date of first issue: 26.01.2015

- practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.
- Conditions for safe storage** : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid** : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	ACGIH
Losartan	124750-99-8	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
Amlodipine Besylate	652969-01-2	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : Minimize workplace exposure concentrations.  
Apply measures to prevent dust explosions.  
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).  
If sufficient ventilation is unavailable, use with local exhaust ventilation.

**Personal protective equipment**

- Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

# SAFETY DATA SHEET



## Losartan / Amlodipine Besylate Formulation



Version 7.0      Revision Date: 06.04.2024      SDS Number: 49929-00022      Date of last issue: 30.09.2023  
Date of first issue: 26.01.2015

---

Filter type : Particulates type  
Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment: Chemical resistant goggles must be worn. If splashes are likely to occur, wear:  
Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

# SAFETY DATA SHEET



## Losartan / Amlodipine Besylate Formulation



Version 7.0      Revision Date: 06.04.2024      SDS Number: 49929-00022      Date of last issue: 30.09.2023  
Date of first issue: 26.01.2015

---

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics  
Particle size : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### **Acute toxicity**

Not classified based on available information.

#### **Product:**

## Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	06.04.2024	49929-00022	Date of first issue: 26.01.2015

---

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Expert judgment

**Components:****Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

**Losartan:**

Acute oral toxicity : LD50 (Mouse): 1.257 - 1.590 mg/kg

LDLo (Rat): 200 mg/kg

LDLo (Mouse): 400 mg/kg

**Amlodipine Besylate:**

Acute oral toxicity : LD50 (Rat): 393 mg/kg

**Titanium dioxide:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6,82 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Losartan:**

Species : Rabbit  
Result : Mild skin irritation

**Titanium dioxide:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye damage.



## Losartan / Amlodipine Besylate Formulation

Version 7.0      Revision Date: 06.04.2024      SDS Number: 49929-00022      Date of last issue: 30.09.2023  
Date of first issue: 26.01.2015

**Components:****Losartan:**

Species	:	Rabbit
Result	:	Severe irritation

**Amlodipine Besylate:**

Species	:	Rabbit
Result	:	Severe irritation

**Titanium dioxide:**

Species	:	Rabbit
Result	:	No eye irritation

**Respiratory or skin sensitization****Skin sensitization**

May cause an allergic skin reaction.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Losartan:**

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Assessment	:	Probability or evidence of skin sensitization in humans
Result	:	positive

**Titanium dioxide:**

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Result	:	negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Cellulose:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion

## Losartan / Amlodipine Besylate Formulation

Version 7.0      Revision Date: 06.04.2024      SDS Number: 49929-00022      Date of last issue: 30.09.2023  
Date of first issue: 26.01.2015

|||      Result: negative

**Losartan:**

Genotoxicity in vitro      :    Test Type: in vitro test  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: Alkaline elution assay  
Result: negative

Test Type: Chromosomal aberration  
Result: negative

Genotoxicity in vivo      :    Test Type: Chromosomal aberration  
Result: negative

**Amlodipine Besylate:**

Genotoxicity in vitro      :    Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

**Titanium dioxide:**

Genotoxicity in vitro      :    Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo      :    Test Type: In vivo micronucleus test  
Species: Mouse  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Cellulose:**

Species      :    Rat  
Application Route      :    Ingestion  
Exposure time      :    72 weeks  
Result      :    negative

**Losartan:**

Species      :    Mouse  
Application Route      :    Oral  
Exposure time      :    92 weeks  
Dose      :    200 mg/kg body weight  
Result      :    negative

## Losartan / Amlodipine Besylate Formulation

Version 7.0      Revision Date: 06.04.2024      SDS Number: 49929-00022      Date of last issue: 30.09.2023  
 Date of first issue: 26.01.2015

Species : Rat  
 Application Route : Oral  
 Exposure time : 105 weeks  
 Dose : 270 mg/kg body weight  
 Result : negative

**Amlodipine Besylate:**

Species : Mouse  
 Application Route : Oral  
 Exposure time : 2 Years  
 Result : negative

Species : Rat  
 Application Route : Oral  
 Exposure time : 2 Years  
 Result : negative

**Titanium dioxide:**

Species : Rat  
 Application Route : inhalation (dust/mist/fume)  
 Exposure time : 2 Years  
 Method : OECD Test Guideline 453  
 Result : positive  
 Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

**Reproductive toxicity**

May damage the unborn child.  
 May cause harm to breast-fed children.

**Components:****Cellulose:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

**Losartan:**

Effects on fertility : Test Type: Fertility  
 Species: Rat, female  
 Application Route: Oral  
 Fertility: LOAEL: 200 mg/kg body weight  
 Result: female reproductive effects

## Losartan / Amlodipine Besylate Formulation

Version 7.0      Revision Date: 06.04.2024      SDS Number: 49929-00022      Date of last issue: 30.09.2023  
 Date of first issue: 26.01.2015

Remarks: Maternal toxicity observed.

Effects on fetal development : Test Type: Development  
 Species: Rabbit  
 Application Route: Oral  
 General Toxicity Maternal: NOAEL: 10 mg/kg body weight  
 Developmental Toxicity: NOAEL F1: 20 mg/kg body weight  
 Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No teratogenic effects.

Test Type: Development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 10 mg/kg body weight  
 Result: Fetotoxicity., No teratogenic effects.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

Studies indicating a hazard to babies during the lactation period

**Amlodipine Besylate:**

Effects on fertility : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Ingestion  
 Fertility: NOAEL: 10 mg/kg body weight  
 Result: No effects on fertility.

Test Type: Fertility/early embryonic development  
 Species: Rabbit  
 Application Route: Ingestion  
 Fertility: NOAEL: 25 mg/kg body weight  
 Result: No effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Ingestion  
 Developmental Toxicity: LOAEL: 10 mg/kg body weight  
 Result: Effects on fetal development.

Test Type: Embryo-fetal development  
 Species: Rabbit  
 Application Route: Ingestion  
 Developmental Toxicity: NOAEL: 10 mg/kg body weight  
 Result: No effects on fetal development.

Test Type: Embryo-fetal development  
 Species: Mouse  
 Application Route: Ingestion  
 Developmental Toxicity: LOAEL: 1,6 mg/kg body weight  
 Result: Effects on fetal development.  
 Remarks: Maternal toxicity observed.

## Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	06.04.2024	49929-00022	Date of first issue: 26.01.2015

---

## II

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

May cause damage to organs (Blood, Cardio-vascular system, Stomach, Kidney) through prolonged or repeated exposure if swallowed.

**Components:****Losartan:**

Routes of exposure	: Ingestion
Target Organs	: Blood, Cardio-vascular system, Stomach, Kidney
Assessment	: May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Cellulose:**

Species	: Rat
NOAEL	: >= 9.000 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

**Losartan:**

Species	: Rat
LOAEL	: 15 mg/kg
Application Route	: Oral
Exposure time	: 309 d
Number of exposures	: daily
Target Organs	: Blood, Kidney, Cardio-vascular system, Stomach

Species	: Dog
NOAEL	: 5 mg/kg
Application Route	: Oral
Exposure time	: 1 Months
Symptoms	: Salivation, Vomiting

Species	: Dog
LOAEL	: 25 mg/kg
Application Route	: Oral
Exposure time	: 53 Weeks
Number of exposures	: daily
Symptoms	: Salivation, Vomiting

**Amlodipine Besylate:**

Species	: Rat
NOAEL	: 15 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Remarks	: No significant adverse effects were reported

## Losartan / Amlodipine Besylate Formulation

Version 7.0      Revision Date: 06.04.2024      SDS Number: 49929-00022      Date of last issue: 30.09.2023  
Date of first issue: 26.01.2015

---

**Titanium dioxide:**

Species : Rat  
NOAEL : 24.000 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days

Species : Rat  
NOAEL : 10 mg/m<sup>3</sup>  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 y

**Aspiration toxicity**

Not classified based on available information.

**Components:****Losartan:**

|| No aspiration toxicity classification

**Experience with human exposure****Components:****Losartan:**

|| Eye contact : Symptoms: Eye irritation  
|| Ingestion : Symptoms: hypotension, tachycardia

**Amlodipine Besylate:**

|| Eye contact : Symptoms: Severe irritation  
|| Ingestion : Symptoms: Nausea, Abdominal pain, Fatigue, Headache, Edema, Palpitation

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Cellulose:**

|| Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

**Losartan:**

|| Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 929 mg/l  
Exposure time: 96 h  
Method: FDA 4.11

|| Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 331 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

## Losartan / Amlodipine Besylate Formulation

Version 7.0      Revision Date: 06.04.2024      SDS Number: 49929-00022      Date of last issue: 30.09.2023  
Date of first issue: 26.01.2015

Toxicity to algae/aquatic plants	: NOEC (Microcystis aeruginosa (blue-green algae)): 949 mg/l Exposure time: 10 d Method: FDA 4.01
	: NOEC (Selenastrum capricornutum (green algae)): 143 mg/l Exposure time: 10 d Method: FDA 4.01
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 10 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 100 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

**Amlodipine Besylate:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 2,7 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 3,2 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: IC50 (Pseudokirchneriella subcapitata (green algae)): 5,6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

**Titanium dioxide:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Skeletonema costatum (marine diatom)): > 10.000 mg/l Exposure time: 72 h
Toxicity to microorganisms	: EC50: > 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

**Persistence and degradability****Components:****Cellulose:**

Biodegradability : Result: Readily biodegradable.

**Losartan:**

Stability in water : Hydrolysis: < 10 %(5 d)

## Losartan / Amlodipine Besylate Formulation

Version 7.0      Revision Date: 06.04.2024      SDS Number: 49929-00022      Date of last issue: 30.09.2023  
Date of first issue: 26.01.2015

---

### Bioaccumulative potential

#### Components:

##### Losartan:

Partition coefficient: n-octanol/water : log Pow: 1,2

##### Amlodipine Besylate:

Partition coefficient: n-octanol/water : log Pow: 3

#### Mobility in soil

No data available

#### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### ANTT

Not regulated as a dangerous good

#### Special precautions for user

Not applicable

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - (LINACH)

---



## Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	06.04.2024	49929-00022	Date of first issue: 26.01.2015

---

Group 2B: Possibly carcinogenic to humans

Titanium dioxide

13463-67-7

Brazil. List of chemicals controlled by the Federal Police : Not applicable

**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**SECTION 16. OTHER INFORMATION**

Revision Date : 06.04.2024  
Date format : dd.mm.yyyy

**Further information**

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AiIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

# SAFETY DATA SHEET



## Losartan / Amlodipine Besylate Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	06.04.2024	49929-00022	Date of first issue: 26.01.2015

---

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8