

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ORGANON

Losartan / Amlodipine Besylate Formulation

Version 7.2 Revision Date: 04/06/2024 SDS Number: 49945-00022 Date of last issue: 09/30/2023
Date of first issue: 01/26/2015

SECTION 1. IDENTIFICATION

Product name : Losartan / Amlodipine Besylate Formulation

Manufacturer or supplier's details

Company name of supplier : Organon & Co.
Address : 30 Hudson Street, 33nd floor
Jersey City, New Jersey, U.S.A 07302
Telephone : 1-551-430-6000
Emergency telephone : 1-215-631-6999
E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

Serious eye damage : Category 1

Skin sensitization : Category 1

Carcinogenicity (Inhalation) : Category 2

Reproductive toxicity : Category 1B

Effects on or via lactation

Specific target organ toxicity : Category 2 (Blood, Cardio-vascular system, Stomach, Kidney)
- repeated exposure (Oral)

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H351 Suspected of causing cancer if inhaled.
H360D May damage the unborn child.
H362 May cause harm to breast-fed children.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Losartan / Amlodipine Besylate Formulation

Version 7.2 Revision Date: 04/06/2024 SDS Number: 49945-00022 Date of last issue: 09/30/2023
Date of first issue: 01/26/2015

H373 May cause damage to organs (Blood, Cardio-vascular system, Stomach, Kidney) through prolonged or repeated exposure if swallowed.

Precautionary Statements :

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.
P263 Avoid contact during pregnancy and while nursing.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.
P308 + P313 IF exposed or concerned: Get medical attention.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

Contact with dust can cause mechanical irritation or drying of the skin.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 50 - < 70
Losartan	124750-99-8	>= 10 - < 20
Amlodipine Besylate	652969-01-2	>= 1 - < 5
Titanium dioxide	13463-67-7	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
7.2	04/06/2024	49945-00022	Date of first issue: 01/26/2015

-
- | | | |
|---|---|--|
| General advice | : | In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice. |
| If inhaled | : | If inhaled, remove to fresh air.
Get medical attention. |
| In case of skin contact | : | In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse. |
| In case of eye contact | : | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately. |
| If swallowed | : | If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : | May cause an allergic skin reaction.
Causes serious eye damage.
Suspected of causing cancer if inhaled.
May damage the unborn child.
May cause harm to breast-fed children.
May cause damage to organs through prolonged or repeated exposure if swallowed.
Contact with dust can cause mechanical irritation or drying of the skin. |
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : | Treat symptomatically and supportively. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | | |
|---------------------------------------|---|---|
| Suitable extinguishing media | : | Water spray
Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during fire fighting | : | Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides
Chlorine compounds
Nitrogen oxides (NO _x)
Metal oxides |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers. |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
7.2	04/06/2024	49945-00022	Date of first issue: 01/26/2015

Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Avoid contact during pregnancy and while nursing.
Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Losartan / Amlodipine Besylate Formulation

Version 7.2 Revision Date: 04/06/2024 SDS Number: 49945-00022 Date of last issue: 09/30/2023
Date of first issue: 01/26/2015

Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

inert or nuisance dust 50 Million particles per cubic foot
Value type (Form of exposure): TWA (total dust)
Basis: OSHA Z-3

15 mg/m³
Value type (Form of exposure): TWA (total dust)
Basis: OSHA Z-3

5 mg/m³
Value type (Form of exposure): TWA (respirable fraction)
Basis: OSHA Z-3

15 Million particles per cubic foot
Value type (Form of exposure): TWA (respirable fraction)
Basis: OSHA Z-3

Dust, nuisance dust and particulates 10 mg/m³
Value type (Form of exposure): PEL (Total dust)
Basis: CAL PEL

5 mg/m³
Value type (Form of exposure): PEL (respirable dust fraction)
Basis: CAL PEL

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	TWA	10 mg/m ³	ACGIH
		TWA (Respirable)	5 mg/m ³	NIOSH REL
		TWA (total)	10 mg/m ³	NIOSH REL
		TWA (total dust)	15 mg/m ³	OSHA Z-1

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Losartan / Amlodipine Besylate Formulation

Version 7.2 Revision Date: 04/06/2024 SDS Number: 49945-00022 Date of last issue: 09/30/2023
Date of first issue: 01/26/2015

		TWA (respirable fraction)	5 mg/m ³	OSHA Z-1
Losartan	124750-99-8	TWA	100 µg/m ³ (OEB 2)	Internal
Amlodipine Besylate	652969-01-2	TWA	20 µg/m ³ (OEB 3)	Internal
		Wipe limit	100 µg/100 cm ²	Internal
Titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m ³	OSHA Z-1

Engineering measures : Minimize workplace exposure concentrations.
Apply measures to prevent dust explosions.
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
If sufficient ventilation is unavailable, use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often!
For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
Chemical resistant goggles must be worn.
If splashes are likely to occur, wear:
Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
7.2	04/06/2024	49945-00022	Date of first issue: 01/26/2015

working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
7.2	04/06/2024	49945-00022	Date of first issue: 01/26/2015

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Expert judgment

Components:

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
7.2	04/06/2024	49945-00022	Date of first issue: 01/26/2015

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Losartan:

Acute oral toxicity : LD50 (Mouse): 1,257 - 1,590 mg/kg

LDLo (Rat): 200 mg/kg

LDLo (Mouse): 400 mg/kg

Amlodipine Besylate:

Acute oral toxicity : LD50 (Rat): 393 mg/kg

Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

Losartan:

Species : Rabbit

Result : Mild skin irritation

Titanium dioxide:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Losartan:

Species : Rabbit

Result : Severe irritation

Amlodipine Besylate:

Species : Rabbit

Result : Severe irritation

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Losartan / Amlodipine Besylate Formulation

Version 7.2 Revision Date: 04/06/2024 SDS Number: 49945-00022 Date of last issue: 09/30/2023
Date of first issue: 01/26/2015

Titanium dioxide:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

Losartan:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Assessment : Probability or evidence of skin sensitization in humans
Result : positive

Titanium dioxide:

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Skin contact
Species : Mouse
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Losartan:

Genotoxicity in vitro : Test Type: in vitro test
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Result: negative

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Losartan / Amlodipine Besylate Formulation

Version 7.2 Revision Date: 04/06/2024 SDS Number: 49945-00022 Date of last issue: 09/30/2023
Date of first issue: 01/26/2015

Test Type: Alkaline elution assay
Result: negative

Test Type: Chromosomal aberration
Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration
Result: negative

Amlodipine Besylate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Titanium dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

Carcinogenicity

Suspected of causing cancer if inhaled.

Components:

Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Losartan:

Species : Mouse
Application Route : Oral
Exposure time : 92 weeks
Dose : 200 mg/kg body weight
Result : negative

Species : Rat
Application Route : Oral
Exposure time : 105 weeks
Dose : 270 mg/kg body weight
Result : negative

Amlodipine Besylate:

Species : Mouse

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Losartan / Amlodipine Besylate Formulation

Version 7.2 Revision Date: 04/06/2024 SDS Number: 49945-00022 Date of last issue: 09/30/2023
Date of first issue: 01/26/2015

Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Titanium dioxide:

Species : Rat
Application Route : inhalation (dust/mist/fume)
Exposure time : 2 Years
Method : OECD Test Guideline 453
Result : positive
Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

IARC Group 2B: Possibly carcinogenic to humans
Titanium dioxide 13463-67-7

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

May damage the unborn child.
May cause harm to breast-fed children.

Components:

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative

Losartan:

Effects on fertility : Test Type: Fertility
Species: Rat, female
Application Route: Oral
Fertility: LOAEL: 200 mg/kg body weight

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Losartan / Amlodipine Besylate Formulation

Version 7.2 Revision Date: 04/06/2024 SDS Number: 49945-00022 Date of last issue: 09/30/2023
Date of first issue: 01/26/2015

Result: female reproductive effects
Remarks: Maternal toxicity observed.

Effects on fetal development : Test Type: Development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 10 mg/kg body weight
Developmental Toxicity: NOAEL F1: 20 mg/kg body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No teratogenic effects.

Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 10 mg/kg body weight
Result: Fetotoxicity., No teratogenic effects.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

Studies indicating a hazard to babies during the lactation period

Amlodipine Besylate:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Fertility: NOAEL: 10 mg/kg body weight
Result: No effects on fertility.

Test Type: Fertility/early embryonic development
Species: Rabbit
Application Route: Ingestion
Fertility: NOAEL: 25 mg/kg body weight
Result: No effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Developmental Toxicity: LOAEL: 10 mg/kg body weight
Result: Effects on fetal development.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Ingestion
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Result: No effects on fetal development.

Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Developmental Toxicity: LOAEL: 1.6 mg/kg body weight

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Losartan / Amlodipine Besylate Formulation

Version 7.2 Revision Date: 04/06/2024 SDS Number: 49945-00022 Date of last issue: 09/30/2023
Date of first issue: 01/26/2015

Result: Effects on fetal development.
Remarks: Maternal toxicity observed.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Blood, Cardio-vascular system, Stomach, Kidney) through prolonged or repeated exposure if swallowed.

Components:

Losartan:

Routes of exposure : Ingestion
Target Organs : Blood, Cardio-vascular system, Stomach, Kidney
Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Cellulose:

Species : Rat
NOAEL : $\geq 9,000$ mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Losartan:

Species : Rat
LOAEL : 15 mg/kg
Application Route : Oral
Exposure time : 309 d
Number of exposures : daily
Target Organs : Blood, Kidney, Cardio-vascular system, Stomach

Species : Dog
NOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 1 Months
Symptoms : Salivation, Vomiting

Species : Dog
LOAEL : 25 mg/kg
Application Route : Oral
Exposure time : 53 Weeks
Number of exposures : daily
Symptoms : Salivation, Vomiting

Amlodipine Besylate:

Species : Rat
NOAEL : 15 mg/kg

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Losartan / Amlodipine Besylate Formulation

Version 7.2 Revision Date: 04/06/2024 SDS Number: 49945-00022 Date of last issue: 09/30/2023
Date of first issue: 01/26/2015

Application Route : Oral
Exposure time : 90 d
Remarks : No significant adverse effects were reported

Titanium dioxide:

Species : Rat
NOAEL : 24,000 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Species : Rat
NOAEL : 10 mg/m³
Application Route : inhalation (dust/mist/fume)
Exposure time : 2 y

Aspiration toxicity

Not classified based on available information.

Components:

Losartan:

No aspiration toxicity classification

Experience with human exposure

Components:

Losartan:

Eye contact : Symptoms: Eye irritation
Ingestion : Symptoms: hypotension, tachycardia

Amlodipine Besylate:

Eye contact : Symptoms: Severe irritation
Ingestion : Symptoms: Nausea, Abdominal pain, Fatigue, Headache, Edema, Palpitation

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Losartan:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 929 mg/l
Exposure time: 96 h
Method: FDA 4.11

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
7.2	04/06/2024	49945-00022	Date of first issue: 01/26/2015

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 331 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : NOEC (Microcystis aeruginosa (blue-green algae)): 949 mg/l
Exposure time: 10 d
Method: FDA 4.01
- NOEC (Selenastrum capricornutum (green algae)): 143 mg/l
Exposure time: 10 d
Method: FDA 4.01
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 10 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 100 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Amlodipine Besylate:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2.7 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.2 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : IC50 (Pseudokirchneriella subcapitata (green algae)): 5.6 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Titanium dioxide:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l
Exposure time: 72 h
- Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Persistence and degradability

Components:

Cellulose:

- Biodegradability : Result: Readily biodegradable.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
7.2	04/06/2024	49945-00022	Date of first issue: 01/26/2015

Losartan:

Stability in water : Hydrolysis: < 10 %(5 d)

Bioaccumulative potential

Components:

Losartan:

Partition coefficient: n-octanol/water : log Pow: 1.2

Amlodipine Besylate:

Partition coefficient: n-octanol/water : log Pow: 3

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
7.2	04/06/2024	49945-00022	Date of first issue: 01/26/2015

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust
Respiratory or skin sensitization
Carcinogenicity
Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Cellulose	9004-34-6
Losartan	124750-99-8
D-mannitol	69-65-8
Starch, carboxymethyl ether, sodium salt	9063-38-1
Polyvinyl pyrrolidone	9003-39-8

California Prop. 65

WARNING: This product can expose you to chemicals including Titanium dioxide, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

Polyvinyl pyrrolidone	9003-39-8
-----------------------	-----------

California Permissible Exposure Limits for Chemical Contaminants

Cellulose	9004-34-6
-----------	-----------

The ingredients of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ORGANON

Losartan / Amlodipine Besylate Formulation

Version
7.2

Revision Date:
04/06/2024


SDS Number:
49945-00022

Date of last issue: 09/30/2023
Date of first issue: 01/26/2015

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	*	4
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CAL PEL	:	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
CAL PEL / PEL	:	Permissible exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ORGANON

Losartan / Amlodipine Besylate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
7.2	04/06/2024	49945-00022	Date of first issue: 01/26/2015

Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 04/06/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8