

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ORGANON

Lynestrenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.2	06.04.2024	462437-00019	Date of first issue: 15.01.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Lynestrenol Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Pharmaceutical

Recommended restrictions
on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : Organon & Co.
30 Hudson Street, 33rd floor
07302 Jersey City, New Jersey, U.S.A

Telephone : +1-551-430-6000

E-mail address of person
responsible for the SDS : EHSSTEWARD@organon.com

1.4 Emergency telephone number

+1-215-631-6999

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Germ cell mutagenicity, Category 1B

H340: May cause genetic defects.

Carcinogenicity, Category 2

H351: Suspected of causing cancer.

Reproductive toxicity, Category 1A

H360Fd: May damage fertility. Suspected of damaging the unborn child.

Specific target organ toxicity - repeated
exposure, Category 2

H373: May cause damage to organs through prolonged or repeated exposure.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lynestrenol Formulation

Version 5.2 Revision Date: 06.04.2024 SDS Number: 462437-00019 Date of last issue: 30.09.2023
Date of first issue: 15.01.2016

Hazard statements : H340 May cause genetic defects.
H351 Suspected of causing cancer.
H360Fd May damage fertility. Suspected of damaging the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P260 Do not breathe dust.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
Storage:
P405 Store locked up.

Hazardous components which must be listed on the label:

Lynestrenol

Additional Labelling

EUH208 Contains Tocopherol. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lynestrenol Formulation

Version 5.2 Revision Date: 06.04.2024 SDS Number: 462437-00019 Date of last issue: 30.09.2023
Date of first issue: 15.01.2016

	Registration number		
Lynestrenol	52-76-6 200-151-4	Acute Tox. 4; H302 Muta. 1B; H340 Carc. 2; H351 Repr. 1A; H360Fd STOT RE 1; H372 (Blood, Mammary gland, Uterus (including cervix), Ovary)	$\geq 1 - < 10$
Tocopherol	10191-41-0 233-466-0	Skin Sens. 1B; H317	$\geq 0.1 - < 1$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause genetic defects.
Suspected of causing cancer.
May damage fertility. Suspected of damaging the unborn child.
May cause damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lynestrenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.2	06.04.2024	462437-00019	Date of first issue: 15.01.2016

Contact with dust can cause mechanical irritation or drying of the skin.

Dust contact with the eyes can lead to mechanical irritation.

May produce an allergic reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lynestrenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.2	06.04.2024	462437-00019	Date of first issue: 15.01.2016

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lynestrenol Formulation

Version 5.2 Revision Date: 06.04.2024 SDS Number: 462437-00019 Date of last issue: 30.09.2023
Date of first issue: 15.01.2016

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

dusts non-specific

4 mg/m³

Value type (Form of exposure): OELV - 8 hrs (TWA) (Respirable dust)

Basis: IE OEL

10 mg/m³

Value type (Form of exposure): OELV - 8 hrs (TWA) (inhalable dust)

Basis: IE OEL

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Starch	9005-25-8	OELV - 8 hrs (TWA) (Respirable dust)	4 mg/m ³	IE OEL
		OELV - 8 hrs (TWA) (inhalable dust)	10 mg/m ³	IE OEL
Lynestrenol	52-76-6	TWA	1 µg/m ³ (OEB 4)	Internal
		Wipe limit	10 µg/100 cm ²	Internal
Talc	14807-96-6	OELV - 8 hrs (TWA) (Respirable dust)	0.8 mg/m ³	IE OEL

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lynestrenol Formulation

Version 5.2 Revision Date: 06.04.2024 SDS Number: 462437-00019 Date of last issue: 30.09.2023
Date of first issue: 15.01.2016

		ble dust)		
		OELV - 8 hrs (TWA) (inhalable dust)	10 mg/m ³	IE OEL

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Glycerine	Workers	Inhalation	Long-term local effects	56 mg/m ³
	Consumers	Ingestion	Long-term systemic effects	229 mg/kg bw/day
	Consumers	Inhalation	Long-term local effects	33 mg/m ³
Tocopherol	Workers	Inhalation		44 mg/m ³
	Workers	Skin contact		125 mg/kg bw/day
	Consumers	Inhalation		10.8 mg/m ³
	Consumers	Skin contact		62.5 mg/kg bw/day
	Consumers	Ingestion		6.25 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Glycerine	Fresh water	0.885 mg/l
	Marine water	0.0885 mg/l
	Intermittent use/release	8.85 mg/l
	Sewage treatment plant	1000 mg/l
	Fresh water sediment	3.3 mg/kg dry weight (d.w.)
	Marine sediment	0.33 mg/kg dry weight (d.w.)
	Soil	0.141 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lynestrenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.2	06.04.2024	462437-00019	Date of first issue: 15.01.2016

Hand protection		Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Equipment should conform to I.S. EN 14387
Filter type	:	Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	powder
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ORGANON

Lynestrenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.2	06.04.2024	462437-00019	Date of first issue: 15.01.2016

Decomposition temperature : No data available

pH : No data available

Viscosity
Viscosity, kinematic : Not applicable

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-
octanol/water : Not applicable

Vapour pressure : Not applicable

Relative density : No data available

Density : No data available

Relative vapour density : Not applicable

Particle characteristics
Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

10.5 Incompatible materials

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lynestrenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.2	06.04.2024	462437-00019	Date of first issue: 15.01.2016

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Lynestrenol:

Acute oral toxicity : LD50: > 1,000 - 8,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): 110 mg/kg
Application Route: Intraperitoneal

Tocopherol:

Acute oral toxicity : LD50 (Rat): > 4,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 3,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

Tocopherol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ORGANON

Lynestrenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.2	06.04.2024	462437-00019	Date of first issue: 15.01.2016

Components:

Tocopherol:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Tocopherol:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

Germ cell mutagenicity

May cause genetic defects.

Components:

Lynestrenol:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Result: positive

Test Type: sister chromatid exchange assay
Result: positive

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Mouse
Application Route: Intraperitoneal injection
Result: positive

Test Type: sister chromatid exchange assay
Species: Mouse
Application Route: Intraperitoneal injection
Result: positive

Test Type: dominant lethal test
Species: Mouse
Application Route: Intraperitoneal

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lynestrenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.2	06.04.2024	462437-00019	Date of first issue: 15.01.2016

Result: positive

Germ cell mutagenicity- Assessment : Positive result(s) from in vivo somatic cell mutagenicity tests in mammals. Evidence that the substance has potential to cause mutations to germ cells

Tocopherol:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Suspected of causing cancer.

Components:

Lynestrenol:

Species : Mouse
Application Route : Oral
Exposure time : 80 weeks
Result : positive
Tumor Type : breast tumors, Liver
Remarks : Benign and malignant tumor(s)

Species : Rat
Application Route : Oral
Exposure time : 80 weeks
Result : positive
Tumor Type : breast tumors

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Tocopherol:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative
Remarks : Based on data from similar materials

Reproductive toxicity

May damage fertility. Suspected of damaging the unborn child.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ORGANON

Lynestrenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.2	06.04.2024	462437-00019	Date of first issue: 15.01.2016

Components:

Lynestrenol:

- Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, males
Application Route: Oral
Fertility: LOAEL: 20 mg/kg body weight
Remarks: Impaired spermatogenesis
- Test Type: Fertility/early embryonic development
Species: Rat, females
Application Route: Oral
Fertility: LOAEL: 375 µg/kg
Result: Maternal toxicity observed., Effects on fertility
- Test Type: Fertility/early embryonic development
Species: Rabbit
Application Route: Oral
Fertility: LOAEL: 1,300 µg/kg
Result: Effects on fertility, Postimplantation loss.
- Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 0.1 mg/kg body weight
Result: Effects on foetal development
- Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 0.1 mg/kg body weight
Result: Effects on foetal development, Postimplantation loss.
- Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments., Positive evidence of adverse effects on sexual function and fertility from human epidemiological studies.

Tocopherol:

- Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ORGANON

Lynestrenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.2	06.04.2024	462437-00019	Date of first issue: 15.01.2016

Components:

Lynestrenol:

Target Organs : Blood, Mammary gland, Uterus (including cervix), Ovary
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Tocopherol:

Species : Rat
NOAEL : 500 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Experience with human exposure

Components:

Lynestrenol:

Ingestion : Target Organs: Uterus (including cervix)
Target Organs: breasts
Target Organs: ovaries
Target Organs: Blood
Symptoms: Headache, Nausea, Abdominal pain, Rash, Dizziness, Tremors, Sweating, Vomiting, migraine, acne, breast tenderness, gynecomastia, menstrual irregularities, ovarian cysts
Remarks: Used to prevent pregnancy

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lynestrenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.2	06.04.2024	462437-00019	Date of first issue: 15.01.2016

SECTION 12: Ecological information

12.1 Toxicity

Components:

Tocopherol:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 23.53 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility
- Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 25.8 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility
- EC50 (Pseudokirchneriella subcapitata (green algae)): > 25.8 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility
- Toxicity to microorganisms : EC50 : > 937 mg/l
Exposure time: 30 min
Method: ISO 8192
Remarks: Based on data from similar materials
- Toxicity to fish (Chronic toxicity) : NOEC: > 100 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)
Remarks: Based on data from similar materials

12.2 Persistence and degradability

Components:

Tocopherol:

- Biodegradability : Result: Not readily biodegradable.
Biodegradation: 20 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

12.3 Bioaccumulative potential

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lynestrenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.2	06.04.2024	462437-00019	Date of first issue: 15.01.2016

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : Not regulated as a dangerous good

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ORGANON

Lynestrenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.2	06.04.2024	462437-00019	Date of first issue: 15.01.2016

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ORGANON

Lynestrenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.2	06.04.2024	462437-00019	Date of first issue: 15.01.2016

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H302 : Harmful if swallowed.
H317 : May cause an allergic skin reaction.
H340 : May cause genetic defects.
H351 : Suspected of causing cancer.
H360Fd : May damage fertility. Suspected of damaging the unborn child.
H372 : Causes damage to organs through prolonged or repeated exposure.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Carc. : Carcinogenicity
Muta. : Germ cell mutagenicity
Repr. : Reproductive toxicity
Skin Sens. : Skin sensitisation
STOT RE : Specific target organ toxicity - repeated exposure
IE OEL : Ireland. List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2
IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ORGANON

Lynestrenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.2	06.04.2024	462437-00019	Date of first issue: 15.01.2016

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Muta. 1B	H340
Carc. 2	H351
Repr. 1A	H360Fd
STOT RE 2	H373

Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lynestrenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.2	06.04.2024	462437-00019	Date of first issue: 15.01.2016

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN