According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Mometasone Dry Powder Inhaler Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 06.04.2024 9372577-00007 Date of first issue: 27.08.2021 4.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Mometasone Dry Powder Inhaler Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

: Pharmaceutical

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company Organon & Co.

Shotton Lane

NE23 3JU Cramlington NU - Great Britain

Telephone +44 1 670 59 32 05

E-mail address of person

responsible for the SDS

: EHSSTEWARD@organon.com

1.4 Emergency telephone number

+1-215-631-6999

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

H360Df: May damage the unborn child. Suspected Reproductive toxicity, Category 1B

Specific target organ toxicity - repeated

exposure, Category 2

Long-term (chronic) aquatic hazard, Cat-

egory 1

of damaging fertility. H373: May cause damage to organs through pro-

longed or repeated exposure.

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Mometasone Dry Powder Inhaler Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.2
 06.04.2024
 9372577-00007
 Date of first issue: 27.08.2021

Hazard pictograms :



¥2

Signal word : Danger

Hazard statements : H360Df May damage the unborn child. Suspected of dam-

aging fertility.

H373 May cause damage to organs through prolonged

or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P260 Do not breathe dust.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Hazardous components which must be listed on the label:

Mometasone

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Mometasone	83919-23-7	Repr. 1B; H360Df STOT RE 2; H373 (Immune system, Liver, Kidney, Skin) Aquatic Chronic 1; H410	>= 10 - < 20

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Mometasone Dry Powder Inhaler Formulation

Version 4.2	Revision Date: 06.04.2024	SDS Number: 9372577-00007	Date of last issue: 30.09.2023 Date of first issue: 27.08.2021		
			M-Factor (Chronic aquatic toxicity):		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May damage the unborn child. Suspected of damaging fertili-

ty.

May cause damage to organs through prolonged or repeated

exposure.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Mometasone Dry Powder Inhaler Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.2
 06.04.2024
 9372577-00007
 Date of first issue: 27.08.2021

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Chlorine compounds

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Mometasone Dry Powder Inhaler Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.2
 06.04.2024
 9372577-00007
 Date of first issue: 27.08.2021

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust. Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national

regulations.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Mometasone Dry Powder Inhaler Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.2
 06.04.2024
 9372577-00007
 Date of first issue: 27.08.2021

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

dust of any kind 10 mg/m3

Value type (Form of exposure): TWA (Inhalable)

Basis: GB EH40

4 mg/m3

Value type (Form of exposure): TWA (Respirable fraction)

Basis: GB EH40

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
Mometasone	83919-23-7	TWA	1 μg/m3 (OEB 4)	Internal		
	Further information: Skin					
		Wipe limit	10 μg/100 cm ²	Internal		

8.2 Exposure controls

Engineering measures

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Mometasone Dry Powder Inhaler Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.2 06.04.2024 9372577-00007 Date of first issue: 27.08.2021

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Equipment should conform to BS EN 143

Filter type : Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : powder Colour : white

Odour : No data available
Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

Flash point

No data availableNot applicable

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Mometasone Dry Powder Inhaler Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.2 06.04.2024 9372577-00007 Date of first issue: 27.08.2021

Water solubility : No data available Partition coefficient: n- : No data available

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids) : No data available

Molecular weight : No data available

Particle size : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of : Inhalation

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Mometasone Dry Powder Inhaler Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.2 06.04.2024 9372577-00007 Date of first issue: 27.08.2021

exposure Skin contact

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Mometasone:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

LD50 (Mouse): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 3.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: No mortality observed at this dose.

LC50 (Mouse): > 3.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute toxicity (other routes of :

administration)

LD50 (Rat): 300 mg/kg

Application Route: Subcutaneous Symptoms: Breathing difficulties

Skin corrosion/irritation

Not classified based on available information.

Components:

Mometasone:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Mometasone:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Mometasone Dry Powder Inhaler Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.2 06.04.2024 9372577-00007 Date of first issue: 27.08.2021

Components:

Mometasone:

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Result : negative

Remarks : The results of a test on guinea pigs showed this substance to

be a weak skin sensitiser.

Germ cell mutagenicity

Not classified based on available information.

Components:

Mometasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Chinese hamster lung cells

Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells

Result: positive

Test Type: Mouse Lymphoma

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Application Route: Oral Result: negative

Test Type: Chromosomal aberration

Species: Rat

Cell type: Bone marrow

Result: negative

Test Type: unscheduled DNA synthesis assay

Species: Rat Cell type: Liver cells Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified based on available information.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Mometasone Dry Powder Inhaler Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.2
 06.04.2024
 9372577-00007
 Date of first issue: 27.08.2021

Components:

Mometasone:

Species : Rat
Application Route : Inhalation
Exposure time : 2 Years

Dose : 0.067 mg/kg body weight

Result : negative

Species : Mouse
Application Route : Inhalation
Exposure time : 19 Months

Dose : 0.160 mg/kg body weight

Result : negative

Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

Components:

Mometasone:

Effects on fertility : Test Type: Fertility

Species: Rat

Application Route: Subcutaneous

Fertility: NOAEL: 0.015 mg/kg body weight

Symptoms: Reduced embryonic survival, Reduced foetal

weight

Result: No effects on fertility, Effect on reproduction capacity

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Subcutaneous

Embryo-foetal toxicity: LOAEL: 0.06 mg/kg body weight Result: Embryotoxic effects., Teratogenicity and developmen-

tal toxicity

Test Type: Embryo-foetal development

Species: Rat

Application Route: Dermal

Embryo-foetal toxicity: LOAEL: 0.3 mg/kg body weight

Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Dermal

Embryo-foetal toxicity: LOAEL: 0.15 mg/kg body weight Result: Embryo-foetal toxicity, Malformations were observed.

Test Type: Embryo-foetal development

Species: Rat

Application Route: Subcutaneous

Embryo-foetal toxicity: LOAEL: 0.15 mg/kg body weight

Result: Effects on newborn

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Mometasone Dry Powder Inhaler Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.2 06.04.2024 9372577-00007 Date of first issue: 27.08.2021

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Embryo-foetal toxicity: LOAEL: 0.7 mg/kg body weight Result: Embryo-foetal toxicity, Malformations were observed.

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

STOT - single exposure

Not classified based on available information.

Components:

Mometasone:

Remarks : Based on available data, the classification criteria are not met.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Mometasone:

Exposure routes : inhalation (dust/mist/fume)

Target Organs : Immune system, Liver, Kidney, Skin

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Mometasone:

Species : Rat

NOAEL : 0.005 mg/kg
LOAEL : 0.3 mg/kg
Application Route : Oral
Exposure time : 30 d

Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Dog
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 30 d

Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Rat

NOAEL : 0.00013 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 90 d

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Mometasone Dry Powder Inhaler Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.2 06.04.2024 9372577-00007 Date of first issue: 27.08.2021

Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow,

Kidney, Liver, thymus gland

Species : Dog

NOAEL : 0.0005 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 90 d

Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow,

Kidney, thymus gland, Liver

Aspiration toxicity

Not classified based on available information.

Components:

Mometasone:

Not applicable

Experience with human exposure

Components:

Mometasone:

Inhalation : Symptoms: allergic rhinitis, Headache, pharyngitis, upper res-

piratory tract infection, sinusitis, oral candidiasis, Back pain, musculoskeletal pain, immune system effects, indigestion

Skin contact : Symptoms: Dermatitis, Itching

Further information

Components:

Mometasone:

Remarks : Dermal absorption possible

SECTION 12: Ecological information

12.1 Toxicity

Components:

Mometasone:

Toxicity to fish : LC50 (Menidia beryllina (Silverside)): 0.11 mg/l

Exposure time: 96 h

Remarks: No toxicity at the limit of solubility

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 5 mg/l

Exposure time: 7 d

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 5 mg/l

Exposure time: 48 h

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Mometasone Dry Powder Inhaler Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.2
 06.04.2024
 9372577-00007
 Date of first issue: 27.08.2021

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

EC50 (Americamysis): > 5 mg/l

Exposure time: 96 h

Method: US-EPA OPPTS 850.1035

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 3.2

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : EC50 : > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Remarks: No toxicity at the limit of solubility

NOEC: 1,000 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.00014 mg/l Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.34 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility

M-Factor (Chronic aquatic

toxicity)

100

12.2 Persistence and degradability

Components:

Mometasone:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 50 % Exposure time: 28 d

Method: OECD Test Guideline 314

Stability in water : Hydrolysis: 50 %(12 d)

Method: OECD Test Guideline 111

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Mometasone Dry Powder Inhaler Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.2
 06.04.2024
 9372577-00007
 Date of first issue: 27.08.2021

12.3 Bioaccumulative potential

Components:

Mometasone:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 107.1 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

log Pow: 4.68

12.4 Mobility in soil

Components:

Mometasone:

Distribution among environ-

mental compartments

log Koc: 4.02

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

This substance/mixture does not contain components considered to have endocrine disrupting properties for environment

according to UK REACH Article 57(f).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Mometasone Dry Powder Inhaler Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.2
 06.04.2024
 9372577-00007
 Date of first issue: 27.08.2021

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Mometasone)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Mometasone)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Mometasone)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Mometasone)

IATA : Environmentally hazardous substance, solid, n.o.s.

(Mometasone)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Mometasone Dry Powder Inhaler Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.2 06.04.2024 9372577-00007 Date of first issue: 27.08.2021

Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956 Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Mometasone Dry Powder Inhaler Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.2 06.04.2024 9372577-00007 Date of first issue: 27.08.2021

UK REACH List of restrictions (Annex 17) : Not applicable UK REACH Candidate list of substances of very high : Not applicable

concern (SVHC) for Authorisation

The Persistent Organic Pollutants Regulations (retained : Not applicable

Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

Regulation (EC) No 1005/2009 on substances that de- : Not applicable

plete the ozone layer

UK REACH List of substances subject to authorisation : Not applicable

(Annex XIV)

GB Export and import of hazardous chemicals - Prior : Not applicable

Informed Consent (PIC) Regulation

Control of Major Accident Hazards Regulations 2015 (COMAH)

Quantity 1 Quantity 2

E1 ENVIRONMENTAL 100 t 200 t

HAZARDS

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H360Df : May damage the unborn child. Suspected of damaging fertili-

tv.

H373 : May cause damage to organs through prolonged or repeated

exposure if inhaled.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Mometasone Dry Powder Inhaler Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.2 06.04.2024 9372577-00007 Date of first issue: 27.08.2021

Repr. : Reproductive toxicity

STOT RE : Specific target organ toxicity - repeated exposure GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sheet

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Repr. 1B H360Df Calculation method STOT RE 2 H373 Calculation method Aquatic Chronic 1 H410 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Mometasone Dry Powder Inhaler Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.2
 06.04.2024
 9372577-00007
 Date of first issue: 27.08.2021

safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB/EN