₽¤blic -₩ ORGANON

according to the Hazardous Products Regulations

Mometasone Metered Dose Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03/20/2023
5.0	09/26/2023	25977-00022	Date of first issue: 10/28/2014

SECTION 1. IDENTIFICATION

Product name Other means of identification	:	Mometasone Metered Dose Inhaler Formulation No data available
Manufacturer or supplier's d	leta	ails
Company name of supplier	:	Organon & Co.
Address	:	30 Hudson Street, 33nd floor
		Jersey City, New Jersey, U.S.A 07302
Telephone	:	1-551-430-6000
Emergency telephone	:	1-215-631-6999

Emergency telephene	•	1 210 001 0000
E-mail address	:	EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use	:	Pharmaceutical
Restrictions on use	:	Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations Aerosols : Category 3 Reproductive toxicity Category 1B : Simple Asphyxiant Category 1 : **GHS** label elements Hazard pictograms Signal Word Danger 2 Hazard Statements H229 Pressurised container: May burst if heated. H360Df May damage the unborn child. Suspected of damaging fertility. May displace oxygen and cause rapid suffocation. Precautionary Statements **Prevention:** P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251 Do not pierce or burn, even after use. P280 Wear protective gloves, protective clothing, eye protection and face protection.

according to the Hazardous Products Regulations



Mometasone Metered Dose Inhaler Formulation

Version 5.0	Revision Date: 09/26/2023	SDS Number: 25977-00022	Date of last issue: 03/20/2023 Date of first issue: 10/28/2014			
		Response: P308 + P313	IF exposed or concerned: Get medical attention.			
		Storage: P405 Store locked up. P410 + P412 Protect from sunlight. Do not expose to temperatures tures exceeding 50 °C (122 °F).				
	of contents and container to an approved waste					
	r hazards known.					

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	: Mixtur	e	
Components			
Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Ethanol#	Ethyl alcohol	64-17-5	>= 1.8 - <= 2.5
Mometasone	No data availa- ble	83919-23-7	>= 0.08 - <= 0.18

Voluntarily-disclosed substance

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and	:	May damage the unborn child. Suspected of damaging fertili- ty.



Mometasone Metered Dose Inhaler Formulation

Versi 5.0	ion	Revision Date: 09/26/2023		977-00022	Date of last issue: 03/20/2023 Date of first issue: 10/28/2014
delayed Protection of first-aiders Notes to physician		:	May displace oxygen and cause rapid suffocation. Gas reduces oxygen available for breathing. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Treat symptomatically and supportively.		
SECTION 5. FIRE-FIGHTING MEA		:	Water spray Alcohol-resistant t Carbon dioxide (C		
	Unsuita media	able extinguishing	:	Dry chemical None known.	
friedia Specific hazards during fire fighting		:		pustion products may be a hazard to health. rises there is danger of the vessels bursting por pressure.	
	Hazardous combustion prod- ucts		:	Carbon oxides Fluorine compour	ds
	Specifi ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
		l protective equipment fighters	:		e, wear self-contained breathing apparatus. ective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Evacuate personnel to safe areas. Ventilate the area. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable

according to the Hazardous Products Regulations



Mometasone Metered Dose Inhaler Formulation

Version 5.0	Revision Date: 09/26/2023	SDS Number: 25977-00022	Date of last issue: 03/20/2023 Date of first issue: 10/28/2014
		disposal of this employed in th determine whic Sections 13 an	al regulations may apply to releases and s material, as well as those materials and items e cleanup of releases. You will need to ch regulations are applicable. Ind 15 of this SDS provide information regarding national requirements.
SECTION	7. HANDLING AND ST	ORAGE	
Tech	nical measures		ng measures under EXPOSURE ERSONAL PROTECTION section.
Local	/Total ventilation		itilation is unavailable, use with local exhaust
Advic	e on safe handling	: Do not get on s Do not breather Do not swallow Avoid contact of Handle in accor practice, based assessment Keep containe Keep away fro other ignition s	
Cond	itions for safe storage	Store in accord Do not pierce of	osed. , well-ventilated place. dance with the particular national regulations. or burn, even after use. tect from sunlight.
Mater	rials to avoid	: Do not store w Self-reactive s Organic peroxi Oxidizing ager Flammable sol Pyrophoric liqu Pyrophoric soli Self-heating su	ith the following product types: ubstances and mixtures des its ids ids ubstances and mixtures id mixtures which in contact with water emit

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
--------------------	-------------------------------------	--	-------

according to the Hazardous Products Regulations



Mometasone Metered Dose Inhaler Formulation

Version 5.0	Revision Date: 09/26/2023	SDS Number: 25977-00022	Date of la Date of fi		
Ethar	nol	64-17-5	TWA	1,000 ppm 1,880 mg/m³	CA AB OEL
			STEL	1,000 ppm	CA BC OEL
			STEV	1,000 ppm	CA QC OEL
			STEL	1,000 ppm	ACGIH
Mom	etasone	83919-23-7	TWA	1 µg/m3 (OEB 4)	Internal
		Further inform	ation: Skin		
			Wipe limit	10 µg/100 cm ²	Internal

Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Self-contained breathing apparatus
Skin and body protection	:	Skin should be washed after contact.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
		When using do not eat, drink or smoke.
		Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aerosol containing a dissolved gas
Color	:	white to off-white
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	-16 °C
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

according to the Hazardous Products Regulations



Mometasone Metered Dose Inhaler Formulation

Version 5.0	Revision Date: 09/26/2023		S Number: 977-00022	Date of last issue: 03/20/2023 Date of first issue: 10/28/2014
Vapor	pressure	:	No data available	9
Relati	ve vapor density	:	No data available	9
Relativ	ve density	:	No data available	9
Densi	ty	:	1 g/cm ³	
	ility(ies) ater solubility	:	insoluble	
	on coefficient: n- bl/water	:	No data available	9
	inition temperature	:	No data available	9
Decor	nposition temperature	:	No data available	9
Viscos Vis	sity cosity, kinematic	:	No data available	9
Explo	sive properties	:	Not explosive	
	ing properties	:		r mixture is not classified as oxidizing.
	ular weight	•	No data available	
Partic	le size	:	No data available	9

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products	:	None known. Oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact



Mometasone Metered Dose Inhaler Formulation

Versio 5.0	n Revision Date: 09/26/2023		S Number: 977-00022	Date of last issue: 03/20/2023 Date of first issue: 10/28/2014			
	Acute toxicity Not classified based on available information.						
<u>c</u>	omponents:						
E	thanol:						
A	cute oral toxicity	:	LD50 (Rat): > 5,00 Method: OECD Te				
A	cute inhalation toxicity	:	LC50 (Rat): 124.7 Exposure time: 4 Test atmosphere:	n			
M	lometasone:						
A	cute oral toxicity	:	LD50 (Rat): > 2,00	00 mg/kg			
			LD50 (Mouse): > 2	2,000 mg/kg			
A	cute inhalation toxicity	:	LC50 (Rat): > 3.3 Exposure time: 4 Test atmosphere: Remarks: No mor	า			
			LC50 (Mouse): > 3 Exposure time: 4 Test atmosphere:	n			
	cute toxicity (other routes of dministration)	:	LD50 (Rat): 300 m Application Route Symptoms: Breath	Subcutaneous			
s s	kin corrosion/irritation						
	ot classified based on availal	ble	information.				
<u>c</u>	omponents:						
E	thanol:						
Μ	pecies lethod esult	:	Rabbit OECD Test Guide No skin irritation	line 404			
м	lometasone:						
s	pecies esult	:	Rabbit No skin irritation				

Serious eye damage/eye irritation

Not classified based on available information.

according to the Hazardous Products Regulations



ersion .0	Revision Date: 09/26/2023	SDS Number: 25977-00022	Date of last issue: 03/20/2023 Date of first issue: 10/28/2014
<u>Comp</u>	onents:		
Ethan	ol:		
Specie		: Rabbit	
Result			s, reversing within 21 days
Metho	d	: OECD Test Gu	
Mome	tasone:		
Specie	es	: Rabbit	
Result		: No eye irritatio	n
Respi	ratory or skin sens	tization	
	ensitization		
Not cla	assified based on av	ailable information.	
Respi	ratory sensitization		
Not cla	assified based on av	ailable information.	
<u>Comp</u>	onents:		
Ethan	ol:		
Test T		: Local lymph no	ode assay (LLNA)
	s of exposure	: Skin contact	
Specie		: Mouse	
Result		: negative	
Mome	tasone:		
Test T		: Maximization T	est
	s of exposure	: Dermal	
Specie		: Guinea pig	
Asses			e skin sensitization.
Result Remar		: negative · The results of a	a test on guinea pigs showed this substance to
i temai		be a weak skin	
Germ	cell mutagenicity		
Not cla	assified based on av	ailable information.	
<u>Comp</u>	onents:		
Ethan	ol.		
		. Toot Turou las	itro mammalian call gang mutation test
Genot	oxicity in vitro	Result: negativ	itro mammalian cell gene mutation test e
		Test Type: Bac Result: negativ	cterial reverse mutation assay (AMES) e
Genot	oxicity in vivo	: Test Type: Roo Species: Mous	dent dominant lethal test (germ cell) (in vivo)

according to the Hazardous Products Regulations



Version 5.0	Revision Date: 09/26/2023		OS Number: 977-00022	Date of last issue: 03/20/2023 Date of first issue: 10/28/2014
			Result: equivoca	I
Mome	etasone:			
	oxicity in vitro	:	Test Type: Bacte Result: negative	erial reverse mutation assay (AMES)
				nosomal aberration inese hamster lung cells
				nosomal aberration inese hamster ovary cells
			Test Type: Mous Result: negative	e Lymphoma
Genot	oxicity in vivo	:	Test Type: Micro Species: Mouse Application Rout Result: negative	
			Test Type: Chron Species: Rat Cell type: Bone r Result: negative	nosomal aberration narrow
			Test Type: unscl Species: Rat Cell type: Liver c Result: negative	neduled DNA synthesis assay ells
	cell mutagenicity - sment	:	Weight of evider cell mutagen.	ce does not support classification as a germ
	nogenicity			
Not cla	assified based on avai	ilable	information.	
<u>Comp</u>	oonents:			
Mome	etasone:			
	ation Route sure time		Rat Inhalation 2 Years 0.067 mg/kg boo negative	ly weight

Species	: Mouse
Application Route	: Inhalation
Exposure time	: 19 Months
Dose	: 0.160 mg/kg body weight
Dose	. 0.160 mg/kg body weight



/ersion 5.0	Revision Date: 09/26/2023		OS Number: 977-00022	Date of last issue: 03/20/2023 Date of first issue: 10/28/2014
Resul	lt	:	negative	
May c	oductive toxicity damage the unborn child ponents:	. Sı	ispected of damag	ing fertility.
Ethar	nol:			
Effect	s on fertility	:	Test Type: Two-g Species: Mouse Application Route Result: negative	eneration reproduction toxicity study : Ingestion
Mome	etasone:			
Effect	s on fertility	:	Symptoms: Redu weight.	-
Effect	s on fetal development	:	Species: Mouse Application Route Embryo-fetal toxic	city.: LOAEL: 0.06 mg/kg body weight xic effects., Teratogenicity and
			Species: Rat Application Route	city.: LOAEL: 0.3 mg/kg body weight
			Species: Rabbit Application Route Embryo-fetal toxic	vo-fetal development e: Dermal city.: LOAEL: 0.15 mg/kg body weight etal toxicity., Malformations were observed.
			Species: Rat Application Route	city.: LOAEL: 0.15 mg/kg body weight
			Species: Rabbit Application Route	vo-fetal development e: Oral city.: LOAEL: 0.7 mg/kg body weight

Public

according to the Hazardous Products Regulations

Version 5.0	Revision Date: 09/26/2023		977-00022	Date of last issue: 03/20/2023 Date of first issue: 10/28/2014
			Result: Embryo-fe	etal toxicity., Malformations were observed.
Repro sessm	ductive toxicity - As- ent	:	animal experimer	adverse effects on development, based on tts., Some evidence of adverse effects on nd fertility, based on animal experiments.
STOT	single exposure			
May di	splace oxygen and car	lse i	apid suffocation.	
<u>Comp</u>	<u>onents:</u>			
	tasone:			
Remar	ks	:	Based on availab	le data, the classification criteria are not met.
STOT	repeated exposure			
	assified based on availa	able	information.	
	onents:			
	tasone:			
	s of exposure		inhalation (dust/m	uist/fume)
	Organs	÷		Liver, Kidney, Skin
Asses		:	May cause dama	ge to organs through prolonged or repeated
11			exposure.	
Repea	ted dose toxicity			
<u>Comp</u>	onents:			
Ethan	ol:			
Specie	-	:	Rat	
NOAE LOAEI	—	÷	1,280 mg/kg	
-	- ation Route	÷	3,156 mg/kg Ingestion	
Expos	ure time	:	90 Days	
NA	4			
Mome Specie	tasone:		Rat	
NOAE		÷	0.005 mg/kg	
LOAEI		÷	0.3 mg/kg	
	ation Route	:	Oral	
	ure time	:	30 d	an Adams at stand. Ohin, the many stand
Iarget	Organs	÷	Lymph hodes, Liv	er, Adrenal gland, Skin, thymus gland
Specie		:	Dog	
LOAEI		:	0.5 mg/kg	
	ation Route ure time	:	Oral 30 d	
	Organs	:		rer, Adrenal gland, Skin, thymus gland
Specie	9S	:	Rat	

according to the Hazardous Products Regulations



Mometasone Metered Dose Inhaler Formulation

Version 5.0	Revision Date: 09/26/2023		DS Number: 5977-00022	Date of last issue: 03/20/2023 Date of first issue: 10/28/2014
Expos	L ation Route ure time t Organs	:	0.00013 mg/l inhalation (dust/n 90 d Adrenal gland, Lu Kidney, Liver, thy	ungs, Lymph nodes, spleen, Bone marrow,
Expos			Dog 0.0005 mg/l inhalation (dust/n 90 d Adrenal gland, Lu Kidney, thymus g	ungs, Lymph nodes, spleen, Bone marrow,
	ation toxicity assified based on avail	able	information.	
	onents:			
Mome	etasone:			
Not ap	oplicable			
Exper	ience with human ex	posi	ure	
<u>Comp</u>	onents:			
Mome	etasone:			
Inhala	tion	:	piratory tract infe	ic rhinitis, Headache, pharyngitis, upper res- ction, sinusitis, oral candidiasis, Back pain, pain, immune system effects, indigestion
Skin c	ontact	•	Symptoms: Derm	
Furth	er information			
Comp	onents:			
	etasone:			
Rema	rks	:	Dermal absorptio	n possible

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity		
Components:		
Ethanol: Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia (water flea)): > 1,000 mg/l Exposure time: 48 h

according to the Hazardous Products Regulations



Version 5.0	Revision Date: 09/26/2023		977-00022	Date of last issue: 03/20/2023 Date of first issue: 10/28/2014
	Toxicity to algae/aquatic plants		ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h	
			EC10 (Chlorella v Exposure time: 72	ulgaris (Fresh water algae)): 11.5 mg/l 2 h
aqu	Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity) Toxicity to microorganisms		NOEC (Daphnia r Exposure time: 9	nagna (Water flea)): 9.6 mg/l d
			EC50 (Pseudomonas putida): 6,500 mg/l Exposure time: 16 h	
 Mo	metasone:			
	kicity to fish	:	Exposure time: 96	eryllina (Silverside)): 0.11 mg/l S h city at the limit of solubility.
			Exposure time: 7	n variegatus (sheepshead minnow)): > 5 mg/l d city at the limit of solubility.
	kicity to daphnia and other uatic invertebrates	:	Exposure time: 48 Method: OECD Te	
	kicity to algae/aquatic nts	:	mg/l Exposure time: 72 Method: OECD To	
Tox icit <u>y</u>	kicity to fish (Chronic tox- y)	:	NOEC (Pimephale mg/l Exposure time: 32 Method: OECD Te	
aqu	kicity to daphnia and other uatic invertebrates (Chron- oxicity)	:	Exposure time: 21 Method: OECD Te	
То	kicity to microorganisms	:	EC50: > 1,000 mg Exposure time: 3 Test Type: Respir Method: OECD To Remarks: No toxio	h ration inhibition

according to the Hazardous Products Regulations



Version 5.0	Revision Date: 09/26/2023	-	DS Number: 977-00022	Date of last issue: 03/20/2023 Date of first issue: 10/28/2014
				h
Persi	istence and degradabi	lity		
Com	ponents:			
Etha	nol:			
Biode	egradability	:	Result: Readily b Biodegradation: Exposure time: 2	84 %
Mom	etasone:			
Biode	egradability	:	Result: Not readil Biodegradation: Exposure time: 20 Method: OECD T	50 %
Stabi	lity in water	:	Hydrolysis: 50 % Method: OECD T	(12 d) est Guideline 111
Bioa	ccumulative potential			
<u>Com</u>	ponents:			
Etha	nol:			
	ion coefficient: n- iol/water	:	log Pow: -0.35	
	etasone:			
Bioad	ccumulation	:	Bioconcentration	s macrochirus (Bluegill sunfish) factor (BCF): 107.1 est Guideline 305
	ion coefficient: n- ol/water	:	log Pow: 4.68	
Mobi	lity in soil			
<u>Com</u>	ponents:			
Distri ment Othe	etasone: bution among environ- al compartments r adverse effects ata available	:	log Koc: 4.02	



Mometasone Metered Dose Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03/20/2023
5.0	09/26/2023	25977-00022	Date of first issue: 10/28/2014

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Please ensure aerosol cans are sprayed completely empty (including propellant)
		Empty containers should be taken to an approved waste handling site for recycling or disposal.
		If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name Class Packing group Labels Environmentally hazardous	UN 1950 AEROSOLS 2.2 Not assigned by regulation 2.2 no
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	UN 1950 Aerosols, non-flammable 2.2 Not assigned by regulation Non-flammable, non-toxic Gas 203 203
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant	UN 1950 AEROSOLS (Mometasone) 2.2 Not assigned by regulation 2.2 F-D, S-U yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG	
UN number	: UN 1950
Proper shipping name	: AEROSOLS
Class	: 2.2



Mometasone Metered Dose Inhaler Formulation

Version 5.0	Revision Date: 09/26/2023	SDS Number: 25977-00022	Date of last issue: 03/20/2023 Date of first issue: 10/28/2014			
Packing group Labels ERG Code Marine pollutant		: 2.2 : 126				
Spec	ial precautions for u	ser				
The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and						

variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

International Regulations

Montreal Protocol

: 1,1,1,2,3,3,3-Heptafluoropropane

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table
		2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safe-
		ty, Schedule 1, Part 1: Permissible exposure values for air-
		borne contaminants
ACGIH / STEL	:	Short-term exposure limit
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / STEL	:	short-term exposure limit
CA QC OEL / STEV	:	Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-



Mometasone Metered Dose Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03/20/2023
5.0	09/26/2023	25977-00022	Date of first issue: 10/28/2014

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
Revision Date Date format	:	09/26/2023 mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8