

# SAFETY DATA SHEET

according to the Globally Harmonized System



ORGANON

## Mometasone Metered Dose Inhaler Formulation

Version 1.22      Revision Date: 26.09.2023      SDS Number: 25991-00023      Date of last issue: 20.03.2023  
Date of first issue: 28.10.2014

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Mometasone Metered Dose Inhaler Formulation

#### Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33rd floor  
Jersey City, New Jersey, U.S.A 07302

Telephone : +1-551-430-6000

Emergency telephone number : +1-215-631-6999

E-mail address : EHSSTEWARD@organon.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

##### Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

##### GHS Classification

Aerosols : Category 3

Long-term (chronic) aquatic hazard : Category 2

##### GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H229 Pressurised container: May burst if heated.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Mometasone Metered Dose Inhaler Formulation

Version 1.22      Revision Date: 26.09.2023      SDS Number: 25991-00023      Date of last issue: 20.03.2023  
Date of first issue: 28.10.2014

and other ignition sources. No smoking.  
P251 Do not pierce or burn, even after use.  
P273 Avoid release to the environment.

### Response:

P391 Collect spillage.

### Storage:

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

May displace oxygen and cause rapid suffocation.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

| Chemical name | CAS-No.    | Concentration (% w/w) |
|---------------|------------|-----------------------|
| Ethanol#      | 64-17-5    | >= 1.8 - <= 2.5       |
| Mometasone    | 83919-23-7 | >= 0.08 - <= 0.18     |

#: Voluntarily-disclosed substance

## 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and : Gas reduces oxygen available for breathing.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Mometasone Metered Dose Inhaler Formula- tion

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 20.03.2023  |
| 1.22    | 26.09.2023     | 25991-00023 | Date of first issue: 28.10.2014 |

---

delayed  
Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.

Hazardous combustion products : Carbon oxides  
Fluorine compounds

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Ventilate the area.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and dis-

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Mometasone Metered Dose Inhaler Formula- tion

Version 1.22      Revision Date: 26.09.2023      SDS Number: 25991-00023      Date of last issue: 20.03.2023  
Date of first issue: 28.10.2014

posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe vapours or spray mist.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Do not pierce or burn, even after use.  
Keep cool. Protect from sunlight.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components | CAS-No.                   | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis    |
|------------|---------------------------|-------------------------------|--|----------|
| Ethanol    | 64-17-5                   | TWA                           | 1,000 ppm<br>1,900 mg/m <sup>3</sup>           | IN OEL   |
|            |                           | STEL                          | 1,000 ppm                                      | ACGIH    |
| Mometasone | 83919-23-7                | TWA                           | 1 µg/m <sup>3</sup> (OEB 4)                    | Internal |
|            | Further information: Skin |                               |  |          |
|            |                           | Wipe limit                    | 10 µg/100 cm <sup>2</sup>                      | Internal |

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

# SAFETY DATA SHEET

according to the Globally Harmonized System



ORGANON

## Mometasone Metered Dose Inhaler Formulation

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 20.03.2023  |
| 1.22    | 26.09.2023     | 25991-00023 | Date of first issue: 28.10.2014 |

---

|                          |  |
|--------------------------|--|
| Filter type              | : Self-contained breathing apparatus   |
| Skin and body protection | : Skin should be washed after contact.   |
| Hygiene measures         | : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use. |

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

|  |                                      |
|--|--------------------------------------|
| Appearance                                       | : Aerosol containing a dissolved gas |
| Colour   | : white to off-white                 |
| Odour  | : odourless                          |
| Odour Threshold                                  | : No data available                  |
| pH   | : No data available                  |
| Melting point/freezing point                     | : No data available                  |
| Initial boiling point and boiling range          | : -16 °C                             |
| Flash point                                      | : No data available                  |
| Evaporation rate                                 | : No data available                  |
| Flammability (solid, gas)                        | : Not applicable                     |
| Flammability (liquids)                           | : No data available                  |
| Upper explosion limit / Upper flammability limit | : No data available                  |
| Lower explosion limit / Lower flammability limit | : No data available                  |
| Vapour pressure                                  | : No data available                  |
| Relative vapour density                          | : No data available                  |
| Relative density                                 | : No data available                  |
| Density  | : 1 g/cm <sup>3</sup>                |
| Solubility(ies)<br>Water solubility              | : insoluble                          |
| Partition coefficient: n-octanol/water           | : No data available                  |

# SAFETY DATA SHEET

according to the Globally Harmonized System



ORGANON

## Mometasone Metered Dose Inhaler Formula- tion

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 20.03.2023  |
| 1.22    | 26.09.2023     | 25991-00023 | Date of first issue: 28.10.2014 |

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.  
Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

##### Ethanol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

##### Mometasone:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

# SAFETY DATA SHEET

according to the Globally Harmonized System



ORGANON

## Mometasone Metered Dose Inhaler Formula- tion

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 20.03.2023  |
| 1.22    | 26.09.2023     | 25991-00023 | Date of first issue: 28.10.2014 |

---

LD50 (Mouse): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 3.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: No mortality observed at this dose.

LC50 (Mouse): > 3.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 300 mg/kg  
Application Route: Subcutaneous  
Symptoms: Breathing difficulties

### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### Ethanol:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### Mometasone:

Species : Rabbit  
Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### Ethanol:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days

##### Mometasone:

Species : Rabbit  
Result : No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Mometasone Metered Dose Inhaler Formula- tion

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 20.03.2023  |
| 1.22    | 26.09.2023     | 25991-00023 | Date of first issue: 28.10.2014 |

---

### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### **Ethanol:**

|                 |   |                               |
|-----------------|---|-------------------------------|
| Test Type       | : | Local lymph node assay (LLNA) |
| Exposure routes | : | Skin contact                  |
| Species         | : | Mouse                         |
| Result          | : | negative                      |

##### **Mometasone:**

|                 |   |  |
|-----------------|---|--|
| Test Type       | : | Maximisation Test  |
| Exposure routes | : | Dermal   |
| Species         | : | Guinea pig   |
| Assessment      | : | Does not cause skin sensitisation.   |
| Result          | : | negative   |
| Remarks         | : | The results of a test on guinea pigs showed this substance to be a weak skin sensitiser. |

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### **Ethanol:**

|                       |   |   |
|-----------------------|---|---|
| Genotoxicity in vitro | : | Test Type: In vitro mammalian cell gene mutation test<br>Result: negative |
|-----------------------|---|---|

|  |   |  |
|--|---|--|
|  | : | Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative |
|--|---|--|

|                      |   |   |
|----------------------|---|---|
| Genotoxicity in vivo | : | Test Type: Rodent dominant lethal test (germ cell) (in vivo)<br>Species: Mouse<br>Application Route: Ingestion<br>Result: equivocal |
|----------------------|---|---|

##### **Mometasone:**

|                       |   |  |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative |
|-----------------------|---|--|

|  |   |  |
|--|---|--|
|  | : | Test Type: Chromosomal aberration<br>Test system: Chinese hamster lung cells<br>Result: negative |
|--|---|--|

|  |   |   |
|--|---|---|
|  | : | Test Type: Chromosomal aberration<br>Test system: Chinese hamster ovary cells<br>Result: positive |
|--|---|---|

|  |   |   |
|--|---|---|
|  | : | Test Type: Mouse Lymphoma<br>Result: negative |
|--|---|---|



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Mometasone Metered Dose Inhaler Formulation

Version 1.22      Revision Date: 26.09.2023      SDS Number: 25991-00023      Date of last issue: 20.03.2023  
Date of first issue: 28.10.2014

---

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: Chromosomal aberration  
Species: Rat  
Cell type: Bone marrow  
Result: negative

Test Type: unscheduled DNA synthesis assay  
Species: Rat  
Cell type: Liver cells  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Components:

#### **Mometasone:**

Species : Rat  
Application Route : Inhalation  
Exposure time : 2 Years  
Dose : 0.067 mg/kg body weight  
Result : negative

Species : Mouse  
Application Route : Inhalation  
Exposure time : 19 Months  
Dose : 0.160 mg/kg body weight  
Result : negative

### Reproductive toxicity

Not classified based on available information.

### Components:

#### **Ethanol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

#### **Mometasone:**

Effects on fertility : Test Type: Fertility  
Species: Rat

# SAFETY DATA SHEET

according to the Globally Harmonized System



ORGANON

## Mometasone Metered Dose Inhaler Formula- tion

Version 1.22      Revision Date: 26.09.2023      SDS Number: 25991-00023      Date of last issue: 20.03.2023  
Date of first issue: 28.10.2014

---

Application Route: Subcutaneous  
Fertility: NOAEL: 0.015 mg/kg body weight  
Symptoms: Reduced embryonic survival, Reduced foetal weight  
Result: No effects on fertility, Effect on reproduction capacity

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Subcutaneous  
Embryo-foetal toxicity: LOAEL: 0.06 mg/kg body weight  
Result: Embryotoxic effects., Teratogenicity and developmental toxicity

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Dermal  
Embryo-foetal toxicity: LOAEL: 0.3 mg/kg body weight  
Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Dermal  
Embryo-foetal toxicity: LOAEL: 0.15 mg/kg body weight  
Result: Embryo-foetal toxicity, Malformations were observed.

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Subcutaneous  
Embryo-foetal toxicity: LOAEL: 0.15 mg/kg body weight  
Result: Effects on newborn

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Embryo-foetal toxicity: LOAEL: 0.7 mg/kg body weight  
Result: Embryo-foetal toxicity, Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

### STOT - single exposure

Not classified based on available information.

### Components:

#### Mometasone:

Remarks : Based on available data, the classification criteria are not met.

### STOT - repeated exposure

Not classified based on available information.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Mometasone Metered Dose Inhaler Formulation

Version 1.22      Revision Date: 26.09.2023      SDS Number: 25991-00023      Date of last issue: 20.03.2023  
Date of first issue: 28.10.2014

---

### Components:

#### **Mometasone:**

Exposure routes : inhalation (dust/mist/fume)  
Target Organs : Immune system, Liver, Kidney, Skin  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

#### Components:

##### **Ethanol:**

Species : Rat  
NOAEL : 1,280 mg/kg  
LOAEL : 3,156 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

##### **Mometasone:**

Species : Rat  
NOAEL : 0.005 mg/kg  
LOAEL : 0.3 mg/kg  
Application Route : Oral  
Exposure time : 30 d  
Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Dog  
LOAEL : 0.5 mg/kg  
Application Route : Oral  
Exposure time : 30 d  
Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Rat  
NOAEL : 0.00013 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 90 d  
Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, Liver, thymus gland

Species : Dog  
NOAEL : 0.0005 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 90 d  
Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, thymus gland, Liver

### **Aspiration toxicity**

Not classified based on available information.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Mometasone Metered Dose Inhaler Formulation

Version 1.22      Revision Date: 26.09.2023      SDS Number: 25991-00023      Date of last issue: 20.03.2023  
Date of first issue: 28.10.2014

---

### Components:

#### **Mometasone:**

Not applicable

### **Experience with human exposure**

#### Components:

#### **Mometasone:**

Inhalation : Symptoms: allergic rhinitis, Headache, pharyngitis, upper respiratory tract infection, sinusitis, oral candidiasis, Back pain, musculoskeletal pain, immune system effects, indigestion

Skin contact : Symptoms: Dermatitis, Itching

#### **Further information**

#### Components:

#### **Mometasone:**

Remarks : Dermal absorption possible

---

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### Components:

#### **Ethanol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia (water flea)): > 1,000 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l  
Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): 6,500 mg/l  
Exposure time: 16 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 9.6 mg/l  
Exposure time: 9 d  
Species: Daphnia magna (Water flea)

#### **Mometasone:**

Toxicity to fish : LC50 (Menidia beryllina (Silverside)): 0.11 mg/l

# SAFETY DATA SHEET

according to the Globally Harmonized System



ORGANON

## Mometasone Metered Dose Inhaler Formula- tion

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 20.03.2023  |
| 1.22    | 26.09.2023     | 25991-00023 | Date of first issue: 28.10.2014 |

---

- Exposure time: 96 h  
Remarks: No toxicity at the limit of solubility
- LC50 (Cyprinodon variegatus (sheepshead minnow)): > 5 mg/l  
Exposure time: 7 d  
Remarks: No toxicity at the limit of solubility
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 5 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility
- EC50 (Americamysis): > 5 mg/l  
Exposure time: 96 h  
Method: US-EPA OPPTS 850.1035  
Remarks: No toxicity at the limit of solubility
- Toxicity to algae/aquatic plants : EC50 ( Pseudokirchneriella subcapitata (green algae)): > 3.2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility
- Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209  
Remarks: No toxicity at the limit of solubility
- NOEC: 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209  
Remarks: No toxicity at the limit of solubility
- Toxicity to fish (Chronic toxicity) : NOEC: 0.00014 mg/l  
Exposure time: 32 d  
Species: Pimephales promelas (fathead minnow)  
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.34 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211  
Remarks: No toxicity at the limit of solubility
- M-Factor (Chronic aquatic toxicity) : 100

# SAFETY DATA SHEET

according to the Globally Harmonized System



ORGANON

## Mometasone Metered Dose Inhaler Formulation

Version 1.22      Revision Date: 26.09.2023      SDS Number: 25991-00023      Date of last issue: 20.03.2023  
Date of first issue: 28.10.2014

---

### Persistence and degradability

#### Components:

##### **Ethanol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 84 %  
Exposure time: 20 d

##### **Mometasone:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 50 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

Stability in water : Hydrolysis: 50 %(12 d)  
Method: OECD Test Guideline 111

### Bioaccumulative potential

#### Components:

##### **Ethanol:**

Partition coefficient: n-octanol/water : log Pow: -0.35

##### **Mometasone:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 107.1  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.68

### Mobility in soil

#### Components:

##### **Mometasone:**

Distribution among environmental compartments : log Koc: 4.02

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Mometasone Metered Dose Inhaler Formula- tion

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 20.03.2023  |
| 1.22    | 26.09.2023     | 25991-00023 | Date of first issue: 28.10.2014 |

Contaminated packaging : Dispose of in accordance with local regulations.  
: Please ensure aerosol cans are sprayed completely empty (including propellant)  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 1950  
Proper shipping name : AEROSOLS  
Class : 2.2  
Packing group : Not assigned by regulation  
Labels : 2.2  
Environmentally hazardous : no

##### IATA-DGR

UN/ID No. : UN 1950  
Proper shipping name : Aerosols, non-flammable  
Class : 2.2  
Packing group : Not assigned by regulation  
Labels : Non-flammable, non-toxic Gas  
Packing instruction (cargo aircraft) : 203  
Packing instruction (passenger aircraft) : 203

##### IMDG-Code

UN number : UN 1950  
Proper shipping name : AEROSOLS  
(Mometasone)  
Class : 2.2  
Packing group : Not assigned by regulation  
Labels : 2.2  
EmS Code : F-D, S-U  
Marine pollutant : yes

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

# SAFETY DATA SHEET

according to the Globally Harmonized System



ORGANON

## Mometasone Metered Dose Inhaler Formula- tion

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 20.03.2023  |
| 1.22    | 26.09.2023     | 25991-00023 | Date of first issue: 28.10.2014 |

Montreal Protocol : 1,1,1,2,3,3,3-Heptafluoropropane

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

## 16. OTHER INFORMATION

Revision Date : 26.09.2023

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

IN OEL : India. Permissible levels of certain chemical substances in work environment.

ACGIH / STEL : Short-term exposure limit

IN OEL / TWA : Time-Weighted Average Concentration (TWA) (8 hrs.)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation,



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Mometasone Metered Dose Inhaler Formula- tion

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 20.03.2023  |
| 1.22    | 26.09.2023     | 25991-00023 | Date of first issue: 28.10.2014 |

---

tion, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN