

## Mometasone Suspension Formulation

Version 3.7      Revision Date: 26.09.2023      SDS Number: 23585-00023      Date of last issue: 20.03.2023  
Date of first issue: 21.10.2014

---

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Mometasone Suspension Formulation

**Manufacturer or supplier's details**

Company : Organon & Co.

Address : Rua Treze de Maio, 1161  
Campinas, São Paulo, Brazil 13106-054

Telephone : +55 (19) 3758-2000

Emergency telephone : +55 (11) 3173-4931

E-mail address : EHSSTEWARD@organon.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical

Restrictions on use : Not applicable


---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification in accordance with ABNT NBR 14725 Standard**

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 2

**GHS label elements in accordance with ABNT NBR 14725 Standard**

Hazard pictograms : 

Hazard Statements : H402 Harmful to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
P273 Avoid release to the environment.

**Response:**  
P391 Collect spillage.

**Other hazards which do not result in classification**

None known.

## Mometasone Suspension Formulation

Version 3.7      Revision Date: 26.09.2023      SDS Number: 23585-00023      Date of last issue: 20.03.2023  
 Date of first issue: 21.10.2014

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Cellulose	9004-34-6		>= 1 -< 5
Mometasone	83919-23-7	Reproductive toxicity, Category 1B Specific target organ toxicity - repeated exposure (Inhalation) (Immune system, Liver, Kidney, Skin), Category 2 Long-term (chronic) aquatic hazard, Category 1	>= 0,025 -< 0,1
Benzalkonium chloride	8001-54-5	Acute toxicity (Oral), Category 3 Acute toxicity (Inhalation), Category 2 Acute toxicity (Dermal), Category 3 Skin corrosion, Category 1 Serious eye damage, Category 1 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 2	>= 0,0025 -< 0,025

**SECTION 4. FIRST AID MEASURES**

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : None known.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically and supportively.

## Mometasone Suspension Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
3.7	26.09.2023	23585-00023	Date of first issue: 21.10.2014

---

**SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.
- 

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

**SECTION 7. HANDLING AND STORAGE**

- Technical measures : See Engineering measures under EXPOSURE
-

## Mometasone Suspension Formulation

Version 3.7      Revision Date: 26.09.2023      SDS Number: 23585-00023      Date of last issue: 20.03.2023  
Date of first issue: 21.10.2014

- CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Gases

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	ACGIH
Mometasone	83919-23-7	TWA	1 µg/m <sup>3</sup> (OEB 4)	Internal
Further information: Skin				
		Wipe limit	10 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Essentially no open handling permitted.  
Use closed processing systems or containment technologies.  
If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

**Personal protective equipment**

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapor type
- Hand protection
- Material : Chemical-resistant gloves

## Mometasone Suspension Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
3.7	26.09.2023	23585-00023	Date of first issue: 21.10.2014

---

Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	liquid
Color	:	white to off-white, opaque
Odor	:	odorless
Odor Threshold	:	No data available
pH	:	4,3 - 4,9
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1 g/cm <sup>3</sup>
Solubility(ies)	:	
Water solubility	:	soluble

## Mometasone Suspension Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
3.7	26.09.2023	23585-00023	Date of first issue: 21.10.2014

---

Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable
Particle size	:	Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
------------------------------------------	---	--------------------------------------------------------

**Acute toxicity**

Not classified based on available information.

**Components:****Cellulose:**

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5,8 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg

**Mometasone:**

Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg
---------------------	---	---------------------------

---

## Mometasone Suspension Formulation

Version 3.7      Revision Date: 26.09.2023      SDS Number: 23585-00023      Date of last issue: 20.03.2023  
Date of first issue: 21.10.2014

---

LD50 (Mouse): > 2.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 3,3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: No mortality observed at this dose.

LC50 (Mouse): > 3,2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 300 mg/kg  
Application Route: Subcutaneous  
Symptoms: Breathing difficulties

**Benzalkonium chloride:**

Acute oral toxicity : LD50 (Rat): 240 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): > 0,05 - 0,5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: Corrosive to the respiratory tract.  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, female): 704 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Mometasone:**

Species : Rabbit  
Result : No skin irritation

**Benzalkonium chloride:**

Species : Human  
Result : Corrosive after 4 hours or less of exposure

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Mometasone:**

Species : Rabbit  
Result : No eye irritation

**Benzalkonium chloride:**

Species : Rabbit

## Mometasone Suspension Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
3.7	26.09.2023	23585-00023	Date of first issue: 21.10.2014

---

Result : Irreversible effects on the eye

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Mometasone:**

Test Type	: Maximization Test
Routes of exposure	: Dermal
Species	: Guinea pig
Assessment	: Does not cause skin sensitization.
Result	: negative
Remarks	: The results of a test on guinea pigs showed this substance to be a weak skin sensitizer.

**Benzalkonium chloride:**

Test Type	: Human repeat insult patch test (HRIPT)
Routes of exposure	: Skin contact
Species	: Humans
Result	: negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Cellulose:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative

**Mometasone:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Chromosomal aberration Test system: Chinese hamster lung cells Result: negative



## Mometasone Suspension Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
3.7	26.09.2023	23585-00023	Date of first issue: 21.10.2014

---

Test Type: Chromosomal aberration  
 Test system: Chinese hamster ovary cells  
 Result: positive

Test Type: Mouse Lymphoma  
 Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
 Species: Mouse  
 Application Route: Oral  
 Result: negative

Test Type: Chromosomal aberration  
 Species: Rat  
 Cell type: Bone marrow  
 Result: negative

Test Type: unscheduled DNA synthesis assay  
 Species: Rat  
 Cell type: Liver cells  
 Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Benzalkonium chloride:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Test Type: In vitro mammalian cell gene mutation test  
 Method: OECD Test Guideline 476  
 Result: negative  
 Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
 Method: OECD Test Guideline 473  
 Result: negative  
 Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
 Species: Mouse  
 Application Route: Ingestion  
 Method: OECD Test Guideline 474  
 Result: negative  
 Remarks: Based on data from similar materials

**Carcinogenicity**

Not classified based on available information.

**Components:****Cellulose:**

Species : Rat

## Mometasone Suspension Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
3.7	26.09.2023	23585-00023	Date of first issue: 21.10.2014

---

Application Route : Ingestion  
 Exposure time : 72 weeks  
 Result : negative

**Mometasone:**

Species : Rat  
 Application Route : Inhalation  
 Exposure time : 2 Years  
 Dose : 0.067 mg/kg body weight  
 Result : negative

Species : Mouse  
 Application Route : Inhalation  
 Exposure time : 19 Months  
 Dose : 0.160 mg/kg body weight  
 Result : negative

**Benzalkonium chloride:**

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 2 Years  
 Method : OECD Test Guideline 453  
 Result : negative  
 Remarks : Based on data from similar materials

Species : Mouse  
 Application Route : Skin contact  
 Exposure time : 80 weeks  
 Result : negative

Species : Rabbit  
 Application Route : Skin contact  
 Exposure time : 90 weeks  
 Result : negative

**Reproductive toxicity**

Not classified based on available information.

**Components:****Cellulose:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

**Mometasone:**

## Mometasone Suspension Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
3.7	26.09.2023	23585-00023	Date of first issue: 21.10.2014

---

Effects on fertility : Test Type: Fertility  
 Species: Rat  
 Application Route: Subcutaneous  
 Fertility: NOAEL: 0,015 mg/kg body weight  
 Symptoms: Reduced embryonic survival, Reduced fetal weight.  
 Result: No effects on fertility., Effect on reproduction capacity.

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Mouse  
 Application Route: Subcutaneous  
 Embryo-fetal toxicity.: LOAEL: 0,06 mg/kg body weight  
 Result: Embryotoxic effects., Teratogenicity and developmental toxicity

Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Dermal  
 Embryo-fetal toxicity.: LOAEL: 0,3 mg/kg body weight  
 Result: Embryo-fetal toxicity.

Test Type: Embryo-fetal development  
 Species: Rabbit  
 Application Route: Dermal  
 Embryo-fetal toxicity.: LOAEL: 0,15 mg/kg body weight  
 Result: Embryo-fetal toxicity., Malformations were observed.

Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Subcutaneous  
 Embryo-fetal toxicity.: LOAEL: 0,15 mg/kg body weight  
 Result: Effects on newborn.

Test Type: Embryo-fetal development  
 Species: Rabbit  
 Application Route: Oral  
 Embryo-fetal toxicity.: LOAEL: 0,7 mg/kg body weight  
 Result: Embryo-fetal toxicity., Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

**Benzalkonium chloride:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 416  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rabbit  
 Application Route: Ingestion

## Mometasone Suspension Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
3.7	26.09.2023	23585-00023	Date of first issue: 21.10.2014

---

Method: OECD Test Guideline 414  
 Result: negative  
 Remarks: Based on data from similar materials

**STOT-single exposure**

Not classified based on available information.

**Components:****Mometasone:**

Remarks : Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Not classified based on available information.

**Components:****Mometasone:**

Routes of exposure : inhalation (dust/mist/fume)  
 Target Organs : Immune system, Liver, Kidney, Skin  
 Assessment : May cause damage to organs through prolonged or repeated exposure.

**Benzalkonium chloride:**

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

**Repeated dose toxicity****Components:****Cellulose:**

Species : Rat  
 NOAEL : >= 9.000 mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 Days

**Mometasone:**

Species : Rat  
 NOAEL : 0,005 mg/kg  
 LOAEL : 0,3 mg/kg  
 Application Route : Oral  
 Exposure time : 30 d  
 Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Dog  
 LOAEL : 0,5 mg/kg  
 Application Route : Oral  
 Exposure time : 30 d  
 Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Rat  
 NOAEL : 0,00013 mg/l

## Mometasone Suspension Formulation

Version 3.7      Revision Date: 26.09.2023      SDS Number: 23585-00023      Date of last issue: 20.03.2023  
Date of first issue: 21.10.2014

---

Application Route : inhalation (dust/mist/fume)  
Exposure time : 90 d  
Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow,  
Kidney, Liver, thymus gland

Species : Dog  
NOAEL : 0,0005 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 90 d  
Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow,  
Kidney, thymus gland, Liver

**Benzalkonium chloride:**

Species : Rat  
NOAEL : >= 100 mg/kg  
Application Route : Ingestion  
Exposure time : 12 Weeks

**Aspiration toxicity**

Not classified based on available information.

**Components:****Mometasone:**

Not applicable

**Experience with human exposure****Components:****Mometasone:**

Inhalation : Symptoms: allergic rhinitis, Headache, pharyngitis, upper respiratory tract infection, sinusitis, oral candidiasis, Back pain, musculoskeletal pain, immune system effects, indigestion  
Skin contact : Symptoms: Dermatitis, Itching

**Further information****Components:****Mometasone:**

Remarks : Dermal absorption possible

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Cellulose:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

---

## Mometasone Suspension Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
3.7	26.09.2023	23585-00023	Date of first issue: 21.10.2014

---

**Mometasone:**

- Toxicity to fish : LC50 (Menidia beryllina (Silverside)): 0,11 mg/l  
Exposure time: 96 h  
Remarks: No toxicity at the limit of solubility.
- LC50 (Cyprinodon variegatus (sheepshead minnow)): > 5 mg/l  
Exposure time: 7 d  
Remarks: No toxicity at the limit of solubility.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 5 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility.
- EC50 (Americamysis): > 5 mg/l  
Exposure time: 96 h  
Method: US-EPA OPPTS 850.1035  
Remarks: No toxicity at the limit of solubility.
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 3,2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0,00014 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0,34 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: No toxicity at the limit of solubility.
- M-Factor (Chronic aquatic toxicity) : 100
- Toxicity to microorganisms : EC50: > 1.000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209  
Remarks: No toxicity at the limit of solubility.
- NOEC: 1.000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209  
Remarks: No toxicity at the limit of solubility.

**Benzalkonium chloride:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0,28 mg/l  
Exposure time: 96 h

## Mometasone Suspension Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
3.7	26.09.2023	23585-00023	Date of first issue: 21.10.2014

---

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,0056 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Chlorella pyrenoidosa): 0,09 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	100
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0,032 mg/l Exposure time: 34 d

**Persistence and degradability****Components:****Cellulose:**

Biodegradability : Result: Readily biodegradable.

**Mometasone:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 50 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

Stability in water : Hydrolysis: 50 %(12 d)  
Method: OECD Test Guideline 111

**Benzalkonium chloride:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301D  
Remarks: Based on data from similar materials

**Bioaccumulative potential****Components:****Mometasone:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 107,1  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4,68

**Benzalkonium chloride:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): < 500  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 1,692  
Remarks: Calculation

## Mometasone Suspension Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
3.7	26.09.2023	23585-00023	Date of first issue: 21.10.2014

---

**Mobility in soil****Components:****Mometasone:**

Distribution among environmental compartments : log K<sub>oc</sub>: 4,02

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Mometasone, Benzalkonium chloride)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

**IATA-DGR**

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Mometasone, Benzalkonium chloride)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Mometasone, Benzalkonium chloride)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F



## Mometasone Suspension Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
3.7	26.09.2023	23585-00023	Date of first issue: 21.10.2014

---

Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****ANTT**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Mometasone, Benzalkonium chloride)  
Class : 9  
Packing group : III  
Labels : 9  
Hazard Identification Number : 90

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Not applicable

**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**SECTION 16. OTHER INFORMATION**

Revision Date : 26.09.2023  
Date format : dd.mm.yyyy

**Further information**

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Full text of other abbreviations**

## Mometasone Suspension Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
3.7	26.09.2023	23585-00023	Date of first issue: 21.10.2014

---

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8