

SAFETY DATA SHEET



Mometasone / Formoterol Metered Dose Inhaler Formulation



Version 6.5 Revision Date: 06.04.2024 SDS Number: 75373-00023 Date of last issue: 30.09.2023
Date of first issue: 16.03.2015

SECTION 1: IDENTIFICATION

Product name : Mometasone / Formoterol Metered Dose Inhaler Formulation

Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33rd floor
Jersey City, New Jersey, U.S.A 07302

Telephone : +1-551-430-6000

Emergency telephone number : +1-215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Aerosols : Category 3

GHS label elements

Hazard pictograms : None

Signal word : Warning

Hazard statements : H229 Pressurised container: May burst if heated.

Precautionary statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251 Do not pierce or burn, even after use.

Storage:

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Other hazards which do not result in classification

May displace oxygen and cause rapid suffocation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 6.5 Revision Date: 06.04.2024 SDS Number: 75373-00023 Date of last issue: 30.09.2023
Date of first issue: 16.03.2015

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Ethanol#	64-17-5	1.8
Mometasone	83919-23-7	>= 0.087 -<= 0.17
Formoterol	43229-80-7	>= 0.0009 -<= 0.0087

Voluntarily-disclosed substance

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Gas reduces oxygen available for breathing.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.

SAFETY DATA SHEET



Mometasone / Formoterol Metered Dose Inhaler Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.5	06.04.2024	75373-00023	Date of first issue: 16.03.2015

Hazardous combustion products	:	Fluorine compounds Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	:	2YE

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Evacuate personnel to safe areas. Ventilate the area. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	Do not get on skin or clothing.

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 6.5 Revision Date: 06.04.2024 SDS Number: 75373-00023 Date of last issue: 30.09.2023
Date of first issue: 16.03.2015

- Do not breathe vapours or spray mist.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
- Conditions for safe storage : Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Do not pierce or burn, even after use.
Keep cool. Protect from sunlight.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m ³	AU OEL
		STEL	1,000 ppm	ACGIH
Mometasone	83919-23-7	TWA	1 µg/m ³ (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	10 µg/100 cm ²	Internal
Formoterol	43229-80-7	TWA	0.05 µg/m ³ (OEB 5)	Internal
		Wipe limit	0.5 µg/100 cm ²	Internal

Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Self-contained breathing apparatus
- Skin and body protection : Skin should be washed after contact.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET



Mometasone / Formoterol Metered Dose Inhaler Formulation



Version 6.5 Revision Date: 06.04.2024 SDS Number: 75373-00023 Date of last issue: 30.09.2023
Date of first issue: 16.03.2015

Appearance : aerosol

Colour : white to off-white

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : -16.5 °C

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : 3,900 hPa (20 °C)

Relative vapour density : 5.9

Relative density : 5.9

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 6.5 Revision Date: 06.04.2024 SDS Number: 75373-00023 Date of last issue: 30.09.2023
Date of first issue: 16.03.2015

Oxidizing properties : The substance or mixture is not classified as oxidizing.
Molecular weight : No data available
Particle characteristics
Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.
Can react with strong oxidizing agents.
Conditions to avoid : None known.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:**Ethanol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Mometasone:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
LD50 (Mouse): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 3.3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

SAFETY DATA SHEET



Mometasone / Formoterol Metered Dose Inhaler Formulation



Version 6.5 Revision Date: 06.04.2024 SDS Number: 75373-00023 Date of last issue: 30.09.2023
Date of first issue: 16.03.2015

Remarks: No mortality observed at this dose.

LC50 (Mouse): > 3.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 300 mg/kg
Application Route: Subcutaneous
Symptoms: Breathing difficulties

Formoterol:

Acute oral toxicity : LD50 (Rat): 3,130 mg/kg
LD50 (Mouse): 6,700 mg/kg

Acute inhalation toxicity : LC50 (Rat): 1.5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 1,000 mg/kg
Application Route: Subcutaneous
LD50 (Mouse): 640 mg/kg
Application Route: Subcutaneous

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethanol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Mometasone:

Species : Rabbit
Result : No skin irritation

Formoterol:

Species : Rabbit
Result : No skin irritation
Remarks : slight irritation

Serious eye damage/eye irritation

Not classified based on available information.

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 6.5 Revision Date: 06.04.2024 SDS Number: 75373-00023 Date of last issue: 30.09.2023
Date of first issue: 16.03.2015

Components:**Ethanol:**

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Mometasone:

Species : Rabbit
Result : No eye irritation

Formoterol:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Ethanol:**

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Result : negative

Mometasone:

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Result : negative
Remarks : The results of a test on guinea pigs showed this substance to be a weak skin sensitizer.

Formoterol:

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Result : Not a skin sensitizer.

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.5	06.04.2024	75373-00023	Date of first issue: 16.03.2015

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethanol:

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: equivocal

Mometasone:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: Chromosomal aberration Test system: Chinese hamster lung cells Result: negative Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: positive Test Type: Mouse Lymphoma Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative Test Type: Chromosomal aberration Species: Rat Cell type: Bone marrow Result: negative Test Type: unscheduled DNA synthesis assay Species: Rat Cell type: Liver cells Result: negative
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 6.5 Revision Date: 06.04.2024 SDS Number: 75373-00023 Date of last issue: 30.09.2023
Date of first issue: 16.03.2015

Formoterol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosomal aberration
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Test Type: Micronucleus test
Species: Rat
Application Route: Oral
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Mometasone:**

Species : Rat
Application Route : Inhalation
Exposure time : 2 Years
Dose : 0.067 mg/kg body weight
Result : negative

Species : Mouse
Application Route : Inhalation
Exposure time : 19 Months
Dose : 0.160 mg/kg body weight
Result : negative

Formoterol:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
LOAEL : 0.5 mg/kg body weight
Target Organs : Ovary
Remarks : The mechanism or mode of action may not be relevant in humans.

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.5	06.04.2024	75373-00023	Date of first issue: 16.03.2015

Species : Mouse
 Application Route : Oral
 Exposure time : 18 month(s)
 LOAEL : 2 mg/kg body weight
 Target Organs : Adrenal gland, Liver, Uterus (including cervix)
 Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Reproductive toxicity

Not classified based on available information.

Components:

Ethanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Mouse
 Application Route: Ingestion
 Result: negative

Mometasone:

Effects on fertility : Test Type: Fertility
 Species: Rat
 Application Route: Subcutaneous
 Fertility: NOAEL: 0.015 mg/kg body weight
 Symptoms: Reduced embryonic survival, Reduced foetal weight
 Result: No effects on fertility, Effect on reproduction capacity

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Mouse
 Application Route: Subcutaneous
 Embryo-foetal toxicity: LOAEL: 0.06 mg/kg body weight
 Result: Embryotoxic effects., Teratogenicity and developmental toxicity

Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Dermal
 Embryo-foetal toxicity: LOAEL: 0.3 mg/kg body weight
 Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development
 Species: Rabbit
 Application Route: Dermal
 Embryo-foetal toxicity: LOAEL: 0.15 mg/kg body weight
 Result: Embryo-foetal toxicity, Malformations were observed.

Test Type: Embryo-foetal development

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 6.5	Revision Date: 06.04.2024	SDS Number: 75373-00023	Date of last issue: 30.09.2023 Date of first issue: 16.03.2015
----------------	------------------------------	----------------------------	---

Species: Rat
Application Route: Subcutaneous
Embryo-foetal toxicity: LOAEL: 0.15 mg/kg body weight
Result: Effects on newborn

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Embryo-foetal toxicity: LOAEL: 0.7 mg/kg body weight
Result: Embryo-foetal toxicity, Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

Formoterol:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Oral
Fertility: NOAEL: 3 mg/kg body weight
Result: No effects on fertility

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 0.2 mg/kg body weight
Result: Embryo-foetal toxicity, No malformations were observed.

Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 3 mg/kg body weight
Result: Malformations were observed.

Test Type: Embryo-foetal development
Species: Rat
Application Route: inhalation (dust/mist/fume)
Developmental Toxicity: NOAEL: 1.2 mg/kg body weight
Result: No embryo-foetal toxicity

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 60 mg/kg body weight
Result: Embryo-foetal toxicity, No malformations were observed.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 6.5 Revision Date: 06.04.2024 SDS Number: 75373-00023 Date of last issue: 30.09.2023
Date of first issue: 16.03.2015

STOT - single exposure

Not classified based on available information.

Components:**Mometasone:**

Remarks : Based on available data, the classification criteria are not met.

Formoterol:

Exposure routes : Ingestion, inhalation (dust/mist/fume)
Target Organs : Cardio-vascular system, Central nervous system
Assessment : Causes damage to organs.

STOT - repeated exposure

Not classified based on available information.

Components:**Mometasone:**

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Immune system, Liver, Kidney, Skin
Assessment : May cause damage to organs through prolonged or repeated exposure.

Formoterol:

Exposure routes : Ingestion, inhalation (dust/mist/fume)
Target Organs : Heart
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Ethanol:**

Species : Rat
NOAEL : 1,280 mg/kg
LOAEL : 3,156 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Mometasone:

Species : Rat
NOAEL : 0.005 mg/kg
LOAEL : 0.3 mg/kg
Application Route : Oral
Exposure time : 30 d

SAFETY DATA SHEET



Mometasone / Formoterol Metered Dose Inhaler Formulation



Version 6.5 Revision Date: 06.04.2024 SDS Number: 75373-00023 Date of last issue: 30.09.2023
Date of first issue: 16.03.2015

Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Dog
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 30 d
Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Rat
NOAEL : 0.00013 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 90 d
Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, Liver, thymus gland

Species : Dog
NOAEL : 0.0005 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 90 d
Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, thymus gland, Liver

Formoterol:

Species : Dog
LOAEL : ≥ 1.5 mg/kg
Application Route : Inhalation
Exposure time : 13 Weeks
Target Organs : Heart

Species : Rat
NOAEL : 0.14 mg/kg
Application Route : Inhalation
Exposure time : 13 Weeks
Target Organs : Heart

Species : Dog
LOAEL : 0.003 mg/kg
Application Route : Oral
Exposure time : 1 yr
Target Organs : Heart

Species : Rat
LOAEL : 0.3 mg/kg
Application Route : Oral
Exposure time : 1 yr
Target Organs : Heart

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET



Mometasone / Formoterol Metered Dose Inhaler Formulation



Version 6.5 Revision Date: 06.04.2024 SDS Number: 75373-00023 Date of last issue: 30.09.2023
Date of first issue: 16.03.2015

Components:

Mometasone:

Not applicable

Experience with human exposure

Components:

Mometasone:

Inhalation : Symptoms: allergic rhinitis, Headache, pharyngitis, upper respiratory tract infection, sinusitis, oral candidiasis, Back pain, musculoskeletal pain, immune system effects, indigestion

Skin contact : Symptoms: Dermatitis, Itching

Formoterol:

Inhalation : Target Organs: Heart
Symptoms: Palpitation, Tremors, Dizziness, Headache, dry mouth, Nausea, Fatigue

Further information

Components:

Mometasone:

Remarks : Dermal absorption possible

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia (water flea)): > 1,000 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9.6 mg/l
Exposure time: 9 d

Toxicity to microorganisms : EC50 (Pseudomonas putida): 6,500 mg/l

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 6.5	Revision Date: 06.04.2024	SDS Number: 75373-00023	Date of last issue: 30.09.2023 Date of first issue: 16.03.2015
----------------	------------------------------	----------------------------	---

Exposure time: 16 h

Mometasone:

- Toxicity to fish : LC50 (Menidia beryllina (Silverside)): 0.11 mg/l
Exposure time: 96 h
Remarks: No toxicity at the limit of solubility
- LC50 (Cyprinodon variegatus (sheepshead minnow)): > 5 mg/l
Exposure time: 7 d
Remarks: No toxicity at the limit of solubility
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility
- EC50 (Americamysis): > 5 mg/l
Exposure time: 96 h
Method: US-EPA OPPTS 850.1035
Remarks: No toxicity at the limit of solubility
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 3.2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.00014 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.34 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: No toxicity at the limit of solubility
- Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
Remarks: No toxicity at the limit of solubility
- NOEC: 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
Remarks: No toxicity at the limit of solubility

Formoterol:

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 6.5 Revision Date: 06.04.2024 SDS Number: 75373-00023 Date of last issue: 30.09.2023
Date of first issue: 16.03.2015

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 114 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 94 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 30 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Persistence and degradability**Components:****Ethanol:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 84 %
Exposure time: 20 d

Mometasone:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 50 %
Exposure time: 28 d
Method: OECD Test Guideline 314

Stability in water : Hydrolysis: 50 %(12 d)
Method: OECD Test Guideline 111

Bioaccumulative potential**Components:****Ethanol:**

Partition coefficient: n-octanol/water : log Pow: -0.35

Mometasone:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 107.1
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.68

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.5	06.04.2024	75373-00023	Date of first issue: 16.03.2015

Formoterol:

Partition coefficient: n-octanol/water : log Pow: 0.41

Mobility in soil**Components:****Mometasone:**

Distribution among environmental compartments : log Koc: 4.02

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Please ensure aerosol cans are sprayed completely empty (including propellant)
Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 1950
Proper shipping name : AEROSOLS
Class : 2.2
Packing group : Not assigned by regulation
Labels : 2.2
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1950
Proper shipping name : Aerosols, non-flammable
Class : 2.2
Packing group : Not assigned by regulation
Labels : Non-flammable, non-toxic Gas
Packing instruction (cargo aircraft) : 203
Packing instruction (passenger aircraft) : 203

IMDG-Code

UN number : UN 1950
Proper shipping name : AEROSOLS

SAFETY DATA SHEET



Mometasone / Formoterol Metered Dose Inhaler Formulation



Version 6.5 Revision Date: 06.04.2024 SDS Number: 75373-00023 Date of last issue: 30.09.2023
Date of first issue: 16.03.2015

(Mometasone)
Class : 2.2
Packing group : Not assigned by regulation
Labels : 2.2
EmS Code : F-D, S-U
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 1950
Proper shipping name : AEROSOLS
Class : 2.2
Packing group : Not assigned by regulation
Labels : 2.2
Hazchem Code : 2YE
Environmentally hazardous : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument : No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

Montreal Protocol : 1,1,1,2,3,3,3-Heptafluoropropane

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Mometasone / Formoterol Metered Dose Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.5	06.04.2024	75373-00023	Date of first issue: 16.03.2015

SECTION 16: ANY OTHER RELEVANT INFORMATION**Further information**

Revision Date : 06.04.2024
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / STEL : Short-term exposure limit
AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SAFETY DATA SHEET



Mometasone / Formoterol Metered Dose Inhaler Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.5	06.04.2024	75373-00023	Date of first issue: 16.03.2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN