

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



ORGANON

## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 7.0      Revision Date: 09/30/2023      SDS Number: 75376-00021      Date of last issue: 04/04/2023  
Date of first issue: 03/16/2015

### SECTION 1. IDENTIFICATION

Product name : Mometasone / Formoterol Metered Dose Inhaler Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Organon & Co.  
Address : 30 Hudson Street, 33rd floor  
Jersey City, New Jersey, U.S.A 07302  
Telephone : 1-551-430-6000  
Emergency telephone : 1-215-631-6999  
E-mail address : EHSSTEWARD@organon.com

#### Recommended use of the chemical and restrictions on use


Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Aerosols : Category 3  
Reproductive toxicity : Category 1B  
Simple Asphyxiant : Category 1

#### GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H229 Pressurised container: May burst if heated.  
H360Df May damage the unborn child. Suspected of damaging fertility.  
May displace oxygen and cause rapid suffocation.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P251 Do not pierce or burn, even after use.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 7.0      Revision Date: 09/30/2023      SDS Number: 75376-00021      Date of last issue: 04/04/2023  
Date of first issue: 03/16/2015

### Response:

P308 + P313 IF exposed or concerned: Get medical attention.

### Storage:

P405 Store locked up.  
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C (122 °F).

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Ethanol#	Ethyl alcohol	64-17-5	1.8
Mometasone	No data available	83919-23-7	$\geq 0.087 - \leq 0.17$
Formoterol	No data available	43229-80-7	$\geq 0.0009 - \leq 0.0087$

# Voluntarily-disclosed substance

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 7.0      Revision Date: 09/30/2023      SDS Number: 75376-00021      Date of last issue: 04/04/2023  
Date of first issue: 03/16/2015

- Most important symptoms and effects, both acute and delayed : May damage the unborn child. Suspected of damaging fertility.  
May displace oxygen and cause rapid suffocation.  
Gas reduces oxygen available for breathing.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.  
If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.
- Hazardous combustion products : Fluorine compounds  
Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Ventilate the area.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 7.0      Revision Date: 09/30/2023      SDS Number: 75376-00021      Date of last issue: 04/04/2023  
Date of first issue: 03/16/2015

container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe vapors or spray mist.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Do not pierce or burn, even after use.  
Keep cool. Protect from sunlight.
- Materials to avoid : Do not store with the following product types:  
Self-reactive substances and mixtures  
Organic peroxides  
Oxidizing agents  
Flammable solids  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Substances and mixtures which in contact with water emit flammable gases  
Explosives  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 7.0      Revision Date: 09/30/2023      SDS Number: 75376-00021      Date of last issue: 04/04/2023  
Date of first issue: 03/16/2015

		(Form of exposure)	ters / Permissible concentration	
Ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m <sup>3</sup>	CA AB OEL
		STEL	1,000 ppm	CA BC OEL
		STEV	1,000 ppm	CA QC OEL
		STEL	1,000 ppm	ACGIH
Mometasone	83919-23-7	TWA	1 µg/m <sup>3</sup> (OEB 4)	Internal
		Further information: Skin		
		Wipe limit	10 µg/100 cm <sup>2</sup>	Internal
Formoterol	43229-80-7	TWA	0.05 µg/m <sup>3</sup> (OEB 5)	Internal
		Wipe limit	0.5 µg/100 cm <sup>2</sup>	Internal

### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Self-contained breathing apparatus
- Skin and body protection : Skin should be washed after contact.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : aerosol
- Color : white to off-white
- Odor : No data available
- Odor Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : -16.5 °C
- Flash point : No data available
- Evaporation rate : No data available
- Flammability (solid, gas) : Not applicable
- Flammability (liquids) : No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
7.0	09/30/2023	75376-00021	Date of first issue: 03/16/2015

---

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	3,900 hPa (20 °C)
Relative vapor density	:	5.9
Relative density	:	5.9
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	If the temperature rises there is danger of the vessels bursting due to the high vapor pressure. Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 7.0      Revision Date: 09/30/2023      SDS Number: 75376-00021      Date of last issue: 04/04/2023  
Date of first issue: 03/16/2015

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

|| Not classified based on available information.

#### Components:

##### Ethanol:

|| Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

|| Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor

##### Mometasone:

|| Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
LD50 (Mouse): > 2,000 mg/kg

|| Acute inhalation toxicity : LC50 (Rat): > 3.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: No mortality observed at this dose.

LC50 (Mouse): > 3.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

|| Acute toxicity (other routes of administration) : LD50 (Rat): 300 mg/kg  
Application Route: Subcutaneous  
Symptoms: Breathing difficulties

##### Formoterol:

|| Acute oral toxicity : LD50 (Rat): 3,130 mg/kg  
LD50 (Mouse): 6,700 mg/kg

|| Acute inhalation toxicity : LC50 (Rat): 1.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

|| Acute dermal toxicity : Remarks: No data available

|| Acute toxicity (other routes of administration) : LD50 (Rat): 1,000 mg/kg

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 7.0      Revision Date: 09/30/2023      SDS Number: 75376-00021      Date of last issue: 04/04/2023  
Date of first issue: 03/16/2015

administration)      Application Route: Subcutaneous  
LD50 (Mouse): 640 mg/kg  
Application Route: Subcutaneous

### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### Ethanol:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### Mometasone:

Species : Rabbit  
Result : No skin irritation

##### Formoterol:

Species : Rabbit  
Result : No skin irritation  
Remarks : slight irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### Ethanol:

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

##### Mometasone:

Species : Rabbit  
Result : No eye irritation

##### Formoterol:

Species : Rabbit  
Result : No eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 7.0      Revision Date: 09/30/2023      SDS Number: 75376-00021      Date of last issue: 04/04/2023  
Date of first issue: 03/16/2015

### Respiratory sensitization

|| Not classified based on available information.

#### Components:

##### Ethanol:

|| Test Type : Local lymph node assay (LLNA)  
|| Routes of exposure : Skin contact  
|| Species : Mouse  
|| Result : negative

##### Mometasone:

|| Test Type : Maximization Test  
|| Routes of exposure : Dermal  
|| Species : Guinea pig  
|| Assessment : Does not cause skin sensitization.  
|| Result : negative  
|| Remarks : The results of a test on guinea pigs showed this substance to be a weak skin sensitizer.

##### Formoterol:

|| Test Type : Maximization Test  
|| Routes of exposure : Dermal  
|| Species : Guinea pig  
|| Result : Not a skin sensitizer.

### Germ cell mutagenicity

|| Not classified based on available information.

#### Components:

##### Ethanol:

|| Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
|| Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Application Route: Ingestion  
Result: equivocal

##### Mometasone:

|| Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Test Type: Chromosomal aberration  
Test system: Chinese hamster lung cells  
Result: negative

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 7.0      Revision Date: 09/30/2023      SDS Number: 75376-00021      Date of last issue: 04/04/2023  
Date of first issue: 03/16/2015

Genotoxicity in vivo	:	Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: positive
	:	Test Type: Mouse Lymphoma Result: negative
	:	Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative
	:	Test Type: Chromosomal aberration Species: Rat Cell type: Bone marrow Result: negative
	:	Test Type: unscheduled DNA synthesis assay Species: Rat Cell type: Liver cells Result: negative
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.

<b>Formoterol:</b>		
Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
	:	Test Type: Chromosomal aberration Result: negative
	:	Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative
	:	Test Type: Micronucleus test Species: Rat Application Route: Oral Result: negative

**Carcinogenicity**  
|| Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 7.0      Revision Date: 09/30/2023      SDS Number: 75376-00021      Date of last issue: 04/04/2023  
Date of first issue: 03/16/2015

### Components:

#### **Mometasone:**

Species : Rat  
Application Route : Inhalation  
Exposure time : 2 Years  
Dose : 0.067 mg/kg body weight  
Result : negative

Species : Mouse  
Application Route : Inhalation  
Exposure time : 19 Months  
Dose : 0.160 mg/kg body weight  
Result : negative

#### **Formoterol:**

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
LOAEL : 0.5 mg/kg body weight  
Target Organs : Ovary  
Remarks : The mechanism or mode of action may not be relevant in humans.

Species : Mouse  
Application Route : Oral  
Exposure time : 18 month(s)  
LOAEL : 2 mg/kg body weight  
Target Organs : Adrenal gland, Liver, Uterus (including cervix)  
Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

#### **Reproductive toxicity**

May damage the unborn child. Suspected of damaging fertility.

### Components:

#### **Ethanol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

#### **Mometasone:**

Effects on fertility : Test Type: Fertility  
Species: Rat  
Application Route: Subcutaneous  
Fertility: NOAEL: 0.015 mg/kg body weight  
Symptoms: Reduced embryonic survival, Reduced fetal

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 7.0      Revision Date: 09/30/2023      SDS Number: 75376-00021      Date of last issue: 04/04/2023  
Date of first issue: 03/16/2015

weight.  
Result: No effects on fertility., Effect on reproduction capacity.

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Subcutaneous  
Embryo-fetal toxicity.: LOAEL: 0.06 mg/kg body weight  
Result: Embryotoxic effects., Teratogenicity and developmental toxicity

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Dermal  
Embryo-fetal toxicity.: LOAEL: 0.3 mg/kg body weight  
Result: Embryo-fetal toxicity.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Dermal  
Embryo-fetal toxicity.: LOAEL: 0.15 mg/kg body weight  
Result: Embryo-fetal toxicity., Malformations were observed.

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Subcutaneous  
Embryo-fetal toxicity.: LOAEL: 0.15 mg/kg body weight  
Result: Effects on newborn.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Embryo-fetal toxicity.: LOAEL: 0.7 mg/kg body weight  
Result: Embryo-fetal toxicity., Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

### Formoterol:

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 3 mg/kg body weight  
Result: No effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 0.2 mg/kg body weight  
Result: Embryo-fetal toxicity., No malformations were observed.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 7.0      Revision Date: 09/30/2023      SDS Number: 75376-00021      Date of last issue: 04/04/2023  
Date of first issue: 03/16/2015

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 3 mg/kg body weight  
Result: Malformations were observed.

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: inhalation (dust/mist/fume)  
Developmental Toxicity: NOAEL: 1.2 mg/kg body weight  
Result: No embryo-fetal toxicity.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 60 mg/kg body weight  
Result: Embryo-fetal toxicity., No malformations were observed.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### STOT-single exposure

May displace oxygen and cause rapid suffocation.

#### Components:

##### **Mometasone:**

Remarks : Based on available data, the classification criteria are not met.

##### **Formoterol:**

Routes of exposure : Ingestion, inhalation (dust/mist/fume)  
Target Organs : Cardio-vascular system, Central nervous system  
Assessment : Causes damage to organs.

### STOT-repeated exposure

Not classified based on available information.

#### Components:

##### **Mometasone:**

Routes of exposure : inhalation (dust/mist/fume)  
Target Organs : Immune system, Liver, Kidney, Skin  
Assessment : May cause damage to organs through prolonged or repeated exposure.

##### **Formoterol:**

Routes of exposure : Ingestion, inhalation (dust/mist/fume)  
Target Organs : Heart  
Assessment : Causes damage to organs through prolonged or repeated

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 7.0      Revision Date: 09/30/2023      SDS Number: 75376-00021      Date of last issue: 04/04/2023  
Date of first issue: 03/16/2015

|| exposure.

### Repeated dose toxicity

#### Components:

##### **Ethanol:**

|| Species : Rat  
|| NOAEL : 1,280 mg/kg  
|| LOAEL : 3,156 mg/kg  
|| Application Route : Ingestion  
|| Exposure time : 90 Days

##### **Mometasone:**

|| Species : Rat  
|| NOAEL : 0.005 mg/kg  
|| LOAEL : 0.3 mg/kg  
|| Application Route : Oral  
|| Exposure time : 30 d  
|| Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

|| Species : Dog  
|| LOAEL : 0.5 mg/kg  
|| Application Route : Oral  
|| Exposure time : 30 d  
|| Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

|| Species : Rat  
|| NOAEL : 0.00013 mg/l  
|| Application Route : inhalation (dust/mist/fume)  
|| Exposure time : 90 d  
|| Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, Liver, thymus gland

|| Species : Dog  
|| NOAEL : 0.0005 mg/l  
|| Application Route : inhalation (dust/mist/fume)  
|| Exposure time : 90 d  
|| Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, thymus gland, Liver

##### **Formoterol:**

|| Species : Dog  
|| LOAEL : >= 1.5 mg/kg  
|| Application Route : Inhalation  
|| Exposure time : 13 Weeks  
|| Target Organs : Heart

|| Species : Rat  
|| NOAEL : 0.14 mg/kg  
|| Application Route : Inhalation

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 7.0      Revision Date: 09/30/2023      SDS Number: 75376-00021      Date of last issue: 04/04/2023  
Date of first issue: 03/16/2015

Exposure time : 13 Weeks  
Target Organs : Heart

Species : Dog  
LOAEL : 0.003 mg/kg  
Application Route : Oral  
Exposure time : 1 y  
Target Organs : Heart

Species : Rat  
LOAEL : 0.3 mg/kg  
Application Route : Oral  
Exposure time : 1 y  
Target Organs : Heart

### Aspiration toxicity

Not classified based on available information.

#### Components:

##### **Mometasone:**

Not applicable

### Experience with human exposure

#### Components:

##### **Mometasone:**

Inhalation : Symptoms: allergic rhinitis, Headache, pharyngitis, upper respiratory tract infection, sinusitis, oral candidiasis, Back pain, musculoskeletal pain, immune system effects, indigestion  
Skin contact : Symptoms: Dermatitis, Itching

##### **Formoterol:**

Inhalation : Target Organs: Heart  
Symptoms: Palpitation, Tremors, Dizziness, Headache, dry mouth, Nausea, Fatigue

### Further information

#### Components:

##### **Mometasone:**

Remarks : Dermal absorption possible

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Ethanol:**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



ORGANON

## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 7.0      Revision Date: 09/30/2023      SDS Number: 75376-00021      Date of last issue: 04/04/2023  
Date of first issue: 03/16/2015

Toxicity to fish	: LC50 ( <i>Pimephales promelas</i> (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 ( <i>Ceriodaphnia</i> (water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 ( <i>Chlorella vulgaris</i> (Fresh water algae)): 275 mg/l Exposure time: 72 h  EC10 ( <i>Chlorella vulgaris</i> (Fresh water algae)): 11.5 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC ( <i>Daphnia magna</i> (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to microorganisms	: EC50 ( <i>Pseudomonas putida</i> ): 6,500 mg/l Exposure time: 16 h

### Mometasone:

Toxicity to fish	: LC50 ( <i>Menidia beryllina</i> (Silverside)): 0.11 mg/l Exposure time: 96 h Remarks: No toxicity at the limit of solubility.  LC50 ( <i>Cyprinodon variegatus</i> (sheepshead minnow)): > 5 mg/l Exposure time: 7 d Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates	: EC50 ( <i>Daphnia magna</i> (Water flea)): > 5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility.  EC50 ( <i>Americamysis</i> ): > 5 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035 Remarks: No toxicity at the limit of solubility.
Toxicity to algae/aquatic plants	: EC50 ( <i>Pseudokirchneriella subcapitata</i> (green algae)): > 3.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility.
Toxicity to fish (Chronic toxicity)	: NOEC ( <i>Pimephales promelas</i> (fathead minnow)): 0.00014 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC ( <i>Daphnia magna</i> (Water flea)): 0.34 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: No toxicity at the limit of solubility.



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 7.0      Revision Date: 09/30/2023      SDS Number: 75376-00021      Date of last issue: 04/04/2023  
Date of first issue: 03/16/2015

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209  
Remarks: No toxicity at the limit of solubility.

NOEC: 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209  
Remarks: No toxicity at the limit of solubility.

### Formoterol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 114 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 94 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 30 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### Persistence and degradability

#### Components:

##### Ethanol:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 84 %  
Exposure time: 20 d

##### Mometasone:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 50 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

Stability in water : Hydrolysis: 50 % (12 d)  
Method: OECD Test Guideline 111

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 7.0      Revision Date: 09/30/2023      SDS Number: 75376-00021      Date of last issue: 04/04/2023  
Date of first issue: 03/16/2015

---

### Bioaccumulative potential

#### Components:

##### Ethanol:

Partition coefficient: n-octanol/water : log Pow: -0.35

##### Mometasone:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 107.1  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.68

##### Formoterol:

Partition coefficient: n-octanol/water : log Pow: 0.41

### Mobility in soil

#### Components:

##### Mometasone:

Distribution among environmental compartments : log Koc: 4.02

#### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Please ensure aerosol cans are sprayed completely empty (including propellant)  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 1950  
Proper shipping name : AEROSOLS  
Class : 2.2  
Packing group : Not assigned by regulation  
Labels : 2.2  
Environmentally hazardous : no

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
7.0	09/30/2023	75376-00021	Date of first issue: 03/16/2015

---

### IATA-DGR

UN/ID No. : UN 1950  
Proper shipping name : Aerosols, non-flammable  
Class : 2.2  
Packing group : Not assigned by regulation  
Labels : Non-flammable, non-toxic Gas  
Packing instruction (cargo aircraft) : 203  
Packing instruction (passenger aircraft) : 203

### IMDG-Code

UN number : UN 1950  
Proper shipping name : AEROSOLS  
(Mometasone)  
Class : 2.2  
Packing group : Not assigned by regulation  
Labels : 2.2  
EmS Code : F-D, S-U  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number : UN 1950  
Proper shipping name : AEROSOLS  
Class : 2.2  
Packing group : Not assigned by regulation  
Labels : 2.2  
ERG Code : 126  
Marine pollutant : yes(Mometasone)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### International Regulations

Montreal Protocol : 1,1,1,2,3,3,3-Heptafluoropropane

### The ingredients of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



ORGANON

## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version 7.0      Revision Date: 09/30/2023      SDS Number: 75376-00021      Date of last issue: 04/04/2023  
Date of first issue: 03/16/2015

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / STEL	:	Short-term exposure limit
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / STEL	:	short-term exposure limit
CA QC OEL / STEV	:	Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Formoterol Metered Dose Inhaler Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
7.0	09/30/2023	75376-00021	Date of first issue: 03/16/2015

---

Data Sheet [cy, http://echa.europa.eu/](http://echa.europa.eu/)

Revision Date : 09/30/2023  
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8