

Montelukast Tablet Formulation

Version 3.2 Revision Date: 06.04.2024 SDS Number: 23092-00024 Date of last issue: 26.09.2023
Date of first issue: 17.10.2014

Section 1: Identification

Product identifier : Montelukast Tablet Formulation

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical
Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : Organon & Co.
Address : 30 Hudson Street, 33rd floor
Jersey City, New Jersey, U.S.A 07302
Telephone : +1-551-430-6000
Emergency telephone number : +1-215-631-6999
E-mail address : EHSSTEWARD@organon.com

Section 2: Hazard identification**Classification of the substance or mixture**

Not a hazardous substance or mixture.

GHS Label elements, including precautionary statements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 30 -< 50
Montelukast	151767-02-1	>= 1 -< 10
Magnesium stearate	557-04-0	>= 1 -< 10
Titanium dioxide	13463-67-7	>= 0.1 -< 1

Montelukast Tablet Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
3.2	06.04.2024	23092-00024	Date of first issue: 17.10.2014

Section 4: First-aid measures**Description of necessary first-aid measures**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : Wash with water and soap.
Get medical attention if symptoms occur.
- In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

- Risks : Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

Section 5: Fire-fighting measures**Extinguishing media**

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.

Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Metal oxides

Special protective actions for fire-fighters

- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
- Specific extinguishing method : Use extinguishing measures that are appropriate to local cir-

Montelukast Tablet Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
3.2	06.04.2024	23092-00024	Date of first issue: 17.10.2014

ods

cumstances and the surrounding environment.
 Use water spray to cool unopened containers.
 Remove undamaged containers from fire area if it is safe to do so.
 Evacuate area.

Section 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.
 Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions

Environmental precautions : Avoid release to the environment.
 Prevent further leakage or spillage if safe to do so.
 Retain and dispose of contaminated wash water.
 Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
 Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
 Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
 Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
 Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage**Precautions for safe handling**

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
 Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust.
 Do not swallow.
 Avoid contact with eyes.
 Avoid prolonged or repeated contact with skin.
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 Minimize dust generation and accumulation.

Montelukast Tablet Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
3.2	06.04.2024	23092-00024	Date of first issue: 17.10.2014

Keep container closed when not in use.
 Keep away from heat and sources of ignition.
 Take precautionary measures against static discharges.
 Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 When using do not eat, drink or smoke.
 Wash contaminated clothing before re-use.
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.
 Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents

Section 8: Exposure controls/personal protection**Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	PEL (long term)	10 mg/m ³	SG OEL
		TWA	10 mg/m ³	ACGIH
Montelukast	151767-02-1	TWA	40 µg/m ³ (OEB 3)	Internal
		Wipe limit	400 µg/100 cm ²	Internal
Magnesium stearate	557-04-0	PEL (long term)	10 mg/m ³	SG OEL
		TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH
Titanium dioxide	13463-67-7	PEL (long term)	10 mg/m ³	SG OEL

Appropriate engineering control measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

Montelukast Tablet Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
3.2	06.04.2024	23092-00024	Date of first issue: 17.10.2014

protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Particulates type
Hand protection	:	
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.

Section 9: Physical and chemical properties

Appearance	:	tablet
Colour	:	coloured
Odour	:	odourless
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, han-

SAFETY DATA SHEET



Montelukast Tablet Formulation



Version 3.2 Revision Date: 06.04.2024 SDS Number: 23092-00024 Date of last issue: 26.09.2023
Date of first issue: 17.10.2014

	: dling or other means.
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies) Water solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics Particle size	: No data available

Section 10: Stability and reactivity

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Oxidizing agents

Montelukast Tablet Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
3.2	06.04.2024	23092-00024	Date of first issue: 17.10.2014

Hazardous decomposition products : No hazardous decomposition products are known.

Section 11: Toxicological information

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:**Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Montelukast:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
LD50 (Mouse): > 5,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Remarks: Based on data from similar materials

Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Montelukast Tablet Formulation

Version
3.2

Revision Date:
06.04.2024

SDS Number:
23092-00024

Date of last issue: 26.09.2023
Date of first issue: 17.10.2014

Skin corrosion/irritation

Not classified based on available information.

Components:

Montelukast:

Species : Rabbit
Result : Mild skin irritation

Magnesium stearate:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Titanium dioxide:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Montelukast:

Species : Rabbit
Result : Severe irritation

Magnesium stearate:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Titanium dioxide:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Montelukast:

Remarks : No data available

Montelukast Tablet Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
3.2	06.04.2024	23092-00024	Date of first issue: 17.10.2014

Magnesium stearate:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

Titanium dioxide:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Result	: negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Cellulose:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative
		Test Type: In vitro mammalian cell gene mutation test
		Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
		Species: Mouse
		Application Route: Ingestion
		Result: negative

Montelukast:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative
		Test Type: In vitro mammalian cell gene mutation test
		Test system: Chinese hamster fibroblasts
		Result: negative
		Test Type: Chromosomal aberration
		Test system: Chinese hamster ovary cells
		Result: negative
		Test Type: Alkaline elution assay
		Test system: rat hepatocytes
		Result: negative
Genotoxicity in vivo	:	Test Type: Chromosomal aberration

Montelukast Tablet Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
3.2	06.04.2024	23092-00024	Date of first issue: 17.10.2014

Species: Mouse
 Cell type: Bone marrow
 Application Route: Oral
 Result: negative

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
 Result: negative
 Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
 Method: OECD Test Guideline 473
 Result: negative
 Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative
 Remarks: Based on data from similar materials

Titanium dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
 Species: Mouse
 Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Cellulose:**

Species : Rat
 Application Route : Ingestion
 Exposure time : 72 weeks
 Result : negative

Montelukast:

Species : Rat
 Application Route : Oral
 Exposure time : 2 Years
 Result : negative

Species : Mouse
 Application Route : Oral
 Exposure time : 92 weeks
 Result : negative

Montelukast Tablet Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
3.2	06.04.2024	23092-00024	Date of first issue: 17.10.2014

Titanium dioxide:

Species : Rat
Application Route : inhalation (dust/mist/fume)
Exposure time : 2 Years
Method : OECD Test Guideline 453
Result : positive
Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

Reproductive toxicity

Not classified based on available information.

Components:**Cellulose:**

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative

Montelukast:

Effects on fertility : Test Type: Fertility
Species: Rat, male
Application Route: Oral
Fertility: NOAEL: 800 mg/kg body weight
Result: Animal testing did not show any effects on fertility.

Test Type: Fertility
Species: Rat, female
Application Route: Oral
Fertility: LOAEL: 200 mg/kg body weight
Symptoms: Reduced fertility

Test Type: Fertility
Species: Rat, female
Application Route: Oral
Fertility: NOAEL: 100 mg/kg body weight
Symptoms: Reduced fertility

Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test

Montelukast Tablet Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
3.2	06.04.2024	23092-00024	Date of first issue: 17.10.2014

Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 422
 Result: negative
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****Cellulose:**

Species : Rat
 NOAEL : >= 9,000 mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days

Montelukast:

Species : Monkey, male and female
 NOAEL : 150 - 300 mg/kg
 Application Route : Oral
 Exposure time : 53 Weeks
 Remarks : No significant adverse effects were reported

Species : Rat
 NOAEL : 50 mg/kg
 Application Route : Oral
 Exposure time : 53 Weeks
 Remarks : No significant adverse effects were reported

Species : Mouse
 NOAEL : 50 mg/kg
 Application Route : Oral
 Exposure time : 14 Weeks
 Remarks : No significant adverse effects were reported

Magnesium stearate:

Species : Rat
 NOAEL : > 100 mg/kg
 Application Route : Ingestion

Montelukast Tablet Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
3.2	06.04.2024	23092-00024	Date of first issue: 17.10.2014

Exposure time : 90 Days
 Remarks : Based on data from similar materials

Titanium dioxide:

Species : Rat
 NOAEL : 24,000 mg/kg
 Application Route : Ingestion
 Exposure time : 28 Days

Species : Rat
 NOAEL : 10 mg/m³
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 2 yr

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Montelukast:**

Skin contact : Remarks: May irritate skin.
 Eye contact : Symptoms: Severe irritation
 Ingestion : Symptoms: upper respiratory tract infection, pharyngitis,
 Headache, Cough, Abdominal pain, Diarrhoea, Fever

Section 12: Ecological information**Toxicity****Components:****Cellulose:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l
 Exposure time: 48 h
 Remarks: Based on data from similar materials

Montelukast:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.0778 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203
 Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.0675 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202
 Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l

Montelukast Tablet Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
3.2	06.04.2024	23092-00024	Date of first issue: 17.10.2014

Exposure time: 72 h
 Method: OECD Test Guideline 201
 Remarks: No toxicity at the limit of solubility

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l

Exposure time: 72 h
 Method: OECD Test Guideline 201
 Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.073 mg/l
 Exposure time: 32 d
 Method: OECD Test Guideline 210
 Remarks: No toxicity at the limit of solubility

NOEC (Cyprinodon variegatus (sheepshead minnow)): 0.0816 mg/l
 Exposure time: 7 d
 Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.23 mg/l
 Exposure time: 21 d
 Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : EC50: > 100 mg/l
 Exposure time: 3 h
 Test Type: Respiration inhibition
 Method: OECD Test Guideline 209
 Remarks: No toxicity at the limit of solubility

Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l
 Exposure time: 48 h
 Method: DIN 38412
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l
 Exposure time: 47 h
 Test substance: Water Accommodated Fraction
 Method: Directive 67/548/EEC, Annex V, C.2.
 Remarks: Based on data from similar materials
 No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
 Exposure time: 72 h
 Test substance: Water Accommodated Fraction
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials
 No toxicity at the limit of solubility

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

Montelukast Tablet Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
3.2	06.04.2024	23092-00024	Date of first issue: 17.10.2014

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (*Pseudomonas putida*): > 100 mg/l
Exposure time: 16 h
Test substance: Water Accommodated Fraction
Remarks: Based on data from similar materials

Titanium dioxide:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (*Skeletonema costatum* (marine diatom)): > 10,000 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Persistence and degradability**Components:****Cellulose:**

Biodegradability : Result: Readily biodegradable.

Montelukast:

Biodegradability : Result: not rapidly degradable
Biodegradation: 0 %
Exposure time: 28 d

Stability in water : Hydrolysis: 50 %(21.7 h)

Magnesium stearate:

Biodegradability : Result: Not biodegradable
Remarks: Based on data from similar materials

Bioaccumulative potential**Components:****Montelukast:**

Montelukast Tablet Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
3.2	06.04.2024	23092-00024	Date of first issue: 17.10.2014

Partition coefficient: n-octanol/water : log Pow: > 4.3

Magnesium stearate:

Partition coefficient: n-octanol/water : log Pow: > 4

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

Section 14: Transport information**International Regulations****UNRTDG**

UN number	:	Not applicable
UN proper shipping name	:	Not applicable
Transport hazard class(es)	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

IATA-DGR

UN/ID No.	:	Not applicable
UN proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

IMDG-Code

UN number	:	Not applicable
UN proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable

SAFETY DATA SHEET



Montelukast Tablet Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
3.2	06.04.2024	23092-00024	Date of first issue: 17.10.2014

Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable
Regulations

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 06.04.2024

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
SG OEL : Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average
SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

SAFETY DATA SHEET



Montelukast Tablet Formulation



Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2023
3.2	06.04.2024	23092-00024	Date of first issue: 17.10.2014

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN