

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ORGANON

Nomegestrol / Estradiol Formulation

Version 7.2 Revision Date: 04/06/2024 SDS Number: 17210-00024 Date of last issue: 09/26/2023
Date of first issue: 09/30/2014

SECTION 1. IDENTIFICATION

Product name : Nomegestrol / Estradiol Formulation
Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Organon & Co.
Address : 30 Hudson Street, 33nd floor
Jersey City, New Jersey, U.S.A 07302
Telephone : 1-551-430-6000
Emergency telephone : 1-215-631-6999
E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use


Recommended use : Pharmaceutical
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Carcinogenicity : Category 1A
Reproductive toxicity : Category 1A
Specific target organ toxicity : Category 1 (Liver, Bone, Blood, Endocrine system)
- repeated exposure

GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H350 May cause cancer.
H360FD May damage fertility. May damage the unborn child.
H372 Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Nomegestrol / Estradiol Formulation

Version 7.2 Revision Date: 04/06/2024 SDS Number: 17210-00024 Date of last issue: 09/26/2023
Date of first issue: 09/30/2014

Response:

P308 + P313 IF exposed or concerned: Get medical attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Cellulose	No data available	9004-34-6	$\geq 10 - < 30$ *
Estradiol	No data available	50-28-2	$\geq 1 - < 5$ *
17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate	No data available	58652-20-3	$\geq 1 - < 5$ *
Talc	Talc (Mg ₃ H ₂ (SiO ₃) ₄)	14807-96-6	$\geq 1 - < 5$ *
Titanium dioxide	Titanic anhydride	13463-67-7	$\geq 0.1 - < 1$ *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/26/2023
7.2	04/06/2024	17210-00024	Date of first issue: 09/30/2014

If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause cancer. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO _x)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for	:	Sweep up or vacuum up spillage and collect in suitable

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/26/2023
7.2	04/06/2024	17210-00024	Date of first issue: 09/30/2014

containment and cleaning up container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ORGANON

Nomegestrol / Estradiol Formulation

Version
7.2

Revision Date:
04/06/2024

SDS Number:
17210-00024

Date of last issue: 09/26/2023
Date of first issue: 09/30/2014

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	TWA	10 mg/m ³	CA AB OEL
		TWA (Total dust)	10 mg/m ³	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m ³	CA BC OEL
		TWAEV (total dust)	10 mg/m ³	CA QC OEL
		TWA	10 mg/m ³	ACGIH
Estradiol	50-28-2	TWA	0.05 µg/m ³ (OEB 5)	Internal
	Further information: Skin			
		Wipe limit	0.5 µg/100 cm ²	Internal
17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate	58652-20-3	TWA	0.2 µg/m ³	Internal
		Wipe limit	2 µg/100 cm ²	Internal
Talc	14807-96-6	TWAEV (respirable dust)	2 mg/m ³	CA QC OEL
		TWA (Respirable particulates)	2 mg/m ³	CA AB OEL
		TWA (Respirable)	2 mg/m ³	CA BC OEL
		TWA	2 fibres per cubic centimeter	CA ON OEL
		TWA (Respirable fraction)	2 mg/m ³	CA ON OEL
		TWA (Respirable particulate matter)	2 mg/m ³	ACGIH
Titanium dioxide	13463-67-7	TWA	10 mg/m ³	CA AB OEL
		TWA (Total dust)	10 mg/m ³	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m ³	CA BC OEL
		TWAEV (total dust)	10 mg/m ³	CA QC OEL

Engineering measures

- : Minimize workplace exposure concentrations.
- Apply measures to prevent dust explosions.
- Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Nomegestrol / Estradiol Formulation

Version 7.2 Revision Date: 04/06/2024 SDS Number: 17210-00024 Date of last issue: 09/26/2023
Date of first issue: 09/30/2014

If sufficient ventilation is unavailable, use with local exhaust ventilation.

Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
- Eye protection : Wear the following personal protective equipment:
Safety goggles
- Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
-

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : powder
- Color : white
- Odor : odorless
- Odor Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : No data available
- Evaporation rate : No data available
- Flammability (solid, gas) : May form explosive dust-air mixture during processing,
-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ORGANON

Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/26/2023
7.2	04/06/2024	17210-00024	Date of first issue: 09/30/2014

	handling or other means.
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available
Density	: 1 g/cm ³
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/26/2023
7.2	04/06/2024	17210-00024	Date of first issue: 09/30/2014

Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Estradiol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): > 300 mg/kg
Application Route: Subcutaneous

17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
LD50 (Mouse): > 2,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): > 2,000 mg/kg
Application Route: Intraperitoneal

Talc:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Remarks: Based on data from similar materials

Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Nomegestrol / Estradiol Formulation

Version 7.2 Revision Date: 04/06/2024 SDS Number: 17210-00024 Date of last issue: 09/26/2023
Date of first issue: 09/30/2014

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

Talc:

Species : Rabbit
Result : No skin irritation

Titanium dioxide:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Estradiol:

Result : No eye irritation

Talc:

Species : Rabbit
Result : No eye irritation

Titanium dioxide:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Estradiol:

Routes of exposure : Skin contact
Species : Guinea pig
Assessment : Does not cause skin sensitization.
Result : negative

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/26/2023
7.2	04/06/2024	17210-00024	Date of first issue: 09/30/2014

Talc:

Routes of exposure : Skin contact
Species : Humans
Result : negative

Titanium dioxide:

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Skin contact
Species : Mouse
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Estradiol:

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Test system: mammalian cells
Result: positive

Test Type: Chromosome aberration test in vitro
Test system: mammalian cells
Result: positive

Test Type: Chromosomal aberration
Test system: mammalian cells
Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration
Species: Rat
Cell type: Bone marrow
Result: negative

Test Type: Chromosomal aberration
Species: Mouse

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/26/2023
7.2	04/06/2024	17210-00024	Date of first issue: 09/30/2014

Cell type: Bone marrow
Result: negative

17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate:

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Rat
Application Route: Oral
Result: negative

Test Type: In vivo micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Talc:

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro
Species: Rat
Application Route: Ingestion
Result: negative

Titanium dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

Carcinogenicity

May cause cancer.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Nomegestrol / Estradiol Formulation

Version 7.2 Revision Date: 04/06/2024 SDS Number: 17210-00024 Date of last issue: 09/26/2023
Date of first issue: 09/30/2014

Components:

Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Estradiol:

Species : Mouse
Application Route : Ingestion
Exposure time : 24 Months
LOAEL : 100 µg/kg
Result : positive
Target Organs : female reproductive organs

Species : Rat
Application Route : Subcutaneous
Exposure time : 13 weeks
LOAEL : 20 mg/kg body weight
Result : positive
Target Organs : Endocrine system

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies

17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate:

Species : Rat
Application Route : oral (feed)
Activity duration : 52 Weeks
LOAEL : 10 mg/kg body weight
Result : negative

Species : Mouse
Application Route : oral (feed)
LOAEL : 20 mg/kg body weight
Result : positive
Target Organs : Mammary gland, Pituitary gland

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Talc:

Species : Mouse
Application Route : inhalation (dust/mist/fume)
Exposure time : 2 Years
Result : negative

Titanium dioxide:

Species : Rat
Application Route : inhalation (dust/mist/fume)
Exposure time : 2 Years

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/26/2023
7.2	04/06/2024	17210-00024	Date of first issue: 09/30/2014

Method : OECD Test Guideline 453
Result : positive
Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative

Estradiol:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Fertility: LOAEL: 0.5 mg/kg body weight
Result: Effects on fertility.

Test Type: One-generation reproduction toxicity study
Species: Rat
Duration of Single Treatment: 90 d
Fertility: LOAEL: 0.69 mg/kg body weight
Result: Effects on fertility.

Test Type: Two-generation study
Species: Mouse
Application Route: Oral
Fertility: LOAEL: 0.1 mg/kg body weight
Result: Effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse, female
Application Route: Subcutaneous
Teratogenicity: LOAEL: 4 mg/kg body weight
Symptoms: Malformations were observed.
Result: positive, Teratogenic effects.

Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Subcutaneous

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/26/2023
7.2	04/06/2024	17210-00024	Date of first issue: 09/30/2014

Teratogenicity: LOAEL: 2.5 µg/kg body weight
Symptoms: Reduced body weight
Result: positive, Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Embryo-fetal development
Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: LOAEL: 0.2 mg/kg body weight
Symptoms: Early Resorptions / resorption rate., Reduced number of viable fetuses., Reduced body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Reproductive toxicity - Assessment : May damage fertility. May damage the unborn child.

17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate:

Effects on fetal development : Test Type: Development
Species: Rat
Application Route: Oral
Result: negative

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Result: negative, No teratogenic effects.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on sexual function and fertility from human epidemiological studies.

Talc:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.

Components:

Estradiol:

Target Organs : Liver, Bone, Blood, Endocrine system
Assessment : Causes damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Nomegestrol / Estradiol Formulation

Version 7.2 Revision Date: 04/06/2024 SDS Number: 17210-00024 Date of last issue: 09/26/2023
Date of first issue: 09/30/2014

Repeated dose toxicity

Components:

Cellulose:

Species : Rat
NOAEL : $\geq 9,000$ mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Estradiol:

Species : Rat
LOAEL : ≥ 0.17 mg/kg
Application Route : Ingestion
Exposure time : 90 d
Target Organs : Mammary gland, Ovary, Uterus (including cervix), Liver, Bone, Endocrine system, Blood, Testis

17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate:

Species : Mouse
NOAEL : 20 mg/kg
Application Route : Oral
Exposure time : 52 Weeks

Species : Rat
NOAEL : 20 mg/kg
Application Route : Oral
Exposure time : 52 Weeks

Titanium dioxide:

Species : Rat
NOAEL : 24,000 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Species : Rat
NOAEL : 10 mg/m³
Application Route : inhalation (dust/mist/fume)
Exposure time : 2 y

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Estradiol:

Inhalation : Symptoms: tingling, Nose bleeding
Skin contact : Symptoms: Skin irritation, Redness, pruritis
Ingestion : Symptoms: Headache, Gastrointestinal disturbance, Dizziness, Vomiting, Diarrhea, water retention, liver function

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Nomegestrol / Estradiol Formulation

Version 7.2 Revision Date: 04/06/2024 SDS Number: 17210-00024 Date of last issue: 09/26/2023
Date of first issue: 09/30/2014

change, changes in libido, breast tenderness, menstrual irregularities

17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate:

Ingestion : Symptoms: acne, amenorrhea, Headache, Dizziness, Nausea, breast tenderness, changes in libido, insomnia, musculoskeletal pain, mood swings, muscle pain, muscle twitching

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Cellulose:

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Estradiol:

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): 3.9 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 2.7 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (*Pseudokirchneriella subcapitata* (green algae)): 1.7 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 1.7 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (*Oryzias latipes* (Japanese medaka)): 0.000003 mg/l
Exposure time: 160 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.2 mg/l
Exposure time: 21 d

Toxicity to microorganisms : EC50: > 100 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC: 100 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ORGANON

Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/26/2023
7.2	04/06/2024	17210-00024	Date of first issue: 09/30/2014

17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate:

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 3.07 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.69 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Zebrafish): 0.0013 mg/l
Exposure time: 27 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 3.65 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: No toxicity at the limit of solubility.

Toxicity to microorganisms : EC50 (Natural microorganism): > 2.8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC (Natural microorganism): 2.8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
Remarks: No toxicity at the limit of solubility.

Talc:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100,000 mg/l
Exposure time: 24 h

Titanium dioxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Nomegestrol / Estradiol Formulation

Version 7.2 Revision Date: 04/06/2024 SDS Number: 17210-00024 Date of last issue: 09/26/2023
Date of first issue: 09/30/2014

Persistence and degradability

Components:

Cellulose:

Biodegradability : Result: Readily biodegradable.

Estradiol:

Biodegradability : Result: rapidly degradable
Biodegradation: 84 %
Exposure time: 24 hrs

Bioaccumulative potential

Components:

Estradiol:

Partition coefficient: n-octanol/water : log Pow: 4.01

17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate:

Bioaccumulation : Species: Zebrafish
Bioconcentration factor (BCF): 44

Partition coefficient: n-octanol/water : log Pow: 3.7

Mobility in soil

Components:

Estradiol:

Distribution among environmental compartments : log Koc: 3.81

17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate:

Distribution among environmental compartments : log Koc: 3.35
Method: OECD Test Guideline 106

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Nomegestrol / Estradiol Formulation

Version 7.2 Revision Date: 04/06/2024 SDS Number: 17210-00024 Date of last issue: 09/26/2023
Date of first issue: 09/30/2014

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Estradiol, 17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Estradiol, 17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Estradiol, 17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Estradiol, 17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate)
Class : 9
Packing group : III
Labels : 9

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/26/2023
7.2	04/06/2024	17210-00024	Date of first issue: 09/30/2014

ERG Code : 171
Marine pollutant : yes(Estradiol, 17-Hydroxy-6-methyl-19-norpregna-4,6-diene-3,20-dione 17-acetate)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL : Canada. British Columbia OEL
CA ON OEL : Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average
CA ON OEL / TWA : Time-Weighted Average Limit (TWA)
CA QC OEL / TWAEV : Time-weighted average exposure value

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Con-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



ORGANON

Nomegestrol / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/26/2023
7.2	04/06/2024	17210-00024	Date of first issue: 09/30/2014

centration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 04/06/2024
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8