according to the Hazardous Products Regulations



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 5.11 09/29/2023 26793-00024 Date of first issue: 10/31/2014

SECTION 1. IDENTIFICATION

Product name : Recombinant Follicle Stimulating Hormone Formulation

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Organon & Co.

Address : 30 Hudson Street, 33nd floor

Jersey City, New Jersey, U.S.A 07302

Telephone : 1-551-430-6000 Emergency telephone : 1-215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Reproductive toxicity : Category 1B

- repeated exposure

Specific target organ toxicity

Category 1 (male reproductive organs, female reproductive or-

gans)

GHS label elements

Hazard pictograms



Signal Word : Danger

Hazard Statements : H360FD May damage fertility. May damage the unborn child.

H372 Causes damage to organs (male reproductive organs, female reproductive organs) through prolonged or repeated

exposure.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves, protective clothing, eye protection

and face protection.

according to the Hazardous Products Regulations



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 5.11 09/29/2023 26793-00024 Date of first issue: 10/31/2014

Response:

P308 + P313 IF exposed or concerned: Get medical attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Sucrose	.alphaD- Glucopyra- noside, .beta D- fructofuranosyl	57-50-1	>= 5 - < 10 *
Benzyl alcohol	Benzenemetha- nol	100-51-6	>= 1 - < 5 *
Recombinant Follicle Stimulating Hormone	No data availa- ble	146479-72-3	>= 0.1 - < 1 *

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

In case of eye contact

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

according to the Hazardous Products Regulations



Recombinant Follicle Stimulating Hormone Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04/04/2023 26793-00024 5.11 09/29/2023 Date of first issue: 10/31/2014

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

Protection of first-aiders

May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.

First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Hazardous combustion prod-

ucts

Carbon oxides

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

Exposure to combustion products may be a hazard to health.

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and

according to the Hazardous Products Regulations



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 5.11 09/29/2023 26793-00024 Date of first issue: 10/31/2014

disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sucrose	57-50-1	TWA	10 mg/m ³	CA AB OEL
		TWA (Total dust)	10 mg/m ³	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m³	CA BC OEL
		TWAEV	10 mg/m ³	CA QC OEL
		TWA	10 mg/m ³	ACGIH
Recombinant Follicle Stimulat-	146479-72-3	TWA	5 μg/m3 (OEB 4)	Internal

according to the Hazardous Products Regulations



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 5.11 09/29/2023 26793-00024 Date of first issue: 10/31/2014

ing Hormone			
	Wipe limit	50 μg/100 cm ²	Internal

Engineering measures : Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Hand protection

Combined particulates and organic vapor type

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:

Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

according to the Hazardous Products Regulations



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 5.11 09/29/2023 26793-00024 Date of first issue: 10/31/2014

Flash point No data available

No data available Evaporation rate

Flammability (solid, gas) Not applicable

Flammability (liquids) No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure No data available

Relative vapor density No data available

No data available Density

Solubility(ies)

No data available Water solubility

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature No data available

Decomposition temperature No data available

Viscosity

Viscosity, dynamic No data available

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

No data available Molecular weight

Particle size No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

tions

Conditions to avoid None known.

according to the Hazardous Products Regulations



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 5.11 09/29/2023 26793-00024 Date of first issue: 10/31/2014

Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

Sucrose:

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Recombinant Follicle Stimulating Hormone:

Acute toxicity (other routes of:

administration)

LD50 (Rat): > 0.290 mg/kg

Application Route: Intravenous

LD50 (Monkey): > 0.290 mg/kg Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

Components:

Benzyl alcohol:

according to the Hazardous Products Regulations



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 5.11 09/29/2023 26793-00024 Date of first issue: 10/31/2014

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Benzyl alcohol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Benzyl alcohol:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Sucrose:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Recombinant Follicle Stimulating Hormone:

according to the Hazardous Products Regulations



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 5.11 09/29/2023 26793-00024 Date of first issue: 10/31/2014

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mammalian cells

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion

Result: negative

Recombinant Follicle Stimulating Hormone:

Effects on fertility : Test Type: Fertility

Species: Rat

Application Route: Subcutaneous

Fertility: LOAEL: 0.11

Symptoms: Effect on estrous cycle, Increase of early resorp-

tions., Reduced fertility

according to the Hazardous Products Regulations



Recombinant Follicle Stimulating Hormone Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/04/2023

 5.11
 09/29/2023
 26793-00024
 Date of first issue: 10/31/2014

Result: positive

Test Type: Fertility Species: Rabbit

Application Route: Subcutaneous

Fertility: LOAEL: 0.027

Symptoms: Reduced fertility, Reduced embryonic survival

Result: positive

Effects on fetal development : Test Type: Development

Species: Rat

Application Route: Subcutaneous

Dose: 2.9 µg/kg

Result: positive, No teratogenic effects.

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of

adverse effects on development, based on animal

experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (male reproductive organs, female reproductive organs) through prolonged or repeated exposure.

Components:

Recombinant Follicle Stimulating Hormone:

Target Organs : male reproductive organs, female reproductive organs
Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Benzyl alcohol:

Species : Rat NOAEL : 1.072 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412

Recombinant Follicle Stimulating Hormone:

Species : Monkey
NOAEL : 0.17 mg/kg
LOAEL : 0.86 mg/kg
Application Route : Subcutaneous
Exposure time : 13 Weeks

according to the Hazardous Products Regulations



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 5.11 09/29/2023 26793-00024 Date of first issue: 10/31/2014

Number of exposures : daily

Target Organs : Reproductive organs

Remarks : No significant adverse effects were reported

Species : Rat

LOAEL : 0.14 mg/kg Exposure time : 13 Weeks

Target Organs : Endocrine system

Remarks : No significant adverse effects were reported

Species : Dog LOAEL : 0.14

LOAEL : 0.14 mg/kg
Exposure time : 13 Weeks
Target Organs : Testis

Remarks : No significant adverse effects were reported

Species : Rat

NOAEL : 0.028 mg/kg LOAEL : 0.28 mg/kg Application Route : Subcutaneous

Exposure time : 1 year Target Organs : Testis

Species : Monkey, male
LOAEL : 0.028 mg/kg
Exposure time : 1 year
Target Organs : Testis

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Recombinant Follicle Stimulating Hormone:

Inhalation : Symptoms: gynecomastia, Skin disorders, Headache, Nau-

sea, Vomiting, Diarrhea

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

according to the Hazardous Products Regulations



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 5.11 09/29/2023 26793-00024 Date of first issue: 10/31/2014

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (green algae)): 770

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Persistence and degradability

Components:

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 - 96 % Exposure time: 14 d

Bioaccumulative potential

Components:

Sucrose:

Partition coefficient: n-

octanol/water

: Pow: < 1

Benzyl alcohol:

Partition coefficient: n-

octanol/water

log Pow: 1.05

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

according to the Hazardous Products Regulations



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 5.11 09/29/2023 26793-00024 Date of first issue: 10/31/2014

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for

according to the Hazardous Products Regulations



Recombinant Follicle Stimulating Hormone **Formulation**

Version SDS Number: Date of last issue: 04/04/2023 Revision Date: 5.11 09/29/2023 26793-00024 Date of first issue: 10/31/2014

Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to

Data Sheet

Revision Date 09/29/2023 Date format mm/dd/yyyy

compile the Material Safety

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8