according to GB/T 16483 and GB/T 17519



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/29 3.15 2024/04/06 26799-00023 Date of first issue: 2014/10/31

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Recombinant Follicle Stimulating Hormone Formulation

Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33nd floor

Jersey City, New Jersey, U.S.A 07302

Telephone : +1-551-430-6000

Emergency telephone number : +1-215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : liquid

Colour: No data availableOdour: No data available

May damage fertility. May damage the unborn child. Causes damage to organs through pro-

longed or repeated exposure.

GHS Classification

Reproductive toxicity : Category 1B

Specific target organ toxicity - :

repeated exposure

Category 1

GHS label elements

Hazard pictograms :

Signal word : Danger

according to GB/T 16483 and GB/T 17519



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/29 3.15 2024/04/06 26799-00023 Date of first issue: 2014/10/31

Hazard statements : H360FD May damage fertility. May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated

exposure.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Sucrose	57-50-1	>= 1 -< 10
Benzyl alcohol	100-51-6	>= 1 -< 10
Recombinant Follicle Stimulating Hormone	146479-72-3	>= 0.1 -< 0.3

4. FIRST AID MEASURES

according to GB/T 16483 and GB/T 17519



Recombinant Follicle Stimulating Hormone Formulation

Version **Revision Date:** SDS Number: Date of last issue: 2023/09/29 3.15 2024/04/06 26799-00023 Date of first issue: 2014/10/31

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

In case of eye contact Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

If swallowed

delayed Protection of first-aiders Causes damage to organs through prolonged or repeated exposure. First Aid responders should pay attention to self-protection,

May damage fertility. May damage the unborn child.

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

Specific hazards during fire-

Hazardous combustion prod-

ucts

None known.

Exposure to combustion products may be a hazard to health.

Carbon oxides

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : Use personal protective equipment.

according to GB/T 16483 and GB/T 17519



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/29 3.15 2024/04/06 26799-00023 Date of first issue: 2014/10/31

tive equipment and emergency procedures

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact : Oxidizing agents

Storage

Conditions for safe storage : Keep in properly labelled containers.

Store locked up.

according to GB/T 16483 and GB/T 17519



Recombinant Follicle Stimulating Hormone Formulation

Version **Revision Date:** SDS Number: Date of last issue: 2023/09/29 3.15 2024/04/06 26799-00023 Date of first issue: 2014/10/31

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid Do not store with the following product types:

Strong oxidizing agents

Packaging material Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Sucrose	57-50-1	TWA	10 mg/m3	ACGIH
Recombinant Follicle Stimulating Hormone	146479-72-3	TWA	5 μg/m3 (OEB 4)	Internal
		Wipe limit	50 μg/100 cm ²	Internal

Engineering measures Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Personal protective equipment

Respiratory protection If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Combined particulates and organic vapour type

Filter type Eye/face protection Wear the following personal protective equipment:

Safety glasses

Skin and body protection Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hand protection

Material Chemical-resistant gloves

Remarks Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the

end of workday.

If exposure to chemical is likely during typical use, provide Hygiene measures

eye flushing systems and safety showers close to the work-

ing place.

according to GB/T 16483 and GB/T 17519



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/29 3.15 2024/04/06 26799-00023 Date of first issue: 2014/10/31

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

according to GB/T 16483 and GB/T 17519



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/29 2024/04/06 26799-00023 Date of first issue: 2014/10/31 3.15

Viscosity, dynamic : No data available

Viscosity, kinematic No data available

Explosive properties : Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size No data available

10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known. Incompatible materials : Oxidizing agents

Hazardous decomposition

products

: No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes Inhalation

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

: Acute toxicity estimate: > 10 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

Sucrose:

LD50 (Rat): 29,700 mg/kg Acute oral toxicity

according to GB/T 16483 and GB/T 17519



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/29 3.15 2024/04/06 26799-00023 Date of first issue: 2014/10/31

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Recombinant Follicle Stimulating Hormone:

Acute toxicity (other routes of :

administration)

LD50 (Rat): > 0.290 mg/kg Application Route: Intravenous

7. pp. realer realer mareriede

LD50 (Monkey): > 0.290 mg/kg Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

Components:

Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Benzyl alcohol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Benzyl alcohol:

Test Type : Maximisation Test

according to GB/T 16483 and GB/T 17519



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/29 3.15 2024/04/06 26799-00023 Date of first issue: 2014/10/31

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Sucrose:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Recombinant Follicle Stimulating Hormone:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mammalian cells

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Benzyl alcohol:

Species : Mouse Application Route : Ingestion

according to GB/T 16483 and GB/T 17519



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/29 3.15 2024/04/06 26799-00023 Date of first issue: 2014/10/31

Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Ingestion

Result: negative

Recombinant Follicle Stimulating Hormone:

Effects on fertility : Test Type: Fertility

Species: Rat

Application Route: Subcutaneous

Fertility: LOAEL: 0.11

Symptoms: Effect on estrous cycle, Increase of early resorp-

tions, Reduced fertility

Result: positive

Test Type: Fertility Species: Rabbit

Application Route: Subcutaneous

Fertility: LOAEL: 0.027

Symptoms: Reduced fertility, Reduced embryonic survival

Result: positive

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Subcutaneous

Dose: 2.9 µg/kg

Result: positive, No teratogenic effects

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertil-

ity, based on animal experiments., Clear evidence of adverse

effects on development, based on animal experiments.

according to GB/T 16483 and GB/T 17519



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/29 3.15 2024/04/06 26799-00023 Date of first issue: 2014/10/31

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

Recombinant Follicle Stimulating Hormone:

male reproductive organs, female reproductive organs Target Organs Assessment Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Benzyl alcohol:

Species Rat NOAEL : 1.072 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412

Recombinant Follicle Stimulating Hormone:

Species Monkey **NOAEL** 0.17 mg/kg LOAEL : 0.86 mg/kg Application Route : Subcutaneous Exposure time : 13 Weeks

Number of exposures : daily

Target Organs Reproductive organs

Remarks No significant adverse effects were reported

Species Rat

LOAEL 0.14 mg/kg Exposure time 13 Weeks

Target Organs Endocrine system

Remarks No significant adverse effects were reported

Species Dog

LOAEL 0.14 mg/kg 13 Weeks Exposure time Target Organs Testis

Remarks No significant adverse effects were reported

Species Rat

NOAEL 0.028 mg/kg LOAEL 0.28 mg/kg

according to GB/T 16483 and GB/T 17519



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/29 Date of first issue: 2014/10/31 2024/04/06 3.15 26799-00023

Application Route Subcutaneous

Exposure time 1 year **Target Organs** Testis

Species Monkey, male LOAEL 0.028 mg/kg Exposure time 1 year Target Organs Testis

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Recombinant Follicle Stimulating Hormone:

Inhalation Symptoms: gynecomastia, Skin disorders, Headache, Nau-

sea, Vomiting, Diarrhoea

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Benzyl alcohol:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 770

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

according to GB/T 16483 and GB/T 17519



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/29 3.15 2024/04/06 26799-00023 Date of first issue: 2014/10/31

Persistence and degradability

Components:

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 - 96 %

Exposure time: 14 d

Bioaccumulative potential

Components:

Sucrose:

Partition coefficient: n-

octanol/water

: Pow: < 1

Benzyl alcohol:

Partition coefficient: n-

octanol/water

log Pow: 1.05

Mobility in soil
No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

no

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Environmentally hazardous :

IATA-DGR

according to GB/T 16483 and GB/T 17519



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/29 3.15 2024/04/06 26799-00023 Date of first issue: 2014/10/31

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen- : Not applicable

ger aircraft)

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Marine pollutant : no

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

according to GB/T 16483 and GB/T 17519



Recombinant Follicle Stimulating Hormone Formulation

Version **Revision Date:** SDS Number: Date of last issue: 2023/09/29 3.15 2024/04/06 26799-00023 Date of first issue: 2014/10/31

AICS not determined

DSL not determined

IECSC not determined

16. OTHER INFORMATION

Revision Date 2024/04/06

Further information

Sources of key data used to

compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

yyyy/mm/dd Date format

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals: ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

according to GB/T 16483 and GB/T 17519



Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/29 3.15 2024/04/06 26799-00023 Date of first issue: 2014/10/31

mendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN