



# Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 29.09.2023 3.0 06.04.2024 26820-00024 Date of first issue: 31.10.2014

**Section 1: Identification** 

Product identifier : Recombinant Follicle Stimulating Hormone Formulation

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33nd floor

Jersey City, New Jersey, U.S.A 07302

Telephone : +1-551-430-6000

Emergency telephone number : +1-215-631-6999

E-mail address : EHSSTEWARD@organon.com

# Section 2: Hazard identification

Classification of the substance or mixture

Reproductive toxicity : Category 1B

Specific target organ toxicity - :

repeated exposure

Category 1 (male reproductive organs, female reproductive

organs)

GHS Label elements, including precautionary statements

Hazard pictograms :

Signal word : Danger

Hazard statements : H360FD May damage fertility. May damage the unborn child.

H372 Causes damage to organs (male reproductive organs, female reproductive organs) through prolonged or repeated

exposure.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read





# Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 29.09.2023 3.0 06.04.2024 26820-00024 Date of first issue: 31.10.2014

and understood.

P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

### Other hazards which do not result in classification

None known.

### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Sucrose	57-50-1	>= 1 -< 10
Benzyl alcohol	100-51-6	>= 1 -< 10
Recombinant Follicle Stimulating Hormone	146479-72-3	>= 0.1 -< 0.3

### Section 4: First-aid measures

### Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.







Version 3.0

Revision Date: 06.04.2024

SDS Number: 26820-00024

Date of last issue: 29.09.2023 Date of first issue: 31.10.2014

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

Risks : May damage fertility. May damage the unborn child.

Causes damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

### Section 5: Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

### Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides Metal oxides

#### Special protective actions for fire-fighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

### Section 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

**Environmental precautions** 

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.







Version Revision Date: SDS Number: Date of last issue: 29.09.2023 3.0 06.04.2024 26820-00024 Date of first issue: 31.10.2014

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

## Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

### Section 7: Handling and storage

#### Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

### Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.







 Version
 Revision Date:
 SDS Number:
 Date of last issue: 29.09.2023

 3.0
 06.04.2024
 26820-00024
 Date of first issue: 31.10.2014

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

### Section 8: Exposure controls/personal protection

#### **Control parameters**

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Sucrose	57-50-1	PEL (long	10 mg/m3	SG OEL
		term)		
		TWA	10 mg/m3	ACGIH
Recombinant Follicle Stimulat- ing Hormone	146479-72-3	TWA	5 μg/m3 (OEB 4)	Internal
		Wipe limit	50 μg/100 cm <sup>2</sup>	Internal

Appropriate engineering

control measures

Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear the following personal protective equipment:

Safety glasses

Skin protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type

Hand protection

Combined particulates and organic vapour type

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the

end of workday.

### Section 9: Physical and chemical properties



# Recombinant Follicle Stimulating Hormone Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 29.09.2023

 3.0
 06.04.2024
 26820-00024
 Date of first issue: 31.10.2014

Appearance : liquid

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive







Version Revision Date: SDS Number: Date of last issue: 29.09.2023 3.0 06.04.2024 26820-00024 Date of first issue: 31.10.2014

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

No data available Particle size

### Section 10: Stability and reactivity

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

tions

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

### **Section 11: Toxicological information**

Information on likely routes of :

exposure

Inhalation Skin contact Ingestion Eye contact

### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

### **Components:**

Sucrose:

Acute oral toxicity LD50 (Rat): 29,700 mg/kg

Benzyl alcohol:

Acute oral toxicity LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity LC50 (Rat): > 4.178 mg/l

Exposure time: 4 h







Version Revision Date: SDS Number: Date of last issue: 29.09.2023 3.0 06.04.2024 26820-00024 Date of first issue: 31.10.2014

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

# **Recombinant Follicle Stimulating Hormone:**

Acute toxicity (other routes of : LD50 (Rat): > 0.290 mg/kg

administration)

Application Route: Intravenous

LD50 (Monkey): > 0.290 mg/kg Application Route: Intravenous

#### Skin corrosion/irritation

Not classified based on available information.

### **Components:**

### Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

### Benzyl alcohol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

### Respiratory sensitisation

Not classified based on available information.

### **Components:**

### Benzyl alcohol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

### Germ cell mutagenicity

Not classified based on available information.







Version Revision Date: SDS Number: Date of last issue: 29.09.2023 3.0 06.04.2024 26820-00024 Date of first issue: 31.10.2014

**Components:** 

Sucrose:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

**Recombinant Follicle Stimulating Hormone:** 

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mammalian cells

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Carcinogenicity

Not classified based on available information.

**Components:** 

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative

Reproductive toxicity

May damage fertility. May damage the unborn child.



# Recombinant Follicle Stimulating Hormone Formulation



Version Revision Date: SDS Number: Date of last issue: 29.09.2023 3.0 06.04.2024 26820-00024 Date of first issue: 31.10.2014

### **Components:**

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

**Application Route: Ingestion** 

Result: negative

# **Recombinant Follicle Stimulating Hormone:**

Effects on fertility : Test Type: Fertility

Species: Rat

Application Route: Subcutaneous

Fertility: LOAEL: 0.11

Symptoms: Effect on estrous cycle, Increase of early resorp-

tions, Reduced fertility

Result: positive

Test Type: Fertility Species: Rabbit

Application Route: Subcutaneous

Fertility: LOAEL: 0.027

Symptoms: Reduced fertility, Reduced embryonic survival

Result: positive

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Subcutaneous

Dose: 2.9 µg/kg

Result: positive, No teratogenic effects

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertil-

ity, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

**STOT - single exposure**Not classified based on available information.

STOT - repeated exposure

Causes damage to organs (male reproductive organs, female reproductive organs) through prolonged or repeated exposure.



# **Recombinant Follicle Stimulating Hormone Formulation**



Version Revision Date: SDS Number: Date of last issue: 29.09.2023 3.0 06.04.2024 26820-00024 Date of first issue: 31.10.2014

### Components:

# **Recombinant Follicle Stimulating Hormone:**

Target Organs male reproductive organs, female reproductive organs Assessment Causes damage to organs through prolonged or repeated

### Repeated dose toxicity

### **Components:**

### Benzyl alcohol:

**Species** : Rat NOAEL 1.072 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time

Method : OECD Test Guideline 412

### **Recombinant Follicle Stimulating Hormone:**

Species Monkey NOAEL 0.17 mg/kg LOAEL 0.86 mg/kg Application Route
Exposure time
Number of exposures Subcutaneous 13 Weeks

: daily

: Reproductive organs Target Organs

Remarks No significant adverse effects were reported

Species Rat

LOAEL : 0.14 mg/kg Exposure time : 13 Weeks

: Endocrine system Target Organs

Remarks No significant adverse effects were reported

Species Dog

LOAEL : 0.14 mg/kg Exposure time 13 Weeks Target Organs Testis

Remarks No significant adverse effects were reported

: Rat Species

NOAEL 0.028 mg/kg LOAEL 0.28 mg/kg Application Route Subcutaneous

Exposure time 1 year Target Organs Testis

Species Monkey, male LOAEL 0.028 mg/kg Exposure time 1 year





# Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 29.09.2023 3.0 06.04.2024 26820-00024 Date of first issue: 31.10.2014

Target Organs : Testis

### **Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure** 

### **Components:**

Recombinant Follicle Stimulating Hormone:

Inhalation : Symptoms: gynecomastia, Skin disorders, Headache, Nau-

sea, Vomiting, Diarrhoea

### **Section 12: Ecological information**

### **Toxicity**

### **Components:**

### Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 770

ma/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

### Persistence and degradability

### **Components:**

### Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 - 96 %

Exposure time: 14 d





# Recombinant Follicle Stimulating Hormone Formulation

Version Revision Date: SDS Number: Date of last issue: 29.09.2023 3.0 06.04.2024 26820-00024 Date of first issue: 31.10.2014

### Bioaccumulative potential

### **Components:**

Sucrose:

Partition coefficient: n- : Pow: < 1

octanol/water

tanoi/water

Benzyl alcohol:

Partition coefficient: n-

octanol/water

log Pow: 1.05

Mobility in soil

No data available

Other adverse effects

No data available

### Section 13: Disposal considerations

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

### **Section 14: Transport information**

# International Regulations

**UNRTDG** 

UN number : Not applicable
UN proper shipping name : Not applicable
Transport hazard class(es) : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
UN proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen-

ger aircraft)

Not applicable





# **Recombinant Follicle Stimulating Hormone Formulation**

Version **Revision Date:** SDS Number: Date of last issue: 29.09.2023 3.0 06.04.2024 26820-00024 Date of first issue: 31.10.2014

**IMDG-Code** 

**UN** number Not applicable Not applicable UN proper shipping name Not applicable Class Subsidiary risk Not applicable Packing group Not applicable Labels Not applicable **EmS Code** Not applicable Not applicable Marine pollutant

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

# Special precautions for user

Not applicable

### **Section 15: Regulatory information**

### Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and

Environmental Protection and Management (Hazard-

ous Substances) Regulations

Not applicable

Fire Safety (Petroleum and Flammable Materials)

Regulations

Not applicable

### The components of this product are reported in the following inventories:

**AICS** not determined

DSL not determined

**IECSC** not determined

#### Section 16: Other information

**Revision Date** 06.04.2024

**Further information** 

Sources of key data used to

compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.



# **Recombinant Follicle Stimulating Hormone Formulation**



Version Revision Date: SDS Number: Date of last issue: 29.09.2023 3.0 06.04.2024 26820-00024 Date of first issue: 31.10.2014

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

SG OEL : Singapore. Workplace Safety and Health (General Provisions)

Regulations - First Schedule Permissible Exposure Limits of

Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average

SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration. Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.



# none 😽 ORGANON

# **Recombinant Follicle Stimulating Hormone Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 29.09.2023

 3.0
 06.04.2024
 26820-00024
 Date of first issue: 31.10.2014

SG / EN