according to GB/T 16483 and GB/T 17519



Tibolone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/26 5.2 2024/04/06 16982-00026 Date of first issue: 2014/09/30

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Tibolone Formulation

Manufacturer or supplier's details

Company : Organon & Co.

Address : 30 Hudson Street, 33nd floor

Jersey City, New Jersey, U.S.A 07302

Telephone : +1-551-430-6000

Emergency telephone number: +1-215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : powder

Colour : No data available Odour : No data available

Suspected of causing cancer. May damage fertility. May cause damage to organs through pro-

longed or repeated exposure.

GHS Classification

Carcinogenicity : Category 2

Reproductive toxicity : Category 1B

Specific target organ toxicity - :

repeated exposure

Category 2

GHS label elements

Hazard pictograms

Signal word : Danger

according to GB/T 16483 and GB/T 17519



Tibolone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/26 5.2 2024/04/06 16982-00026 Date of first issue: 2014/09/30

Hazard statements : H351 Suspected of causing cancer.

H360F May damage fertility.

H373 May cause damage to organs through prolonged or re-

peated exposure.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe dust.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Suspected of causing cancer. May damage fertility. May cause damage to organs through prolonged or repeated exposure.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Starch	9005-25-8	> 1 -<= 10
Tibolone	5630-53-5	> 1 -<= 2.5

4. FIRST AID MEASURES

according to GB/T 16483 and GB/T 17519

ORGANON

Tibolone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/26 5.2 2024/04/06 16982-00026 Date of first issue: 2014/09/30

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting. If swallowed

Get medical attention.

Rinse mouth thoroughly with water. Suspected of causing cancer.

Most important symptoms

and effects, both acute and

May damage fertility.

delayed

May cause damage to organs through prolonged or repeated exposure.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

5. FIREFIGHTING MEASURES

Protection of first-aiders

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

according to GB/T 16483 and GB/T 17519



Tibolone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/26 5.2 2024/04/06 16982-00026 Date of first issue: 2014/09/30

for firefighters

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust. Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

according to GB/T 16483 and GB/T 17519



Tibolone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/26 5.2 2024/04/06 16982-00026 Date of first issue: 2014/09/30

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact : Oxidizing agents

Storage

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Starch	9005-25-8	TWA	10 mg/m3	ACGIH
Tibolone	5630-53-5	TWA	2 μg/m3	Internal
		Wipe limit	20 μg/100 cm ²	Internal

Engineering measures : Minimize workplace exposure concentrations.

Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear the following personal protective equipment:

Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hand protection

Material : Chemical-resistant gloves

according to GB/T 16483 and GB/T 17519



Tibolone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/26 5.2 2024/04/06 16982-00026 Date of first issue: 2014/09/30

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the

end of workday.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Initial boiling point and boiling :

Melting point/freezing point

range

No data available

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

according to GB/T 16483 and GB/T 17519



Tibolone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/26 2024/04/06 16982-00026 Date of first issue: 2014/09/30 5.2

Density 1 g/cm³

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature No data available

Decomposition temperature No data available

Viscosity

Viscosity, kinematic Not applicable

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size No data available

10. STABILITY AND REACTIVITY

Not classified as a reactivity hazard. Reactivity Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Hazardous decomposition

products

Oxidizing agents

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes Inhalation

Skin contact Inaestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Starch:

according to GB/T 16483 and GB/T 17519

♣ ORGANON

Tibolone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/26 5.2 2024/04/06 16982-00026 Date of first issue: 2014/09/30

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Tibolone:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

LD50 (Mouse): > 2,000 mg/kg

LD50 (Dog): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Starch:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Starch:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Starch:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Tibolone:

according to GB/T 16483 and GB/T 17519



Tibolone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/26 5.2 2024/04/06 16982-00026 Date of first issue: 2014/09/30

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster fibroblasts

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Rat

Application Route: Oral Result: negative

Carcinogenicity

Suspected of causing cancer.

Components:

Tibolone:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : positive

Target Organs : Liver, Urinary bladder, Pituitary gland, Testes, Mammary

gland, Uterus (including cervix)

Species : Mouse
Application Route : Oral
Exposure time : 18 Months
Result : positive

Target Organs : Liver, Respiratory system, Urinary bladder

Carcinogenicity - Assess-

ment

Limited evidence of carcinogenicity in animal studies

Reproductive toxicity

May damage fertility.

Components:

Tibolone:

Effects on fertility : Test Type: Fertility

Species: Rat, female

Symptoms: Effects on fertility

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Oral

Embryo-foetal toxicity: LOAEL: 0.07 mg/kg body weight

according to GB/T 16483 and GB/T 17519



Tibolone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/26 5.2 2024/04/06 16982-00026 Date of first issue: 2014/09/30

Symptoms: Preimplantation loss, Reduced number of viable

fetuses, Malformations were observed.

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse

effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Tibolone:

Target Organs : Bone, Endocrine system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Starch:

Species : Rat

NOAEL : >= 2,000 mg/kg
Application Route : Skin contact
Exposure time : 28 Days

Method : OECD Test Guideline 410

Tibolone:

Species : Rat

NOAEL : 0.05 mg/kg
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 52 Weeks

Target Organs : Endocrine system, Reproductive organs, Mammary gland,

Adrenal gland, Bone

Species : Dog

NOAEL : 0.05 mg/kg LOAEL : 0.5 mg/kg Application Route : Oral Exposure time : 1 yr

Target Organs : Endocrine system, Reproductive organs, Adrenal gland, Kid-

ney

according to GB/T 16483 and GB/T 17519



Tibolone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/26 5.2 2024/04/06 16982-00026 Date of first issue: 2014/09/30

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Tibolone:

Ingestion : Symptoms: Dizziness, Headache, Blurred vision, Skin disor-

ders, pruritis, breast tenderness, vaginitis, Abdominal pain, fluid accumulation, amenorhea, Gastrointestinal discomfort,

musculoskeletal pain, liver function change

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Tibolone:

Ecotoxicology Assessment

Acute aquatic toxicity : No data available

Chronic aquatic toxicity : No data available

Persistence and degradability

No data available

Bioaccumulative potential

Components:

Tibolone:

Partition coefficient: n-

log Pow: 3.9

octanol/water

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

according to GB/T 16483 and GB/T 17519



Tibolone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/26 5.2 2024/04/06 16982-00026 Date of first issue: 2014/09/30

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen- : Not applicable

ger aircraft)

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Marine pollutant : no

Special precautions for user

Not applicable

according to GB/T 16483 and GB/T 17519



Tibolone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/26 5.2 2024/04/06 16982-00026 Date of first issue: 2014/09/30

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2024/04/06

Further information

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships;

according to GB/T 16483 and GB/T 17519



Tibolone Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/26 5.2 2024/04/06 16982-00026 Date of first issue: 2014/09/30

n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN