## **Tibolone Formulation**



Version Revision Date: SDS Number: Date of last issue: 20.03.2023 4.1 26.09.2023 16995-00025 Date of first issue: 30.09.2014

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Tibolone Formulation

Manufacturer or supplier's details

Company name of supplier : Organon & Co.

Address : Avenida 16 de Septiembre No. 301

Xaltocan - Xochimilco Mexico 16090

Telephone : +52 55 57284444 Emergency telephone : 1-215-631-6999

E-mail address : EHSSTEWARD@organon.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Carcinogenicity : Category 2

Reproductive toxicity : Category 1B

Specific target organ toxicity

- repeated exposure

Category 1 (Bone, Endocrine system)

**GHS** label elements

Hazard pictograms



Signal Word : Danger

Hazard Statements : H351 Suspected of causing cancer.

H360Fd May damage fertility. Suspected of damaging the un-

born child.

H372 Causes damage to organs (Bone, Endocrine system)

through prolonged or repeated exposure.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/



## **Tibolone Formulation**



Date of last issue: 20.03.2023 Version Revision Date: SDS Number: 4.1 26.09.2023 16995-00025 Date of first issue: 30.09.2014

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

#### Other hazards

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Starch	9005-25-8	> 1 -<= 10
Tibolone	5630-53-5	> 1 -<= 2.5

#### **SECTION 4. FIRST AID MEASURES**

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms

Suspected of causing cancer.

and effects, both acute and

delayed

May damage fertility. Suspected of damaging the unborn child.

Causes damage to organs through prolonged or repeated

exposure. Contact with dust can cause mechanical irritation or drying of

Dust contact with the eyes can lead to mechanical irritation. Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

## **Tibolone Formulation**



Version Revision Date: SDS Number: Date of last issue: 20.03.2023 4.1 26.09.2023 16995-00025 Date of first issue: 30.09.2014

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**



## **Tibolone Formulation**



Version Revision Date: SDS Number: Date of last issue: 20.03.2023 4.1 26.09.2023 16995-00025 Date of first issue: 30.09.2014

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust. Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Starch	9005-25-8	VLE-PPT	10 mg/m³	NOM-010- STPS-2014
		TWA	10 mg/m <sup>3</sup>	ACGIH
Tibolone	5630-53-5	TWA	2 μg/m³	Internal
		Wipe limit	20 μg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Minimize workplace exposure concentrations.

Apply measures to prevent dust explosions.

## **Tibolone Formulation**



Version Revision Date: SDS Number: Date of last issue: 20.03.2023 4.1 26.09.2023 16995-00025 Date of first issue: 30.09.2014

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:

Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

## Tibolone Formulation



Version Revision Date: SDS Number: Date of last issue: 20.03.2023 4.1 26.09.2023 16995-00025 Date of first issue: 30.09.2014

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : 1 g/cm<sup>3</sup>

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.
Oxidizing agents

Incompatible materials

Hazardous decomposition

products

: No hazardous decomposition products are known.

## **Tibolone Formulation**



Version Revision Date: SDS Number: 4.1 26.09.2023 16995-00025

16995-00025 Date of first issue: 30.09.2014

Date of last issue: 20.03.2023

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

### **Acute toxicity**

Not classified based on available information.

#### **Components:**

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Tibolone:** 

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

LD50 (Mouse): > 2,000 mg/kg

LD50 (Dog): > 2,000 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

## **Components:**

Starch:

Species : Rabbit

Result : No eye irritation

### Respiratory or skin sensitization

## Skin sensitization

Not classified based on available information.

## Respiratory sensitization

Not classified based on available information.

#### Components:

Starch:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative



## **Tibolone Formulation**



Version Revision Date: SDS Number: Date of last issue: 20.03.2023 4.1 26.09.2023 16995-00025 Date of first issue: 30.09.2014

## Germ cell mutagenicity

Not classified based on available information.

#### Components:

Starch:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

**Tibolone:** 

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster fibroblasts

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Rat

Application Route: Oral

Result: negative

### Carcinogenicity

Suspected of causing cancer.

#### **Components:**

Tibolone:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : positive

Target Organs : Liver, Urinary bladder, Pituitary gland, Testes, Mammary

gland, Uterus (including cervix)

Species : Mouse
Application Route : Oral
Exposure time : 18 Months
Result : positive

Target Organs : Liver, Respiratory system, Urinary bladder

Carcinogenicity - Assess-

ment

Limited evidence of carcinogenicity in animal studies

#### Reproductive toxicity

May damage fertility. Suspected of damaging the unborn child.

## Components:

**Tibolone:** 

Effects on fertility : Test Type: Fertility





## **Tibolone Formulation**

Version Revision Date: SDS Number: Date of last issue: 20.03.2023 4.1 26.09.2023 16995-00025 Date of first issue: 30.09.2014

Species: Rat, female

Symptoms: Effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Embryo-fetal toxicity.: LOAEL: 0.07 mg/kg body weight Symptoms: Preimplantation loss., Reduced number of viable

fetuses., Malformations were observed.

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and

fertility, based on animal experiments., Some evidence of

adverse effects on development, based on animal

experiments.

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Causes damage to organs (Bone, Endocrine system) through prolonged or repeated exposure.

#### **Components:**

#### Tibolone:

Target Organs : Bone, Endocrine system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

#### Repeated dose toxicity

#### Components:

#### Starch:

Species : Rat

NOAEL : >= 2,000 mg/kg
Application Route : Skin contact
Exposure time : 28 Days

Method : OECD Test Guideline 410

Tibolone:

Species : Rat

NOAEL : 0.05 mg/kg
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 52 Weeks

Target Organs : Endocrine system, Reproductive organs, Mammary gland,

Adrenal gland, Bone

Species : Dog

NOAEL : 0.05 mg/kg
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 1 y

Target Organs : Endocrine system, Reproductive organs, Adrenal gland, Kid-



## **Tibolone Formulation**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.03.2023

 4.1
 26.09.2023
 16995-00025
 Date of first issue: 30.09.2014

ney

**Aspiration toxicity** 

Not classified based on available information.

Experience with human exposure

**Components:** 

Tibolone:

Ingestion : Symptoms: Dizziness, Headache, Blurred vision, Skin disor-

ders, pruritis, breast tenderness, vaginitis, Abdominal pain, fluid accumulation, amenorhea, Gastrointestinal discomfort,

musculoskeletal pain, liver function change

**SECTION 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity** 

**Components:** 

Tibolone:

**Ecotoxicology Assessment** 

Acute aquatic toxicity : No data available

Chronic aquatic toxicity : No data available

Persistence and degradability

No data available

**Bioaccumulative potential** 

**Components:** 

**Tibolone:** 

Partition coefficient: n-

octanol/water

log Pow: 3.9

Mobility in soil

No data available

Other adverse effects

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

## **Tibolone Formulation**



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.03.2023

 4.1
 26.09.2023
 16995-00025
 Date of first issue: 30.09.2014

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

#### NOM-002-SCT

Not regulated as a dangerous good

## Special precautions for user

Not applicable

### **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors,

essential chemical products and machinery for

producing capsules, tablets and pills.

: Not applicable

#### The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

Revision Date : 26.09.2023 Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting

the Work Environment - Identification, Assessment and Con-

trol - Appendix 1 Occupational Exposure Limits

ACGIH / TWA : NOM-010-STPS-2014 / VLE- :

: 8-hour, time-weighted average

**PPT** 

Time weighted average limit value

# - ORGANON

## **Tibolone Formulation**

Version Revision Date: SDS Number: Date of last issue: 20.03.2023 4.1 26.09.2023 16995-00025 Date of first issue: 30.09.2014

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8