according to the OSHA Hazard Communication Standard



Tibolone Formulation

| Version | Revision Date: | SDS Number: | Date of last issue: 03/20/2023 |
|---------|----------------|-------------|---------------------------------|
| 6.1 | 09/26/2023 | 17004-00025 | Date of first issue: 09/30/2014 |

SECTION 1. IDENTIFICATION

| Product name | : | Tibolone Formulation | | | |
|---|---|---|--|--|--|
| Manufacturer or supplier's details | | | | | |
| Company name of supplier Address | | Organon & Co. 30 Hudson Street, 33nd floor Jersey City, New Jersey, U.S.A 07302 | | | |
| Telephone Emergency telephone E-mail address | : | 1-551-430-6000 1-215-631-6999 EHSSTEWARD@organon.com | | | |
| Recommended use of the chemical and restrictions on use | | | | | |
| Recommended use Restrictions on use | : | Pharmaceutical Not applicable | | | |

SECTION 2. HAZARDS IDENTIFICATION

| GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR |
|--|
| 1910.1200) |
| Combustible dust |

| Carcinogenicity | : | Category 2 |
|---|---|-------------------------------------|
| Reproductive toxicity | : | Category 1B |
| Specific target organ toxicity - repeated exposure | : | Category 1 (Bone, Endocrine system) |

GHS label elements

| Hazard | pictograms |
|--------|-------------|
| nazara | piologianio |



| Signal Word | : | Danger |
|--------------------------|---|--|
| Hazard Statements | : | If small particles are generated during further processing, han- dling or by other means, may form combustible dust concentra- tions in air. H351 Suspected of causing cancer. H360Fd May damage fertility. Suspected of damaging the un- born child. H372 Causes damage to organs (Bone, Endocrine system) through prolonged or repeated exposure. |
| Precautionary Statements | : | Prevention: |
| | | P201 Obtain special instructions before use. |

according to the OSHA Hazard Communication Standard



Tibolone Formulation

| Version 6.1 | Revision Date: 09/26/2023 | SDS Number: 17004-00025 | Date of last issue: 03/20/2023 Date of first issue: 09/30/2014 |
|----------------|------------------------------|---|--|
| | | P270 Do not e | kin thoroughly after handling. eat, drink or smoke when using this product. otective gloves, protective clothing, eye protection |
| | | Response: P308 + P313 | F exposed or concerned: Get medical attention. |
| | | Storage: P405 Store loo | cked up. |
| | | Disposal: P501 Dispose disposal plant. | of contents and container to an approved waste |
| Othe | r hazards | | |

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Substance / Mixture | : | Mixture |
|---------------------|---|---------|
| | • | IVIIATO |

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|---------------|-----------|-----------------------|
| Starch | 9005-25-8 | > 1 - <= 10 |
| Tibolone | 5630-53-5 | > 1 - <= 2.5 |

SECTION 4. FIRST AID MEASURES

| General advice | : | In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice. |
|---|---|--|
| If inhaled | : | If inhaled, remove to fresh air. Get medical attention. |
| In case of skin contact | : | In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. |
| In case of eye contact | : | If in eyes, rinse well with water. Get medical attention if irritation develops and persists. |
| If swallowed | : | If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : | Suspected of causing cancer. May damage fertility. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated |

according to the OSHA Hazard Communication Standard



Tibolone Formulation

| Version 6.1 | Revision Date: 09/26/2023 | | OS Number: 004-00025 | Date of last issue: 03/20/2023 Date of first issue: 09/30/2014 | |
|--|---------------------------------------|-----|--|---|--|
| Protection of first-aiders Notes to physician | | : | exposure. Contact with dust can cause mechanical irritation or the skin. Dust contact with the eyes can lead to mechanical ir First Aid responders should pay attention to self-protand use the recommended personal protective equip when the potential for exposure exists (see section 8) Treat symptomatically and supportively. | | |
| SECTION | 5. FIRE-FIGHTING ME | ASL | JRES | | |
| Suitat | ble extinguishing media | : | Water spray Alcohol-resistan Carbon dioxide Dry chemical | | |
| Unsuitable extinguishing media | | : | None known. | | |
| Speci fightin | fic hazards during fire g | : | concentrations, potential dust ex | g dust; fine dust dispersed in air in sufficient and in the presence of an ignition source is a plosion hazard. hbustion products may be a hazard to health. | |
| Hazar ucts | dous combustion prod- | : | Carbon oxides | | |
| Speci [:] ods | fic extinguishing meth- | : | cumstances and Use water spray | ng measures that are appropriate to local cir- I the surrounding environment. I to cool unopened containers. aged containers from fire area if it is safe to d | |
| | al protective equipment e-fighters | : | In the event of fi | re, wear self-contained breathing apparatus. otective equipment. | |

| Personal precautions, protec- tive equipment and emer- gency procedures | : | Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
|---|---|--|
| Environmental precautions | : | Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up | : | Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and |

according to the OSHA Hazard Communication Standard



Tibolone Formulation

| Version 6.1 | Revision Date: 09/26/2023 | SDS Number: 17004-00025 | Date of last issue: 03/20/2023 Date of first issue: 09/30/2014 |
|----------------|------------------------------|---|--|
| | | employed in the determine whe Sections 13 a | s material, as well as those materials and items ne cleanup of releases. You will need to ich regulations are applicable. nd 15 of this SDS provide information regarding r national requirements. |
| SECTION | 7. HANDLING AND S | STORAGE | |
| Tech | nical measures | causing an ex Provide adequ | ty may accumulate and ignite suspended dust plosion. Jate precautions, such as electrical grounding or inert atmospheres. |
| Local | I/Total ventilation | | ntilation is unavailable, use with local exhaust |
| | e on safe handling | Do not breath Do not swallow Avoid contact Wash skin tho Handle in acc practice, base assessment Keep containe Keep away fro Take precauti Do not eat, dr Take care to p environment. | w. with eyes. proughly after handling. ordance with good industrial hygiene and safety d on the results of the workplace exposure er tightly closed. generation and accumulation. er closed when not in use. om heat and sources of ignition. onary measures against static discharges. ink or smoke when using this product. orevent spills, waste and minimize release to the |
| Cond | litions for safe storage | Store locked u Keep tightly c | |
| Mate | rials to avoid | : Do not store v Strong oxidizi | with the following product types: ng agents substances and mixtures |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| inert or nuisance dust | 50 Million particles per cubic foot Value type (Form of exposure): TWA (total dust) Basis: OSHA Z-3 |
|------------------------|---|
| | 15 ma/m ³ |

15 mg/m³ Value type (Form of exposure): TWA (total dust) Basis: OSHA Z-3

according to the OSHA Hazard Communication Standard



Tibolone Formulation

| | | SDS Number: 17004-00025 | | Date of last issue: 03/20/2023 Date of first issue: 09/30/2014 | | | | | |
|---|---------|--|---|---|--------------|--|--|--|--|
| | | Basis: OSHA | Value type (Form of exposure): TWA (respirable fraction) Basis: OSHA Z-3 | | | | | | |
| | | | |): TWA (respirable fra | action) | | | | |
| Dust, nuisance dust and par- ticulates | | | 10 mg/m³ Value type (Form of exposure): PEL (Total dust) Basis: CAL PEL | | | | | | |
| | | 5 mg/m³ Value type (F Basis: CAL P | | : PEL (respirable du | st fraction) | | | | |
| Comp | oonents | CAS-No. | Value type (Form of exposure) | Control parame- ters / Permissible concentration | Basis | | | | |
| Starch | า | 9005-25-8 | TŴA | 10 mg/m ³ | ACGIH | | | | |
| | | | TWA (Res- pirable) | 5 mg/m ³ | NIOSH RE | | | | |
| | | | TWA (total) | 10 mg/m ³ | NIOSH RE | | | | |
| | | | TWA (total dust) | 15 mg/m ³ | OSHA Z-1 | | | | |
| | | | TWA (respir- able fraction) | 5 mg/m ³ | OSHA Z-1 | | | | |
| | 200 | 5630-53-5 | TWA | 2 µg/m³ | Internal | | | | |
| Tibolo | ne | 0000 00 0 | | | | | | | |

| Engineering measures : | Minimize workplace exposure concentrations. Apply measures to prevent dust explosions. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). If sufficient ventilation is unavailable, use with local exhaust ventilation. |
|-------------------------------|--|
| Personal protective equipment | |
| Respiratory protection : | General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection. |

according to the OSHA Hazard Communication Standard



Tibolone Formulation

| Version 6.1 | Revision Date: 09/26/2023 | SDS Number 17004-00025 | | | |
|--------------------------|------------------------------|---|---|--|--|
| Hand | Hand protection | | | | |
| N | laterial | : Chemical | resistant gloves | | |
| Remarks | | on the co time is no For specia resistance gloves wit | Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. | | |
| Eye | protection | : Wear the | Wear the following personal protective equipment: Safety goggles | | |
| Skin and body protection | | : Select ap resistance potential. Skin cont | Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc). | | |
| Hygiene measures | | : If exposur eye flushi working p When usi | e to chemical is likely during typical use, provide ng systems and safety showers close to the | | |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : | powder |
|---|---|---|
| Color | : | No data available |
| Odor | : | No data available |
| Odor Threshold | : | No data available |
| рН | : | No data available |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point | : | Not applicable |
| Evaporation rate | : | Not applicable |
| | | |
| Flammability (solid, gas) | : | May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (solid, gas) | : | |
| | : | handling or other means. No data available |

according to the OSHA Hazard Communication Standard



Tibolone Formulation

| Versi 6.1 | ion | Revision Date: 09/26/2023 | | S Number: 004-00025 | Date of last issue: 03/20/2023 Date of first issue: 09/30/2014 |
|--------------|--|------------------------------|---|------------------------|---|
| | flamma | bility limit | | | |
| | Vapor pressure | | : | Not applicable | |
| | Relativ | e vapor density | : | Not applicable | |
| | Relativ | e density | : | No data available | 9 |
| | Density | / | : | 1 g/cm ³ | |
| | Solubili Wat | ty(ies) er solubility | : | No data available | 9 |
| | Partition coefficient: n- octanol/water | | : | Not applicable | |
| | | nition temperature | : | No data available | 9 |
| | Decomposition temperature | | : | No data available | 9 |
| | Viscosi Visc | ty cosity, kinematic | : | Not applicable | |
| | Explosi | ve properties | : | Not explosive | |
| | Oxidiziı | ng properties | : | The substance o | r mixture is not classified as oxidizing. |
| | Particle size | | : | No data available | 9 |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity Chemical stability Possibility of hazardous reac- tions | Not classified as a reactivity hazard. Stable under normal conditions. May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents. |
|---|---|
| Conditions to avoid | : Heat, flames and sparks. Avoid dust formation. |
| Incompatible materials | : Oxidizing agents |
| Hazardous decomposition products | : No hazardous decomposition products are known. |

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

according to the OSHA Hazard Communication Standard



Tibolone Formulation

| ersion 1 | Revision Date: 09/26/2023 | SDS Number: 17004-00025 | Date of last issue: 03/20/2023 Date of first issue: 09/30/2014 |
|-----------------------------------|--|--|---|
| | e toxicity assified based on ava | ilable information. | |
| Comp | oonents: | | |
| Starc | h: | | |
| Acute | oral toxicity | : LD50 (Rat): > | 5,000 mg/kg |
| Acute | dermal toxicity | : LD50 (Rabbit |): > 2,000 mg/kg |
| Tibol | one: | | |
| Acute | oral toxicity | : LD50 (Rat): > | 2,000 mg/kg |
| | | LD50 (Mouse |): > 2,000 mg/kg |
| | | LD50 (Dog): : | > 2,000 mg/kg |
| Not cl | us eye damage/eye assified based on ava ponents: | | |
| | | | |
| Starc Speci Resul | es | : Rabbit : No eye irritati | on |
| Resp | iratory or skin sensi | tization | |
| | sensitization assified based on ava | ilable information. | |
| - | iratory sensitization assified based on ava | ilable information. | |
| Comp | oonents: | | |
| Starc | h: | | |
| Test T Route Speci Resul | es of exposure | : Maximization : Skin contact : Guinea pig : negative | Test |
| | cell mutagenicity | | |
| Not cl | assified based on ava | ilable information. | |

Components:

Starch:

Genotoxicity in vitro

Test Type: Bacterial reverse mutation assay (AMES) Result: negative

:

according to the OSHA Hazard Communication Standard



Tibolone Formulation

| rsion | Revision Date: 09/26/2023 | SDS Number: 17004-00025 | Date of last issue: 03/20/2023 Date of first issue: 09/30/2014 | | | | |
|--|-----------------------------------|--|---|--|--|--|--|
| Tibol Geno | one: toxicity in vitro | : Test Type: E Result: nega | acterial reverse mutation assay (AMES) tive | | | | |
| | | Test system Result: nega | | | | | |
| | | | Chromosome aberration test in vitro : Chinese hamster fibroblasts itive | | | | |
| Genotoxicity in vivo | | Species: Ra Application F | : Test Type: Micronucleus test Species: Rat Application Route: Oral Result: negative | | | | |
| | nogenicity ected of causing ca | ncer. | | | | | |
| <u>Com</u> | <u>oonents:</u> | | | | | | |
| Tibol | one: | | | | | | |
| Species Application Route Exposure time Result Target Organs | | | y bladder, Pituitary gland, Testes, Mammary s (including cervix) | | | | |
| Species Application Route Exposure time Result Target Organs | | : Mouse : Oral : 18 Months : positive : Liver, Respir | Oral 18 Months | | | | |
| Carci | nogenicity - Assess | - : Limited evide | ence of carcinogenicity in animal studies | | | | |
| | | | esent at levels greater than or equal to 0.1% is or confirmed human carcinogen by IARC. | | | | |
| OSH | | No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. | | | | | |
| NTP | | | esent at levels greater than or equal to 0.1% is ated carcinogen by NTP. | | | | |

Reproductive toxicity

May damage fertility. Suspected of damaging the unborn child.

according to the OSHA Hazard Communication Standard



Tibolone Formulation

| Versior 6.1 | n | Revision Date: 09/26/2023 | - | S Number: 004-00025 | Date of last issue: 03/20/2023 Date of first issue: 09/30/2014 | |
|----------------------------|---|---|------|---|---|--|
| <u>C</u> | ompo | nents: | | | | |
| Ti | ibolon | ie: | | | | |
| Ef | Effects on fertility | | : | : Test Type: Fertility Species: Rat, female Symptoms: Effects on fertility. | | |
| Ef | Effects on fetal development | | : | Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral Embryo-fetal toxicity.: LOAEL: 0.07 mg/kg body weight Symptoms: Preimplantation loss., Reduced number of viable fetuses., Malformations were observed. | | |
| | Reproductive toxicity - As- sessment | | : | Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments. | | |
| | | ingle exposure sified based on availa | ble | information. | | |
| S | TOT-r | epeated exposure | | | | |
| Ca | auses | damage to organs (Be | one, | Endocrine system |) through prolonged or repeated exposure. | |
| <u>C</u> | ompo | nents: | | | | |
| Ti | ibolon | ie: | | | | |
| | arget (ssessr | Drgans nent | : | Bone, Endocrine system Causes damage to organs through prolonged or repeated exposure. | | |
| Re | epeate | ed dose toxicity | | | | |
| <u>C</u> | ompo | nents: | | | | |
| St | tarch: | | | | | |
| N Ar E> | | | : | Rat >= 2,000 mg/kg Skin contact 28 Days OECD Test Guide | eline 410 | |
| Ti | ibolon | ie: | | | | |
| NG LC Ap E> Ta | xposu arget (| tion Route re time Drgans | : | Rat 0.05 mg/kg 0.5 mg/kg Oral 52 Weeks Endocrine system Adrenal gland, Bo | n, Reproductive organs, Mammary gland, ne | |
| Sp | Species : Dog | | | | | |

according to the OSHA Hazard Communication Standard



Tibolone Formulation

| Versior 6.1 | n Revision Date: 09/26/2023 | - | 0S Number: 004-00025 | Date of last issue: 03/20/2023 Date of first issue: 09/30/2014 |
|----------------|---|-----|---|---|
| LC Ap E> | NOAEL LOAEL Application Route Exposure time Target Organs | | 0.05 mg/kg 0.5 mg/kg Oral 1 y Endocrine system ney | , Reproductive organs, Adrenal gland, Kid- |
| No | spiration toxicity ot classified based on availa | | | |
| | xperience with human exp | osı | ire | |
| | omponents: | | | |
| | bolone: gestion | : | ders, pruritis, brea fluid accumulation | ness, Headache, Blurred vision, Skin disor- ast tenderness, vaginitis, Abdominal pain, a, amenorhea, Gastrointestinal discomfort, ain, liver function change |
| SECTI | ON 12. ECOLOGICAL INFO | DRN | IATION | |
| F | | | | |
| | cotoxicity | | | |
| | omponents: bolone: | | | |
| | | | | |
| | cotoxicology Assessment cute aquatic toxicity | : | No data available | |
| | hronic aquatic toxicity | : | No data available | |
| | ersistence and degradabili | ity | | |
| Bi | ioaccumulative potential | | | |
| <u>C</u> | omponents: | | | |
| Pa | bolone: artition coefficient: n- ctanol/water | : | log Pow: 3.9 | |
| | obility in soil o data available | | | |
| | ther adverse effects o data available | | | |

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

: Dispose of in accordance with local regulations.

according to the OSHA Hazard Communication Standard



Tibolone Formulation

| Version | Revision Date: | SDS Number: | Date of last issue: 03/20/2023 |
|---------|-------------------|------------------------------------|---|
| 6.1 | 09/26/2023 | 17004-00025 | Date of first issue: 09/30/2014 |
| Conta | minated packaging | : Empty contain handling site f | e of waste into sewer. ers should be taken to an approved waste or recycling or disposal. e specified: Dispose of as unused product. |

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

| SARA 311/312 Hazards | Combustible dust Carcinogenicity Reproductive toxicity Specific target organ toxicity (single or repeated exposure) |
|----------------------|---|
| SARA 313 | : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. |

US State Regulations

Pennsylvania Right To Know

| Lactose | |
|---------|--|
| Starch | |

63-42-3 9005-25-8


according to the OSHA Hazard Communication Standard



Tibolone Formulation

| Version 6.1 | Revision Date: 09/26/2023 | SDS Number: 17004-00025 | Date of last issue: 03/20/2023 Date of first issue: 09/30/2014 | | |
|----------------|--|----------------------------|---|--|--|
| Califo | ornia Permissible Ex | posure Limits for Ch | emical Contaminants | | |
| | Starch | | 9005-25-8 | | |
| | The ingredients of this product are reported in the following inventories: | | | | |
| AICS | | : not determined | 1 | | |
| DSL | | : not determined | I | | |
| IECS | с | : not determined | i | | |

SECTION 16. OTHER INFORMATION





Flammability Health 0 0 Instability Special hazard HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

| ACGIH CAL PEL | | USA. ACGIH Threshold Limit Values (TLV) California permissible exposure limits for chemical contami- nants (Title 8, Article 107) |
|------------------|---|---|
| NIOSH REL | : | USA. NIOSH Recommended Exposure Limits |
| OSHA Z-1 | | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| OSHA Z-3 | : | USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts |
| ACGIH / TWA | : | 8-hour, time-weighted average |
| CAL PEL / PEL | : | Permissible exposure limit |
| NIOSH REL / TWA | : | Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek |
| OSHA Z-1 / TWA | : | 8-hour time weighted average |
| OSHA Z-3 / TWA | : | 8-hour time weighted average |

according to the OSHA Hazard Communication Standard



Tibolone Formulation

| Version | Revision Date: | SDS Number: | Date of last issue: 03/20/2023 |
|---------|----------------|-------------|---------------------------------|
| 6.1 | 09/26/2023 | 17004-00025 | Date of first issue: 09/30/2014 |

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

| Sources of key data used to | : | Internal technical data, data from raw material SDSs, OECD |
|-----------------------------|---|--|
| compile the Material Safety | | eChem Portal search results and European Chemicals Agen- |
| Data Sheet | | cy, http://echa.europa.eu/ |

Revision Date

: 09/26/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8